## MATERIAL SAFETY DATA SHEET 0300R233 T1082-003 PVC CC HMF

Version Number 1.1 Revision Date 01/05/2004 Page 1 of 7 Print Date *11/13/2011* 

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	030OR233 T1082-003 PVC CC HMF
Product code	:	CC10040069
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Quartz	14808-60-7	0.1 - 1
D&C red No. 9	5160-02-1	1 - 5
Titanium dioxide	13463-67-7	5 - 10
Calcium carbonate	1317-65-3	30 - 60

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Particulates, like other inert materials can be mechanically irritating. Excessive inhalation of product vapors, especially during heating or processing, may be irritating to respiratory system.
Ingestion	: May be harmful if swallowed.
Eyes	: Particulates, like other inert materials can be mechanically irritating.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.

PolyOne

### MATERIAL SAFETY DATA SHEET 0300R233 T1082-003 PVC CC HMF

Version Number 1.1 Revision Date 01/05/2004 Page 2 of 7 Print Date 11/13/2011

Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> <li>Carbon dioxide blanket, water spray, dry powder, foamnone.</li> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions.</li> </ul>
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.



# MATERIAL SAFETY DATA SHEET 0300R233 T1082-003 PVC CC HMF

Version Number 1.1 Revision Date 01/05/2004 Page 3 of 7 Print Date 11/13/2011

7. HANDLING AND STORAGE				
Handling	:	Take measures to prevent the build up of electrostatic charge Heat only in areas with appropriate exhaust ventilation.		
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.		
8. EXI	POSUI	RE CONTROLS / PERSONAL PROTECTION		
Respiratory protection	:	No personal respiratory protective equipment normally required.		
Eye/Face Protection	:	Safety glasses with side-shields.		
Hand protection	:	Protective gloves.		
Skin and body protection	:	Long sleeved clothing.		
Additional Protective Measures	:	Safety shoes.		
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice Wash hands before breaks and at the end of workday.		
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.		

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Calcium carbonate	5 mg/m3	PEL:	Respirable fraction.	OSHA Z1
	15 mg/m3	PEL:	Total dust.	OSHA Z1
D&C red No. 9	0.5 mg/m3	Time Weighted Average	as Ba	ACGIH
		(TWA):		
Quartz	0.05	Time Weighted Average	Respirable fraction.	ACGIH
	mg/m3	(TWA):		
	5 mg/m3	PEL:	Respirable fraction.	OSHA Z1
	15 mg/m3	PEL:	Total dust.	OSHA Z1
Titanium dioxide	10 mg/m3	Time Weighted Average		ACGIH
		(TWA):		
	15 mg/m3	PEL:	Total dust.	OSHA Z1

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

- Form Appearance Color Odor
- SolidPelletsORANGEVery faint

Evaporation rate Specific Gravity: Bulk density Vapor pressure

Not applicableNot determinedNot establishedNot applicable



## MATERIAL SAFETY DATA SHEET 0300R233 T1082-003 PVC CC HMF

Version Number 1.1 Revision Date 01/05/2004 Page 4 of 7 Print Date *11/13/2011* 

Melting point/range Boiling Point: Water solubility	<ul><li>Not determined</li><li>Not applicable</li><li>Insoluble</li></ul>	Vapour density pH	<ul><li>Not applicable</li><li>Not applicable</li></ul>
	10. STABILITY AND	REACTIVITY	
Stability	: Stable.		
Hazardous Polymerization	: Will not occur.		
Conditions to avoid	: Keep away from ox decomposition, do r		flame. To avoid thermal
Incompatible Materials	acetal copolymers a processing. At proc destructive and invo mechanically clean quantities of these n	nd with amine containin cessing conditions, these olve rapid degradation. The processing equipment to	materials are mutually Thoroughly purge and
Hazardous decomposition products	(NOx), hydrogen ch smoke are all possit or more) above 392	°F (200 °C) or short terr roduct decomposition and	rdous materials, and approximately 30 minutes n heating at 482 °F (250

#### 11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
14808-60-7	Quartz	Systemic effects	Eyes, Respiratory system.
5160-02-1	D&C red No. 9	Irritant	Eyes, Skin.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.
1317-65-3	Calcium carbonate	Irritant	Eyes, Skin.
		Systemic effects	Eyes, Skin, Respiratory system.

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No. Chemical Name	OSHA	IARC	NTP
-----------------------	------	------	-----

IARC Carcinogen Classifications:

# MATERIAL SAFETY DATA SHEET 0300R233 T1082-003 PVC CC HMF

Version Number 1.1 Revision Date 01/05/2004 Page 5 of 7 Print Date 11/13/2011

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

#### Additional Health Hazard Information:

Quartz 14808-60-7 This material in its free releasable form may cause respiratory tract irritation. Long term exposure may cause caughing, chest pain, diminished chest expansion and possibly silicosis which is a scarring of the lungs.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Additional advice	: No data available
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA (air)	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
C C	

PolyOne

### MATERIAL SAFETY DATA SHEET 0300R233 T1082-003 PVC CC HMF

Version Number 1.1 Revision Date 01/05/2004 Page 6 of 7 Print Date 11/13/2011

OSHA Status	: Classified as haz	ardous based on compon	ents.
TSCA Status	: All components Inventory.	of this product are listed	on or exempt from the TSCA
US. EPA CERCLA Hazardo	ous Substances (40 CFR 3	02)	
Not applicable			
California Propositio 65	on : WARNING! Th California to cau		emical known to the State of
SARA Title III Section 302	Extremely Hazardous Sub	ostance	
Not applicable			
SARA Title III Section 313	Toxic Chemicals:		
Chemical Name		CAS-No.	Weight %
BARIUM COMPOU	UNDS	5160-02-1	4.03
Canadian Regulations:		i	
-	elease Inventory (NPRI)	i	
-	elease Inventory (NPRI)		
National Pollutant Re			
National Pollutant Re	on : D2A		
National Pollutant Re Not applicable WHMIS Classificati	on : D2A		
National Pollutant Re Not applicable WHMIS Classificati WHMIS Ingredient I CAS-No.	on : D2A Disclosure List 	of this product are on the (DSL) or are exempt.	e Canadian Domestic
National Pollutant Re Not applicable WHMIS Classificati WHMIS Ingredient I <u>CAS-No.</u> 5160-02-1 DSL	on : D2A Disclosure List 		e Canadian Domestic
National Pollutant Re Not applicable WHMIS Classificati WHMIS Ingredient I <u>CAS-No.</u> 5160-02-1 DSL	on : D2A Disclosure List 		e Canadian Domestic
National Pollutant Re Not applicable WHMIS Classificati WHMIS Ingredient I <u>CAS-No.</u> 5160-02-1 DSL National Inventories:	on : D2A Disclosure List . All components Substances List (		e Canadian Domestic
Not applicable WHMIS Classificati WHMIS Ingredient I <u>CAS-No.</u> 5160-02-1 DSL National Inventories: Australia AICS	on : D2A Disclosure List : All components Substances List ( : Listed		e Canadian Domestic

OLYONE CORPORA	TION		PolyOne	
OLYONE CORPORA				
300R233 T1082-003				
ersion Number 1.1 evision Date 01/05/2004			Print Date	Page 7 of 7 11/13/2011
Korea KECI	: Not determined			
Philippines PICCS	: Listed			
	16. OTHER I	NFORMATION		