MATERIAL SAFETY DATA SHEET YELLOW GLOW IN THE DARK

Version Number 1.0 Revision Date 07/22/2003 Page 1 of 5 Print Date 11/11/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	YELLOW GLOW IN THE DARK
Product code	:	CC10040153
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET YELLOW GLOW IN THE DARK

Version Number 1.0 Revision Date 07/22/2003 Page 2 of 5 Print Date 11/11/2011

		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	Not applicable
Elementela I incita		
Flammable Limits Upper explosion limit	:	Not applicable
Lower explosion limit	:	Not applicable
Autoignition temperature	:	Not relevant
Suitable extinguishing media	:	Carbon dioxide blanket, water spray, dry powder, foam.
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	:	None
	6. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption

2/5

PolyOne.

MATERIAL SAFETY DATA SHEET YELLOW GLOW IN THE DARK

Version Number 1.0 Revision Date 07/22/2003 Page 3 of 5 Print Date 11/11/2011

0. 17.1	8. EXPOSURE CONTROLS / PERSONAL PROTECTION			
Respiratory protection	:	No personal respirat	tory protective equipment	normally required.
Eye/Face Protection	:	Safety glasses with	side-shields.	
Hand protection	:	Protective gloves.		
Skin and body protection	:	Long sleeved clothin	ng.	
Additional Protective Measures	:	Safety shoes.		
General Hygiene Considerations	:		e with good industrial hyg breaks and at the end of wo	
Engineering measures	:		vith appropriate exhaust ve ventilation at machinery.	ntilation. Provide
Exposure limit(s)				
There are no known hazardous components above regulatory thresholds in this product. 9. PHYSICAL AND CHEMICAL PROPERTIES				
Form	· 50	lid	Evanoration rate	· Not applicable
Form	: So		Evaporation rate	: Not applicable.
Appearance	: Pe	llets	Specific Gravity	: Not determined
Appearance Color	: Pe : YI	llets ELLOW	Specific Gravity Bulk density	Not determinedNot established
Appearance Color Odor	: Pe : YI : Ve	llets ELLOW ery faint	Specific Gravity Bulk density Vapor pressure	Not determinedNot establishedNot applicable
Appearance Color Odor Melting point/range	: Pe : YI : Ve : No	llets ELLOW ery faint ot determined	Specific Gravity Bulk density Vapor pressure Vapor density	Not determinedNot establishedNot applicableNot applicable
Appearance Color Odor Melting point/range Boiling Point:	: Pe : YI : Ve : Ne : Ne	llets ELLOW ery faint of determined of applicable	Specific Gravity Bulk density Vapor pressure	Not determinedNot establishedNot applicable
Appearance Color Odor Melting point/range	: Pe : YI : Ve : No : No : Ins	llets ELLOW ery faint of determined of applicable soluble	Specific Gravity Bulk density Vapor pressure Vapor density pH	Not determinedNot establishedNot applicableNot applicable
Appearance Color Odor Melting point/range Boiling Point:	: Pe : YI : Ve : No : No : Ins	llets ELLOW ery faint of determined of applicable	Specific Gravity Bulk density Vapor pressure Vapor density pH	Not determinedNot establishedNot applicableNot applicable
Appearance Color Odor Melting point/range Boiling Point:	: Pe : YI : Ve : No : No : Ins	llets ELLOW ery faint of determined of applicable soluble	Specific Gravity Bulk density Vapor pressure Vapor density pH	Not determinedNot establishedNot applicableNot applicable
Appearance Color Odor Melting point/range Boiling Point: Water solubility	: Pe : YI : Ve : No : No : Ins	Ilets ELLOW ery faint ot determined ot applicable soluble . STABILITY AND	Specific Gravity Bulk density Vapor pressure Vapor density pH	Not determinedNot establishedNot applicableNot applicable
Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	: Pe : YI : Ve : No : No : Ins	Illets ELLOW bry faint of determined of applicable soluble . STABILITY AND Stable. Will not occur.	Specific Gravity Bulk density Vapor pressure Vapor density pH REACTIVITY	 Not determined Not established Not applicable Not applicable Not applicable
Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	: Pe : YI : Ve : No : No : Ins	llets ELLOW ery faint of determined of applicable soluble . STABILITY AND Stable. Will not occur. Keep away from ox decomposition, do r	Specific Gravity Bulk density Vapor pressure Vapor density pH REACTIVITY	 Not determined Not established Not applicable Not applicable Not applicable

PolyOne.

MATERIAL SAFETY DATA SHEET YELLOW GLOW IN THE DARK

Version Number 1.0 Revision Date 07/22/2003 Page 4 of 5 Print Date 11/11/2011

There are no known hazardous components above regulatory thresholds in this product.

	12. ECOLOGICAL INFORMATION	
Persistence and degradability	: Not readily biodegradable.	
Environmental Toxicity	: Chemicals are not readily available as they are bound within the matrix of the polymer.	
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the matrix of the polymer.	
Additional advice	: No data available.	
	13. DISPOSAL CONSIDERATIONS	
Product	: Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.	
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.	
	14. TRANSPORT INFORMATION	
U.S. DOT Classification	: Refer to specific regulation.	
ICAO/IATA	: Refer to specific regulation.	
IMO / IMDG	: Refer to specific regulation.	
15. REGULATORY INFORMATION		
US Regulations:		
OSHA Status	: There are no known hazardous components above regulatory thresholds in this product.	
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.	
US. EPA CERCLA Hazardous Substances (40 CFR 302)		
Not applicable		
	4/5	

PolyOne

MATERIAL SAFETY DATA SHEET YELLOW GLOW IN THE DARK

Revision Date 07/22/2003	Version Number 1.0	
	Revision Date 07/22/2003	

Page 5 of 5 Print Date 11/11/2011

California Proposition 65	:	This product does not contain a substance listed by California Prop 65.		
SARA Title III Section 302 Extremely Hazardous Substance				
Not applicable				
SARA Title III Section 313 Tox	ic C	Chemicals:		
Not applicable Canadian Regulations:				
National Pollutant Releas	se Ir	nventory (NPRI)		
Not applicable				
WHMIS Classification	:	Not controlled.		
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.		
National Inventories:				
Australia AICS	:	Listed.		
China IECS	:	Listed.		
Europe EINECS	:	Not determined.		
Japan ENCS	:	Not determined.		
Korea KECI	:	Listed.		
Philippines PICCS	:	Listed.		
		16. OTHER INFORMATION		

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.