MATERIAL SAFETY DATA SHEET CANARY YELLOW UN1700

Version Number 1.0 Revision Date 07/31/2003 Page 1 of 6 Print Date 11/11/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	CANARY YELLOW UN1700
Product code	:	CC10040553
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.

PolyOne.

MATERIAL SAFETY DATA SHEET CANARY YELLOW UN1700

Version Number 1.0 Revision Date 07/31/2003 Page 2 of 6 Print Date 11/11/2011

Aggravated by Exposure:	
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not relevant Carbon dioxide blanket, water spray, dry powder, foam.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 12 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.



MATERIAL SAFETY DATA SHEET CANARY YELLOW UN1700

Version Number 1.0 Revision Date 07/31/2003 Page 3 of 6 Print Date 11/11/2011

Storage Keep containers dry and tightly closed to avoid moisture absorption : and contamination. Keep in a dry, cool place. 8. EXPOSURE CONTROLS / PERSONAL PROTECTION Respiratory protection : No personal respiratory protective equipment normally required. **Eye/Face Protection** Safety glasses with side-shields. : Hand protection Protective gloves. · Skin and body protection Long sleeved clothing. : Additional Protective Safety shoes. Measures General Hygiene Handle in accordance with good industrial hygiene and safety practice. : Considerations Wash hands before breaks and at the end of workday. Engineering measures : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery. Exposure limit(s) Exposure time Components Value Exposure type List: Titanium dioxide Time Weighted Average 10 mg/m3 ACGIH (TWA): Titanium dioxide 15 mg/m3 PEL: Total dust. OSHA Z1 9. PHYSICAL AND CHEMICAL PROPERTIES : Solid Evaporation rate Not applicable. Form : Not determined : Pellets Specific Gravity Appearance : : YELLOW Not established Color Bulk density : Vapor pressure Very faint Not applicable Odor : : Melting point/range : Not determined Vapor density Not applicable : **Boiling Point:** Not applicable : Not applicable pН : Water solubility : Insoluble **10. STABILITY AND REACTIVITY** Stability : Stable. Hazardous Polymerization Will not occur. :

Conditions to avoid : Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.

POLYONE CORPORA	ΓΙΟΝ		PolyOne.
MATERIAL SAFETY DATA SHI	CET		
CANARY YELLOW UN	11700		
Version Number 1.0 Revision Date 07/31/2003			Page 4 of 6 Print Date 11/11/2011
Incompatible Materials	: Incompatible w	vith strong acids and o	xidizing agents.
Hazardous decomposition products			xide (CO), oxides of nitrogen d smoke are all possible.
	11. TOXICOLOGI	CAL INFORMATIC	DN
health data for the individual co <u>Toxicity Overview</u> This product contains the follow	omponents which con wing components wh	nprise the mixture.	are effects listed are based on existing have the following characteristics:
	Themical Name	Effect Systemic effects	Target Organ Respiratory system.
		· · ·	· · · · · ·
	12. ECOLOGICA	AL INFORMATION	
Persistence and degradability	: Not readily bio	degradable.	
Environmental Toxicity	: Chemicals are n of the polymer.		s they are bound within the matrix
Bioaccumulation Potential	: Chemicals are n of the polymer.		s they are bound within the matrix
Additional advice	: No data availat		
	13. DISPOSAL C	CONSIDERATIONS	
Product	possible, recycl generator of wa classification, t	ling is preferred to dis aste material has the re	et can be recycled. Where posal or incineration. The esponsibility for proper waste posal in accordance with nd local regulations.
Contaminated packaging	has the respons	sibility for proper wast accordance with appl	. The generator of waste material te classification, transportation icable federal, state/provincial
	14. TRANSPOR	T INFORMATION	
U.S. DOT Classification	: Refer to specifi	ic regulation.	
ICAO/IATA	: Refer to specifi	ic regulation.	
IMO / IMDG	: Refer to specifi	ic regulation.	

 \sim

-



MATERIAL SAFETY DATA SHEET CANARY YELLOW UN1700

Version Number 1.0 Revision Date 07/31/2003 Page 5 of 6 Print Date 11/11/2011

	15	. REGULATORY IN	FORMATION		
US Regulations:					
OSHA Status	:	Classified as hazardo	ous based on com	ponents.	
TSCA Status	:	All components of th Inventory.	is product are list	ted on or exemp	ot from the TSO
US. EPA CERCLA Hazardous	Subs	stances (40 CFR 302)			
Not applicable					
California Proposition 65	:	This product does no	t contain a substa	nce listed by C	alifornia Prop
SARA Title III Section 302 Ext	trem	ely Hazardous Substar	ice		
Not applicable					
SARA Title III Section 313 To:	xic C	Chemicals:			
SARA Title III Section 313 To: Not applicable Canadian Regulations:	xic C	Chemicals:			
Not applicable Canadian Regulations: National Pollutant Relea					
Not applicable Canadian Regulations: National Pollutant Relea Chemical Name			CAS-No.	Weight %	NPRI ID#
Not applicable Canadian Regulations: National Pollutant Relea Chemical Name Chromium (III) oxide		iventory (NPRI)	CAS-No. 1308-38-9	Weight % 0.27	NPRI ID# 68
Not applicable Canadian Regulations: <u>National Pollutant Relea</u> Chemical Name		ventory (NPRI)		-	
Not applicable Canadian Regulations: National Pollutant Relea Chemical Name Chromium (III) oxide	ase Ir	iventory (NPRI)	1308-38-9	0.27	68
Not applicable Canadian Regulations: National Pollutant Relea Chemical Name Chromium (III) oxide WHMIS Classification DSL	ase Ir	D2B All components of tl	1308-38-9	0.27	68
Not applicable Canadian Regulations: National Pollutant Relea Chemical Name Chromium (III) oxide WHMIS Classification DSL	ase Ir	D2B All components of tl	1308-38-9	0.27	68
Not applicable Canadian Regulations: <u>National Pollutant Relea</u> <u>Chemical Name</u> <u>Chromium (III) oxide</u> WHMIS Classification DSL National Inventories:	ise Ir	D2B All components of the Substances List (DSI	1308-38-9	0.27	68
Not applicable Canadian Regulations: <u>National Pollutant Relea</u> <u>Chemical Name</u> Chromium (III) oxide WHMIS Classification DSL National Inventories: Australia AICS	ise Ir	D2B All components of th Substances List (DSI Listed.	1308-38-9	0.27	68

MATERIAL SAFETY DATA SHEET CANARY YELLOW UN1700

Version Number 1.0 Revision Date 07/31/2003 Page 6 of 6 Print Date 11/11/2011

Korea KECI : Listed.

: Listed.

Philippines PICCS

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.