## MATERIAL SAFETY DATA SHEET STYLING TRANS BLUE 279

Version Number 1.0 Revision Date 08/01/2003

Page 1 of 5 Print Date 11/11/2011

### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	STYLING TRANS BLUE 279
Product code	:	CC10040713
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to eyes.</li> </ul>
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET STYLING TRANS BLUE 279

Version Number 1.0 Revision Date 08/01/2003 Page 2 of 5 Print Date 11/11/2011

	4. FIRST AID MEASURES	
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all case doubt seek medical advice.	es of
Ingestion	: Do not induce vomiting without medical advice. When symptom persist or in all cases of doubt seek medical advice.	IS
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for least 15 minutes. If eye irritation persists, seek medical attention	
Skin	: Wash off with soap and plenty of water. If skin irritation persists medical attention.	seel
	5. FIRE-FIGHTING MEASURES	
Flash point	: Not applicable	
Flammable Limits		
Upper explosion limit	: Not applicable	
Lower explosion limit	: Not applicable	
Autoignition temperature	: Not relevant	
Suitable extinguishing media	: Carbon dioxide blanket, water spray, dry powder, foam.	
Suitable extinguishing media	. Carbon dioxide blanket, water spray, dry powder, toam.	
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in posit pressure mode should be worn to prevent inhalation of airborne contaminants.	ive
Unusual Fire/Explosion Hazards	: None	
	ACCIDENTAL RELEASE MEASURES	
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.	
Environmental precautions	: Should not be released into the environment. The product should be allowed to enter drains, water courses or the soil.	l not
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material plastic, cardboard or metal containers for disposal. Refer to Section of this MSDS for proper disposal methods.	
	7. HANDLING AND STORAGE	
Handling	: Take measures to prevent the build up of electrostatic charge. He only in areas with appropriate exhaust ventilation.	eat
Storage	: Keep containers dry and tightly closed to avoid moisture absorpti	on



# MATERIAL SAFETY DATA SHEET STYLING TRANS BLUE 279

Version Number 1.0 Revision Date 08/01/2003 Page 3 of 5 Print Date 11/11/2011

07 2012	OSURE CONTROLS /	PERSONAL PROTECTION	
Respiratory protection	: No personal respi	ratory protective equipment normally required.	
Eye/Face Protection	: Safety glasses wit	h side-shields.	
Hand protection	: Protective gloves.		
Skin and body protection	: Long sleeved clot	hing.	
Additional Protective Measures	: Safety shoes.	Safety shoes.	
General Hygiene Considerations		nce with good industrial hygiene and safety practic e breaks and at the end of workday.	
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.		
Exposure limit(s)			
		latory thresholds in this product.	
		MICAL PROPERTIES	
Form	: Solid	MICAL PROPERTIES Evaporation rate : Not applicable.	
Form Appearance	: Solid : Pellets	MICAL PROPERTIES Evaporation rate : Not applicable. Specific Gravity : Not determined	
Form Appearance Color	: Solid : Pellets : BLUE	MICAL PROPERTIES         Evaporation rate       : Not applicable.         Specific Gravity       : Not determined         Bulk density       : Not established	
Form Appearance Color Odor	: Solid : Pellets : BLUE : Very faint	MICAL PROPERTIES         Evaporation rate       : Not applicable.         Specific Gravity       : Not determined         Bulk density       : Not established         Vapor pressure       : Not applicable	
Form Appearance Color Odor Melting point/range	<ul> <li>Solid</li> <li>Pellets</li> <li>BLUE</li> <li>Very faint</li> <li>Not determined</li> </ul>	MICAL PROPERTIES         Evaporation rate       : Not applicable.         Specific Gravity       : Not determined         Bulk density       : Not established         Vapor pressure       : Not applicable         Vapor density       : Not applicable	
Form Appearance Color Odor	: Solid : Pellets : BLUE : Very faint	MICAL PROPERTIES         Evaporation rate       : Not applicable.         Specific Gravity       : Not determined         Bulk density       : Not established         Vapor pressure       : Not applicable	
Form Appearance Color Odor Melting point/range Boiling Point:	<ul> <li>Solid</li> <li>Pellets</li> <li>BLUE</li> <li>Very faint</li> <li>Not determined</li> <li>Not applicable</li> </ul>	MICAL PROPERTIES         Evaporation rate       : Not applicable.         Specific Gravity       : Not determined         Bulk density       : Not established         Vapor pressure       : Not applicable         Vapor density       : Not applicable         pH       : Not applicable	
Form Appearance Color Odor Melting point/range Boiling Point:	<ul> <li>Solid</li> <li>Pellets</li> <li>BLUE</li> <li>Very faint</li> <li>Not determined</li> <li>Not applicable</li> <li>Insoluble</li> </ul>	MICAL PROPERTIES         Evaporation rate       : Not applicable.         Specific Gravity       : Not determined         Bulk density       : Not established         Vapor pressure       : Not applicable         Vapor density       : Not applicable         pH       : Not applicable	
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	<ul> <li>Solid</li> <li>Pellets</li> <li>BLUE</li> <li>Very faint</li> <li>Not determined</li> <li>Not applicable</li> <li>Insoluble</li> </ul> 10. STABILITY AN	MICAL PROPERTIES         Evaporation rate       : Not applicable.         Specific Gravity       : Not determined         Bulk density       : Not established         Vapor pressure       : Not applicable         Vapor density       : Not applicable         pH       : Not applicable	
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	<ul> <li>Solid</li> <li>Pellets</li> <li>BLUE</li> <li>Very faint</li> <li>Not determined</li> <li>Not applicable</li> <li>Insoluble</li> </ul> <b>10. STABILITY AN</b> <ul> <li>Stable.</li> <li>Will not occur.</li> </ul>	MICAL PROPERTIES         Evaporation rate       : Not applicable.         Specific Gravity       : Not determined         Bulk density       : Not established         Vapor pressure       : Not applicable         Vapor density       : Not applicable         pH       : Not applicable         D REACTIVITY         oxidizing agents and open flame. To avoid thermatical contents and open flame.	
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	<ul> <li>Solid</li> <li>Pellets</li> <li>BLUE</li> <li>Very faint</li> <li>Not determined</li> <li>Not applicable</li> <li>Insoluble</li> </ul> <b>10. STABILITY AN</b> <ul> <li>Stable.</li> <li>Will not occur.</li> <li>Keep away from o decomposition, do</li> </ul>	MICAL PROPERTIES         Evaporation rate       : Not applicable.         Specific Gravity       : Not determined         Bulk density       : Not established         Vapor pressure       : Not applicable         Vapor density       : Not applicable         pH       : Not applicable         D REACTIVITY         oxidizing agents and open flame. To avoid thermatical contents and open flame.	

PolyOne.

# MATERIAL SAFETY DATA SHEET STYLING TRANS BLUE 279

Version Number 1.0 Revision Date 08/01/2003 Page 4 of 5 Print Date 11/11/2011

There are no known hazardous components above regulatory thresholds in this product.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Additional advice	: No data available.
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Refer to specific regulation.
ICAO/IATA	: Refer to specific regulation.
IMO / IMDG	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: There are no known hazardous components above regulatory thresholds in this product.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Substances (40 CFR 302)
Not applicable	
	4/5

PolyOne

# MATERIAL SAFETY DATA SHEET STYLING TRANS BLUE 279

Version Numbe	er 1.0
Revision Date	08/01/2003

Page 5 of 5 Print Date 11/11/2011

California Proposition 65	:	This product does not contain a substance listed by California Prop 65.		
SARA Title III Section 302 Extr	em	ely Hazardous Substance		
Not applicable				
SARA Title III Section 313 Toxic Chemicals:				
Not applicable Canadian Regulations:				
National Pollutant Releas	se Ir	nventory (NPRI)		
Not applicable				
WHMIS Classification	:	Not controlled.		
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.		
National Inventories:				
Australia AICS	:	Listed.		
China IECS	:	Listed.		
Europe EINECS	:	Not determined.		
Japan ENCS	:	Listed.		
Korea KECI	:	Listed.		
Philippines PICCS	:	Listed.		
		16. OTHER INFORMATION		

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.