



MATERIAL SAFETY DATA SHEET WHITE CAP 2

Version Number 1.0 Revision Date 08/29/2003

Page 1 of 6 Print Date 11/12/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	WHITE CAP 2
Product code	:	CC10040842
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Silica, amorphous	7631-86-9	1 - 5
Titanium dioxide	13463-67-7	30 - 60

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure: : Inhalation, Ingestion, Skin contact		
Acute exposure		
Inhalation Ingestion	Resin particles, like other inert materials, can be mechanically irritating.May be harmful if swallowed.	
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.	
Skin	: Experience shows no unusual dermatitis hazard from routine handling.	
Chronic exposure	: Refer to Section 11 for Toxicological Information.	



MATERIAL SAFETY DATA SHEET WHITE CAP 2

Version Number 1.0 Revision Date 08/29/2003 Page 2 of 6 Print Date 11/12/2011

Aggravated by Exposure:	
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not relevant Carbon dioxide blanket, water spray, dry powder, foam.
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.



MATERIAL SAFETY DATA SHEET WHITE CAP 2

Version Number 1.0 Revision Date 08/29/2003

Storage

Page 3 of 6 Print Date 11/12/2011

: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Respiratory protection	:	No personal respiratory protective equipment normally required.
Eye/Face Protection	:	Safety glasses with side-shields.
Hand protection	:	Protective gloves.
Skin and body protection	:	Long sleeved clothing.
Additional Protective Measures	:	Safety shoes.
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Silica, amorphous	20 mppcf	PEL:	Total dust.	OSHA
Silica, amorphous	20 mppcf	PEL:	Total dust.	Z3
Titanium dioxide	10 mg/m3	Time Weighted Average		ACGIH
		(TWA):		
Titanium dioxide	15 mg/m3	PEL:	Total dust.	OSHA Z1

Evaporation rate

Specific Gravity

Vapor pressure

Vapor density

pН

Bulk density

: Not applicable.

: Not determined

: Not established

: Not applicable

: Not applicable

: Not applicable

: Solid

: Pellets

: WHITE

: Very faint

: Insoluble

: Not determined

: Not applicable

Form
Appearance
Color
Odor
Melting point/range
Boiling Point:
Water solubility

10. STABILITY AND REACTIVITY

Stability	Stable.	
Hazardous Polymerization	Will not occur.	
Conditions to avoid	Keep away from oxidizing agents and open flame. To avoid	thermal



MATERIAL SAFETY DATA SHEET WHITE CAP 2


rsion Number 1.0 evision Date 08/29/20	003			Page 4 o Print Date 11/12/20
		decompositio	on, do not overheat.	
Incompatible Materia	als	: Incompatible	with strong acids and o	oxidizing agents.
Hazardous decompos products	Hazardous decomposition products:Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.			
	1	1. TOXICOLOO	GICAL INFORMATIO	DN
health data for the ind Toxicity Overview	dividual com	ponents which c	omprise the mixture.	are effects listed are based on exist
This product contain	s the followi	ng components w	which in their pure form	have the following characteristics
CAS-No.		emical Name	Effect	Target Organ
7631-86-9		morphous	Irritant	Eyes, Respiratory system.
13463-67-7	Titanium	n dioxide	Systemic effects	Respiratory system.
Bioaccumulation Potential Additional advice		of the polymo	er.	s they are bound within the matrix
		13. DISPOSAL	CONSIDERATIONS	
Product Contaminated packaging		 Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal. 		
		14. TRANSPO		
U.S. DOT Classification			RT INFORMATION	
U.S. DOT Classifica	tion		ific regulation.	



MATERIAL SAFETY DATA SHEET WHITE CAP 2

Version Number 1.0 Revision Date 08/29/2003 Page 5 of 6 Print Date 11/12/2011

IMO / IMDG : Refer to specific regulation.			
	5. REGULATORY INFORMATION		
US Regulations:			
OSHA Status	Classified as hazardous based on components.		
TSCA Status	All components of this product are listed on or exempt from the TSCA Inventory.		
US. EPA CERCLA Hazardous Su	bstances (40 CFR 302)		
Not applicable			
California Proposition 65	WARNING! This product contains a chemical known to the State of California to cause cancer.		
SARA Title III Section 302 Extrem	nely Hazardous Substance		
Not applicable			
SARA Title III Section 313 Toxic	Chemicals:		
Not applicable Canadian Regulations:			
National Pollutant Release	Inventory (NPRI)		
Not applicable			
WHMIS Classification	D2B		
WHMIS Ingredient Disclos	sure List		
CAS-No. 7631-86-9			
DSL	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.		
National Inventories:			
Australia AICS	Not determined.		
China IECS	Not determined.		



The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.