

MATERIAL SAFETY DATA SHEET

# GARNET PEARL

Version Number 1.0 Revision Date 08/19/2003 Page 1 of 6 Print Date 11/12/2011

## 1. PRODUCT AND COMPANY IDENTIFICATION

## POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number		CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	GARNET PEARL
Product code	:	CC10041131
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Iron oxide	1309-37-1	1 - 5
Mica	12001-26-2	10 - 30
Titanium dioxide	13463-67-7	10 - 30

## **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

## POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion		
Acute exposure			
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.		
Ingestion	: May be harmful if swallowed.		
Eyes	: Irritating to eyes and respiratory system.		
Skin	: Experience shows no unusual dermatitis hazard from routine handling.		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		



MATERIAL SAFETY DATA SHEET

# **GARNET PEARL**

Version Number 1.0 Revision Date 08/19/2003 Page 2 of 6 Print Date 11/12/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. Seek medical attention after significant exposure.
Ingestion	: Do not induce vomiting without medical advice. Seek medical attention if necessary.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If ey irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Greater than 200 °F (93 °C)
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	<ul> <li>Not applicable.</li> <li>Not applicable.</li> <li>Not applicable.</li> <li>Carbon dioxide blanket, dry powder, foam.</li> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>None</li> </ul>
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binde universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE



## MATERIAL SAFETY DATA SHEET GARNET PEARL

ion Number 1.0 sion Date 08/19/2003			Print D	Page 3 ate 11/12/		
Handling	: H	eat only in areas with appropr	iate exhaust ventilation.			
Storage		eep containers dry and tightly nd contamination. Store in a c	lry and tightly closed to avoid moisture absorption n. Store in a cool dry place.			
8. E	XPOSURE	CONTROLS / PERSONAL	PROTECTION			
Respiratory protection	: U	nder normal handling condition	ons a respirator may not b	be required.		
Eye/Face Protection	: S	afety glasses with side-shields				
Hand protection	: P	: Protective gloves.				
Skin and body protection	: L	ong sleeved clothing.				
Additional Protective Measures	: S	: Safety shoes.				
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.					
Engineering measures		eat only in areas with appropr ppropriate exhaust ventilation		Provide		
Exposure limit(s)						
	Value	Exposure time	Exposure type	List:		
Components Iron oxide	Value 5 mg/m3	Exposure time Time Weighted Average (TWA):	Exposure type Dust and fume. as Fe	List: ACGIH		
Components		Time Weighted Average				
Components Iron oxide Mica	5 mg/m3	Time Weighted Average (TWA):	Dust and fume. as Fe	ACGIH		
Components Iron oxide	5 mg/m3 20 mppcf	Time Weighted Average (TWA): PEL: Time Weighted Average	Dust and fume. as Fe Total dust.	ACGIH OSHA		
Components Iron oxide Mica	5 mg/m3 20 mppcf 3 mg/m3	Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): Time Weighted Average	Dust and fume. as Fe Total dust.	ACGIH OSHA ACGIH ACGIH		
Components Iron oxide Mica Titanium dioxide	5 mg/m3 20 mppcf 3 mg/m3 10 mg/m3 15 mg/m3	Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): Time Weighted Average (TWA):	Dust and fume. as Fe Total dust. Respirable fraction. Total dust.	ACGIH OSHA ACGIH ACGIH		
Components         Iron oxide         Mica         Titanium dioxide         Titanium dioxide         Form	5 mg/m3 20 mppcf 3 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC : Liqu	Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO	Dust and fume. as Fe         Total dust.         Respirable fraction.         Total dust.         DPERTIES         ration rate       : Not	ACGIH OSHA ACGIH ACGIH OSHA Z		
Components         Iron oxide         Mica         Titanium dioxide         Titanium dioxide         Form         Appearance	5 mg/m3 20 mppcf 3 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC : Liqu : Visco	Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO	Dust and fume. as Fe         Total dust.         Respirable fraction.         Total dust.         DPERTIES         ration rate       : Not         ic Gravity       : Not	ACGIH OSHA ACGIH ACGIH OSHA Z determined		
Components         Iron oxide         Mica         Titanium dioxide         Titanium dioxide         Form         Appearance         Color	5 mg/m3 20 mppcf 3 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC : Liqu : Visco : RED	Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO id Evapo pus, Liquid Specif Bulk d	Dust and fume. as Fe         Total dust.         Respirable fraction.         Total dust.         DPERTIES         ration rate       : Not         ic Gravity       : Not         lensity       : Not	ACGIH OSHA ACGIH ACGIH OSHA Z determined applicable.		
Components         Iron oxide         Mica         Titanium dioxide         Titanium dioxide         Form         Appearance         Color         Odor	5 mg/m3 20 mppcf 3 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC : Liqu : Visco : RED : Very	Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRC id Evapo pus, Liquid Specif Bulk d faint Vapor	Dust and fume. as Fe         Total dust.         Respirable fraction.         Total dust.         Total dust.         DPERTIES         ration rate       : Not         ic Gravity       : Not         lensity       : Not         pressure       : Not	ACGIH OSHA ACGIH ACGIH OSHA Z determined applicable. determined		
Components         Iron oxide         Mica         Titanium dioxide         Titanium dioxide         Form         Appearance         Color	5 mg/m3 20 mppcf 3 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC : Liqu : Visco : RED : Very : Not a	Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRC id Evapo pus, Liquid Specif Bulk d faint Vapor	Dust and fume. as Fe         Total dust.         Respirable fraction.         Total dust.         Total dust.         OPERTIES         ration rate       : Not         ic Gravity       : Not         pressure       : Not         density       : Not         density       : Not	ACGIH OSHA ACGIH ACGIH OSHA Z determined applicable.		

## **10. STABILITY AND REACTIVITY**

Stability

: Stable.



## MATERIAL SAFETY DATA SHEET GARNET PEARI

GANNETFLANE		
Version Number 1.0 Revision Date 08/19/2003		Page 4 of 6 Print Date <i>11/12/2011</i>
Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	Keep away from oxidizing agents and open flame.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

## 11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

<u>Toxicity Overview</u> This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1309-37-1	Iron oxide	Systemic effects	Respiratory system.
12001-26-2	Mica	Systemic effects	Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Adverse ecological impact is not known or expected under normal us
Bioaccumulation Potential	: Does not bioaccumulate.
Additional advice	: No data available.
	13. DISPOSAL CONSIDERATIONS
Product	: Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materi- has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.



MATERIAL SAFETY DATA SHE	ЕТ	
GARNET PEARL		
Version Number 1.0 Revision Date 08/19/2003		Page 5 of 6 Print Date 11/12/2011
ICAO/IATA	:	Not regulated for transportation.
IMO / IMDG	:	Not regulated for transportation.
	15	5. REGULATORY INFORMATION
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous S	Sub	stances (40 CFR 302)
Not applicable		
California Proposition 65	:	WARNING! This product contains a chemical known to the State of California to cause cancer.
SARA Title III Section 302 Extr	rem	ely Hazardous Substance
Not applicable		
SARA Title III Section 313 Tox	ic (	Chemicals:
Not applicable Canadian Regulations:		
National Pollutant Releas	se I	nventory (NPRI)
Not applicable		
WHMIS Classification	:	D2B
WHMIS Ingredient Discl	losı	ire List
CAS-No. 1309-37-1 12001-26-2 150-13-0		
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:		



## MATERIAL SAFETY DATA SHEET GARNET PEARL

Version Number 1.0 Revision Date 08/19/2003

Page 6 of 6 Print Date 11/12/2011

Australia AICS	:	Listed.
China IECS	:	Listed.
Europe EINECS	:	Not determined.
Japan ENCS	:	Not determined.
Korea KECI	:	Listed.
Philippines PICCS	:	Listed.

## **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.