

MATERIAL SAFETY DATA SHEET PERIDOT PEARL

Version Number 1.0 Revision Date 08/20/2003

Page 1 of 6 Print Date 11/12/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	: Product Stewardship (770) 271-5902		
TELEPHONE Emergency telephone number		CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).		
Product name	:	PERIDOT PEARL		
Product code	:	CC10041134		
Chemical Name	:	Mixture		
CAS-No.	:	Mixture		
Product Use	:	Industrial Applications		

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Iron oxide	1309-37-1	1 - 5
Mica	12001-26-2	10 - 30
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: Irritating to eyes and respiratory system.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.



MATERIAL SAFETY DATA SHEET **PERIDOT PEARL**

Version Number 1.0 Revision Date 08/20/2003

Page 2 of 6 Print Date 11/12/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. Seek medical attention after significant exposure.
Ingestion	: Do not induce vomiting without medical advice. Seek medical attention if necessary.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If ey irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Greater than 200 °F (93 °C)
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Not applicable. Not applicable. Not applicable. Carbon dioxide blanket, dry powder, foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE



MATERIAL SAFETY DATA SHEET PERIDOT PEARL

			Print D	Page ate 11/12	
Handling	: H	leat only in areas with appropr	riate exhaust ventilation.		
Storage	: Keep containers dry and tightly closed to avoid moisture absorption				
Storage	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Store in a cool dry place.				
8. E	XPOSURE	CONTROLS / PERSONAL	PROTECTION		
Respiratory protection	: Under normal handling conditions a respirator may not be required.				
Eye/Face Protection	: Safety glasses with side-shields.				
Hand protection	: P	rotective gloves.			
Skin and body protection	: L	ong sleeved clothing.			
Additional Protective Measures	: Safety shoes.				
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice Wash hands before breaks and at the end of workday.				
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
T					
Exposure limit(s)					
	Value	Exposure time	Exposure type	List:	
Exposure limit(s) Components Iron oxide	Value 5 mg/m3	Exposure time Time Weighted Average (TWA):	Exposure type Dust and fume. as Fe		
Components	5 mg/m3		Dust and fume. as Fe		
Components Iron oxide		Time Weighted Average (TWA): PEL: Time Weighted Average		ACGIH OSHA	
Components Iron oxide	5 mg/m3 20 mppcf	Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): Time Weighted Average	Dust and fume. as Fe Total dust.	ACGIH OSHA ACGIH	
Components Iron oxide Mica	5 mg/m3 20 mppcf 3 mg/m3	Time Weighted Average (TWA): PEL: Time Weighted Average (TWA):	Dust and fume. as Fe Total dust.	ACGIH OSHA ACGIH ACGIH	
Components Iron oxide Mica Titanium dioxide	5 mg/m3 20 mppcf 3 mg/m3 10 mg/m3 15 mg/m3	Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): Time Weighted Average (TWA):	Dust and fume. as Fe Total dust. Respirable fraction. Total dust.	ACGIH OSHA ACGIH ACGIH	
Components Iron oxide Mica Titanium dioxide Titanium dioxide	5 mg/m3 20 mppcf 3 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC	Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO	Dust and fume. as Fe Total dust. Respirable fraction. Total dust.	ACGIH OSHA ACGIH ACGIH OSHA Z	
Components Iron oxide Mica Titanium dioxide Titanium dioxide	5 mg/m3 20 mppcf 3 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC : Liqu	Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PR(id Evapo	Dust and fume. as Fe Total dust. Respirable fraction. Total dust. DPERTIES oration rate : Not	ACGIH OSHA ACGIH OSHA Z determined	
Components Iron oxide Mica Titanium dioxide Titanium dioxide Form Appearance	5 mg/m3 20 mppcf 3 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC : Liqu : Visco	Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO id Evapo ous, Liquid Specif	Dust and fume. as Fe Total dust. Respirable fraction. Total dust. Total dust. OPERTIES pration rate : Not Fic Gravity : Not	ACGIH OSHA ACGIH OSHA Z determined	
Components Iron oxide Mica Titanium dioxide Titanium dioxide Form Appearance Color	5 mg/m3 20 mppcf 3 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC : Liqu : Visc. : GRE	Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO id Evapo ous, Liquid Specif	Dust and fume. as Fe Total dust. Respirable fraction. Total dust. Total dust. OPERTIES oration rate : Not fic Gravity : Not density : Not	ACGIH OSHA ACGIH ACGIH OSHA Z determined applicable.	
Components Iron oxide Mica Titanium dioxide Titanium dioxide Form Appearance Color Odor	5 mg/m3 20 mppcf 3 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC : Liqu : Visc. : GRE : Very	Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO id Evapo ous, Liquid Specific Yapor Yapor	Dust and fume. as Fe Total dust. Respirable fraction. Total dust. Total dust. OPERTIES oration rate : Not fic Gravity : Not ensity : Not pressure : Not	ACGIH OSHA ACGIH ACGIH OSHA Z determined applicable. determined	
Components Iron oxide Mica Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range	5 mg/m3 20 mppcf 3 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC : Liqu : Viscu : GRE : Very : Not a	Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO id Evapoo ous, Liquid Specific Yean Bulk down Yean Vapor applicable Vapor	Dust and fume. as Fe Total dust. Respirable fraction. Total dust. Total dust. OPERTIES oration rate : Not fic Gravity : Not opensity : Not · pressure : Not · density : Not	ACGIH OSHA ACGIH ACGIH OSHA Z determined determined applicable. determined determined	
Components Iron oxide Mica Titanium dioxide Titanium dioxide Form Appearance Color Odor	5 mg/m3 20 mppcf 3 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC : Liqu : Viscu : GRE : Very : Not a	Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO id Evapoo ous, Liquid Specif EN Bulk do r faint Vapor applicable Vapor applicable pH	Dust and fume. as Fe Total dust. Respirable fraction. Total dust. Total dust. OPERTIES oration rate : Not fic Gravity : Not opensity : Not · pressure : Not · density : Not	ACGIH OSHA ACGIH ACGIH OSHA Z determined applicable. determined	
Components Iron oxide Mica Titanium dioxide Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range Boiling Point:	5 mg/m3 20 mppcf 3 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC : Liqu : Visc : GRE : Very : Not a : Not a : Imm	Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO id Evapoo ous, Liquid Specif EN Bulk do r faint Vapor applicable Vapor applicable pH	Dust and fume. as Fe Total dust. Respirable fraction. Total dust. Total dust. DPERTIES Dration rate : Not fic Gravity : Not lensity : Not ressure : Not Not Not	ACGIH OSHA ACGIH ACGIH OSHA Z determined determined applicable. determined determined	



MATERIAL SAFETY DATA SHEET PERIDOT PEARL

Version Number 1.0 Revision Date 08/20/2003		Page 4 of 6 Print Date 11/12/2011
Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	Keep away from oxidizing agents and open flame.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

<u>Toxicity Overview</u> This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1309-37-1	Iron oxide	Systemic effects	Respiratory system.
12001-26-2	Mica	Systemic effects	Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Adverse ecological impact is not known or expected under normal use
Bioaccumulation Potential	: Does not bioaccumulate.
Additional advice	: No data available.
	13. DISPOSAL CONSIDERATIONS
Product	: Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.



MATERIAL SAFETY DATA SHEET PERIDOT PEARL	,
Version Number 1.0 Revision Date 08/20/2003	Page 5 of 6 Print Date 11/12/2011
ICAO/IATA :	Not regulated for transportation.
IMO / IMDG :	Not regulated for transportation.
15	5. REGULATORY INFORMATION
US Regulations:	
OSHA Status :	Classified as hazardous based on components.
TSCA Status :	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous Sub	stances (40 CFR 302)
Not applicable	
California Proposition : 65	This product does not contain a substance listed by California Prop 65.
SARA Title III Section 302 Extrem	ely Hazardous Substance
Not applicable	
SARA Title III Section 313 Toxic	Chemicals:
Not applicable Canadian Regulations:	
National Pollutant Release I	nventory (NPRI)
Not applicable	
WHMIS Classification :	D2B
WHMIS Ingredient Disclosu	ire List
CAS-No. 1309-37-1 12001-26-2	
DSL :	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:	
Australia AICS :	Listed.



MATERIAL SAFETY DATA SHEET PERIDOT PEARL

Version Number 1.0 Revision Date 08/20/2003

Page 6 of 6 Print Date 11/12/2011

China IECS	:	Listed.
Europe EINECS	:	Not determined
Japan ENCS	:	Not determined
Korea KECI	:	Listed.
Philippines PICCS	:	Listed.

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.