

MATERIAL SAFETY DATA SHEET **GRAPE 2**

Version Number 1.0 Revision Date 08/13/2003

Page 1 of 6 Print Date 11/11/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	GRAPE 2
Product code	:	CC10041159
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Calcium carbonate	1317-65-3	5 - 10
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact	
Acute exposure		
Inhalation Ingestion	Resin particles, like other inert materials, can be mechanically irritating.May be harmful if swallowed.	
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.	
Skin	: Experience shows no unusual dermatitis hazard from routine handling.	
Chronic exposure	: Refer to Section 11 for Toxicological Information.	



MATERIAL SAFETY DATA SHEET **GRAPE 2**

Version Number 1.0

Revision Date 08/13/2003

Page 2 of 6 Print Date 11/11/2011

Aggravated by Exposure:	
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not relevant Carbon dioxide blanket, water spray, dry powder, foam.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.



MATERIAL SAFETY DATA SHEET **GRAPE 2**

Version Number 1.0 Revision Date 08/13/2003

Storage

Page 3 of 6 Print Date 11/11/2011

: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Respiratory protection	:	No personal respiratory protective equipment normally required.
Eye/Face Protection	:	Safety glasses with side-shields.
Hand protection	:	Protective gloves.
Skin and body protection	:	Long sleeved clothing.
Additional Protective Measures	:	Safety shoes.
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Calcium carbonate	5 mg/m3	PEL:	Respirable fraction.	OSHA Z1
	15 mg/m3	PEL:	Total dust.	OSHA Z1
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH
Titanium dioxide	15 mg/m3	PEL:	Total dust.	OSHA Z1

9. PHYSICAL AND CHEMICAL PROPERTIES

Form
Appearance
Color
Odor
Melting point/range
Boiling Point:
Water solubility

: Pellets : GREEN : Very faint : Not determined : Not applicable : Insoluble

: Solid

Evaporation rate Specific Gravity Bulk density Vapor pressure Vapor density pН

- : Not applicable. : Not determined
- : Not established : Not applicable
- : Not applicable
- : Not applicable

10. STABILITY AND REACTIVITY

Stability	:	Stable.
Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal



MATERIAL SAFETY DATA SHEET **GRAPE 2**

ision Date 08/13/20	03			Page 4 Print Date 11/11/2	
		decompositio	on, do not overheat.		
Incompatible Materia	ls :	Incompatible	with strong acids and o	oxidizing agents.	
Hazardous decomposition : products				oxide (CO), oxides of nitrogen nd smoke are all possible.	
	11.	TOXICOLO	GICAL INFORMATIO	ON	
health data for the ind Toxicity Overview	lividual comp	onents which c	omprise the mixture.	ure effects listed are based on exi	
_		_	-		
CAS-No. 1317-65-3	Cher Calcium c	nical Name	Effect Irritant	Target OrganEyes, Skin.	
1511 05-5			Systemic effects	Eyes, Skin, Respiratory system	
13463-67-7	Titanium o	lioxide	Systemic effects	Respiratory system.	
			CAL INFORMATION		
Bioaccumulation Potential :		Chemicals are not readily available as they are bound within the matrix of the polymer.No data available.			
Additional advice	·	: No data available.			
	1	3. DISPOSAL	CONSIDERATIONS	5	
Product	:	possible, recy generator of classification	cling is preferred to dis waste material has the r	ct can be recycled. Where sposal or incineration. The esponsibility for proper waste posal in accordance with nd local regulations.	
Contaminated packag	ing :	has the respo	nsibility for proper was in accordance with app	e. The generator of waste materia te classification, transportation licable federal, state/provincial	
		14. TRANSPO	RT INFORMATION		



MATERIAL SAFETY DATA SHEE	Т	
GRAPE 2		
Version Number 1.0 Revision Date 08/13/2003		Page 5 of 6 Print Date 11/11/2011
ICAO/IATA	: Refer to specific regulation.	
IMO / IMDG	: Refer to specific regulation.	
	15. REGULATORY INFORMATION	
US Regulations:		
OSHA Status	: Classified as hazardous based on component	nts.
TSCA Status	: All components of this product are listed on Inventory.	n or exempt from the TSCA
US. EPA CERCLA Hazardous Su	ubstances (40 CFR 302)	
Not applicable		
California Proposition 65	: WARNING! This product contains a chem California to cause cancer.	nical known to the State of
SARA Title III Section 302 Extre	mely Hazardous Substance	
Not applicable		
SARA Title III Section 313 Toxic	c Chemicals:	
Not applicable Canadian Regulations:		
National Pollutant Release	Inventory (NPRI)	
Not applicable		
WHMIS Classification	: D2B	
DSL	: All components of this product are on the Substances List (DSL) or are exempt.	Canadian Domestic
National Inventories:		
Australia AICS	: Listed.	
China IECS	: Listed.	
Europe EINECS	: Not determined.	
Japan ENCS	: Listed.	

PolvOne
POLYONE CORPORATION
MATERIAL SAFETY DATA SHEET
GRAPE 2
Version Number 1.0 Page 6 of 6 Revision Date 08/13/2003 Print Date 11/11/2011
Korea KECI : Not determined.
Philippines PICCS : Listed.
16. OTHER INFORMATION
The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belie at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.