

MATERIAL SAFETY DATA SHEET

BLUE Q300-2-1

Version Number 1.0 Revision Date 08/13/2003 Page 1 of 6 Print Date 11/11/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	BLUE Q300-2-1
Product code	:	CC10041202
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Silica, amorphous	7631-86-9	1 - 5
Titanium dioxide	13463-67-7	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact			
Acute exposure				
Inhalation Ingestion	Resin particles, like other inert materials, can be mechanically irritating.May be harmful if swallowed.			
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.			
Skin	: Experience shows no unusual dermatitis hazard from routine handling.			
Chronic exposure	: Refer to Section 11 for Toxicological Information.			



MATERIAL SAFETY DATA SHEET

BLUE Q300-2-1

Version Number 1.0 Revision Date 08/13/2003 Page 2 of 6 Print Date 11/11/2011

Aggravated by Exposure:				
4. FIRST AID MEASURES				
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.			
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.			
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.			
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.			
	5. FIRE-FIGHTING MEASURES			
Flash point	: Not applicable			
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not relevant Carbon dioxide blanket, water spray, dry powder, foam. 			
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None 			
	6. ACCIDENTAL RELEASE MEASURES			
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.			
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.			
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 12 of this MSDS for proper disposal methods.			
	7. HANDLING AND STORAGE			
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.			



MATERIAL SAFETY DATA SHEET BLUE Q300-2-1

Version Number 1.0 Revision Date 08/13/2003 Page 3 of 6 Print Date 11/11/2011

 Storage
 : Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.

 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

 Respiratory protection
 : No personal respiratory protective equipment normally required.

Eye/Face Protection	: Safety glasses with side-shields.	
Hand protection	: Protective gloves.	
Skin and body protection	: Long sleeved clothing.	
Additional Protective Measures	: Safety shoes.	
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.	
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.	

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Silica, amorphous	20 mppcf	PEL:	Total dust.	OSHA
Silica, amorphous	20 mppcf	PEL:	Total dust.	Z3
Titanium dioxide	10 mg/m3	Time Weighted Average		ACGIH
		(TWA):		
Titanium dioxide	15 mg/m3	PEL:	Total dust.	OSHA Z1

Form	: Solid	Evaporation rate	: Not applicable.
Appearance	: Pellets	Specific Gravity	: Not determined
Color	: BLUE	Bulk density	: Not established
Odor	: Very faint	Vapor pressure	: Not applicable
Melting point/range	: Not determined	Vapor density	: Not applicable
Boiling Point:	: Not applicable	pН	: Not applicable
Water solubility	: Insoluble		
	10. STABILITY AN	D REACTIVITY	
Stability	: Stable.		
Hazardous Polymerization	: Will not occur.		



MATERIAL SAFETY DATA SHEET BLUE Q300-2-1

	003			Page 4 0 Print Date 11/11/20
	Ċ	lecompositio	n, do not overheat.	
Incompatible Materials : Incompatible with strong acids and oxidizing agents.				
Hazardous decomposition products:Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.				
	11. T(OXICOLOG	ICAL INFORMATI	ON
health data for the in Toxicity Overview	ndividual compone	ents which co	omprise the mixture.	sure effects listed are based on exis
	_	_		
CAS-No. 7631-86-9	Chemic Silica, amorp	al Name	Effect Irritant	Target OrganEyes, Respiratory system.
13463-67-7	Titanium dio		Systemic effects	Respiratory system.
		of the polyme		as they are bound within the matrix
Bioaccumulation Po Additional advice	tential : C	of the polyme	er. e not readily available er.	
	tential : C c : N	of the polyme Chemicals are of the polyme No data avail	er. e not readily available er.	as they are bound within the matrix
	tential : C itential : C : N 13. 13. Iging : H h a	of the polyme Chemicals are of the polyme No data avail DISPOSAL Like most the possible, recy generator of v classification, applicable fee Recycling is p nas the respon	er. e not readily available er. able. CONSIDERATION ermoplastics the production of	as they are bound within the matrix S net can be recycled. Where isposal or incineration. The responsibility for proper waste sposal in accordance with and local regulations.
Additional advice	tential : C itential : C : N 13. : I E S c a uging : H a a	of the polyme Chemicals are of the polyme No data avail DISPOSAL Like most the possible, recy generator of v classification, applicable fec Recycling is p has the respon and disposal i and local regu	er. e not readily available er. able. CONSIDERATION ermoplastics the production of	as they are bound within the matrix S And the recycled. Where isposal or incineration. The responsibility for proper waste sposal in accordance with and local regulations. Where the generator of waste material ste classification, transportation blicable federal, state/provincial
Additional advice	tential : C itential : C : N 13. : I F S C a uging : H h a a 14.	of the polyme Chemicals are of the polyme No data avail DISPOSAL Like most the possible, recy generator of v classification, upplicable fec Recycling is p has the respond and disposal i und local regu	er. e not readily available er. able. CONSIDERATION cromplastics the production of	as they are bound within the matrix S And the recycled. Where isposal or incineration. The responsibility for proper waste sposal in accordance with and local regulations. Where the generator of waste material ste classification, transportation blicable federal, state/provincial



MATERIAL SAFETY DATA SHEET BLUE Q300-2-1

Version Number 1.0 Revision Date 08/13/2003 Page 5 of 6 Print Date 11/11/2011

IMO / IMDG : Refer to specific regulation.					
15. REGULATORY INFORMATION					
US Regulations:					
OSHA Status :	Classified as hazardous based on components.				
TSCA Status :	All components of this product are listed on or exempt from the TSCA Inventory.				
US. EPA CERCLA Hazardous Su	bstances (40 CFR 302)				
Not applicable					
California Proposition : 65	WARNING! This product contains a chemical known to the State of California to cause cancer.				
SARA Title III Section 302 Extrem	nely Hazardous Substance				
Not applicable					
SARA Title III Section 313 Toxic	Chemicals:				
Not applicable Canadian Regulations:					
National Pollutant Release	Inventory (NPRI)				
Not applicable					
WHMIS Classification :	D2B				
WHMIS Ingredient Disclos	ure List				
CAS-No. 7631-86-9					
DSL :	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.				
National Inventories:					
Australia AICS :	Listed.				
China IECS :	Listed.				

		PolyOne.
POLYONE CORPORA	ATION	
MATERIAL SAFETY DATA SH	IEET	
BLUE Q300-2-1		
Version Number 1.0 Revision Date 08/13/2003		Page 6 of 6 Print Date 11/11/2011
Europe EINECS	: Not determined.	
Japan ENCS	: Listed.	
Korea KECI	: Listed.	
Philippines PICCS	: Listed.	
	16. OTHER INFORMATION	

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.