

MATERIAL SAFETY DATA SHEET MAGENTA 2405C

Version Number 1.0 Revision Date 08/13/2003

Page 1 of 6 Print Date 11/11/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	MAGENTA 2405C
Product code	:	CC10041206
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	1 - 5
Calcium carbonate	1317-65-3	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion	Resin particles, like other inert materials, can be mechanically irritating.May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.



MATERIAL SAFETY DATA SHEET MAGENTA 2405C

Version Number 1.0 Revision Date 08/13/2003 Page 2 of 6 Print Date 11/11/2011

Aggravated by Exposure:	
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not relevant Carbon dioxide blanket, water spray, dry powder, foam.
Special Fire Fighting Procedures Unusual Fire/Explosion	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
Hazards	
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 12 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.



MATERIAL SAFETY DATA SHEET MAGENTA 2405C

Version Number 1.0 Revision Date 08/13/2003 Page 3 of 6 Print Date 11/11/2011

Storage : Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place. 8. EXPOSURE CONTROLS / PERSONAL PROTECTION Respiratory protection : No personal respiratory protective equipment normally required. Eye/Face Protection : Safety glasses with side-shields. Hand protection Protective gloves. : Skin and body protection : Long sleeved clothing. Additional Protective Safety shoes. : Measures General Hygiene Handle in accordance with good industrial hygiene and safety practice. : Considerations Wash hands before breaks and at the end of workday. Engineering measures : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Calcium carbonate	5 mg/m3	PEL:	Respirable fraction.	OSHA Z1
	15 mg/m3	PEL:	Total dust.	OSHA Z1
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH
Titanium dioxide	15 mg/m3	PEL:	Total dust.	OSHA Z1

Form	: Solid	Evaporation rate	: Not applicable.	
Appearance	: Pellets	Specific Gravity	: Not determined	
Color	: RED	Bulk density	: Not established	
Odor	: Very faint	Vapor pressure	: Not applicable	
Melting point/range	: Not determined	Vapor density	: Not applicable	
Boiling Point:	: Not applicable	pH	: Not applicable	
Water solubility : Insoluble				
	10. STABILITY AN			
Stability	: Stable.			
Hogondous Dolymonization	: Will not occur.			
Hazardous Polymerization	: will not occur.			
Conditions to avoid	· Keen away from c	oxidizing agents and open f	lame To avoid thermal	



MATERIAL SAFETY DATA SHEET MAGENTA 2405C

ion Number 1.0 sion Date 08/13/20	003		Page 4 Print Date 11/11/2	
	decomposit	ion, do not overheat.		
Incompatible Materi	als : Incompatib	le with strong acids and o	oxidizing agents.	
Hazardous decomposition products:Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.				
	11. TOXICOLO	GICAL INFORMATIO	ON	
health data for the in Toxicity Overview	dividual components which	comprise the mixture.	ure effects listed are based on exi	
•		• 	have the following characteristic	
CAS-No.	Chemical Name	Effect	Target Organ	
13463-67-7 1317-65-3	Titanium dioxide	Systemic effects	Respiratory system.	
1317-05-3	Calcium carbonate	Irritant Systemic effects	Eyes, Skin. Eyes, Skin, Respiratory system	
	12. ECOLOG	ICAL INFORMATION	1	
Environmental Toxic Bioaccumulation Po	of the polyr tential : Chemicals a	Chemicals are not readily available as they are bound within the matrix of the polymer.Chemicals are not readily available as they are bound within the matrix of the polymer.		
Additional advice	: No data ava	: No data available.		
	13. DISPOSA	L CONSIDERATIONS	8	
Product	possible, red generator of classificatio	: Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.		
Contaminated packa	has the resp and disposa	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.		
	14. TRANSP	ORT INFORMATION		



MATERIAL SAFETY DATA SHE	ЕТ			
MAGENTA 2405C				
Version Number 1.0 Revision Date 08/13/2003			Print Date	Page 5 of 6 11/11/2011
ICAO/IATA	:	Refer to specific regulation.		
IMO / IMDG	:	Refer to specific regulation.		
	15	. REGULATORY INFORMATION		
US Regulations:				
OSHA Status	:	Classified as hazardous based on components.		
TSCA Status	:	All components of this product are listed on or e Inventory.	exempt from t	the TSCA
US. EPA CERCLA Hazardous	Subs	stances (40 CFR 302)		
Not applicable				
California Proposition 65	:	This product does not contain a substance listed	by California	a Prop 65.
SARA Title III Section 302 Ext	rem	ely Hazardous Substance		
Not applicable				
SARA Title III Section 313 Tox	kic C	Themicals:		
Not applicable Canadian Regulations:				
National Pollutant Relea	se Ir	iventory (NPRI)		
Not applicable				
WHMIS Classification	:	D2B		
DSL	:	All components of this product are on the Cana Substances List (DSL) or are exempt.	idian Domest	ic
National Inventories:				
Australia AICS	:	Listed.		
China IECS	:	Listed.		
Europe EINECS	:	Not determined.		
Japan ENCS	:	Listed.		

	PolyOne.
POLYONE CORPORATION	
MATERIAL SAFETY DATA SHEET	
MAGENTA 2405C	
Version Number 1.0 Revision Date 08/13/2003	Page 6 of 6 Print Date 11/11/2011
Korea KECI : Lister	а.
Philippines PICCS : Lister	1.
16.0	OTHER INFORMATION
conditions.	