

MATERIAL SAFETY DATA SHEET CRANBERRY V1

Version Number 1.0 Revision Date 08/15/2003

Page 1 of 6 Print Date 11/12/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	CRANBERRY V1
Product code	:	CC10041221
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	1 - 5
Calcium carbonate	1317-65-3	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion	Resin particles, like other inert materials, can be mechanically irritating.May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.



MATERIAL SAFETY DATA SHEET CRANBERRY V1

Version Number 1.0 Revision Date 08/15/2003 Page 2 of 6 Print Date 11/12/2011

Aggravated by Exposure:	
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not relevant Carbon dioxide blanket, water spray, dry powder, foam.
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 12 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.



MATERIAL SAFETY DATA SHEET CRANBERRY V1

Version Number 1.0 Revision Date 08/15/2003

Storage

Page 3 of 6 Print Date 11/12/2011

: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Respiratory protection	:	No personal respiratory protective equipment normally required.
Eye/Face Protection	:	Safety glasses with side-shields.
Hand protection	:	Protective gloves.
Skin and body protection	:	Long sleeved clothing.
Additional Protective Measures	:	Safety shoes.
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.

Exposure limit(s)


Components	Value	Exposure time	Exposure type	List:
Calcium carbonate	5 mg/m3	PEL:	Respirable fraction.	OSHA Z1
	15 mg/m3	PEL:	Total dust.	OSHA Z1
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH
Titanium dioxide	15 mg/m3	PEL:	Total dust.	OSHA Z1

9.	PHYS	SICAL AND CHE	MICAL PROPERTIES		
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	: R : V : N : N	ellets	Evaporation rate Specific Gravity Bulk density Vapor pressure Vapor density pH	: : :	Not applicable. Not determined Not established Not applicable Not applicable Not applicable
	1(). STABILITY AN	D REACTIVITY		
Stability	:	Stable.			
Hazardous Polymerization	:	Will not occur.			
Conditions to avoid	:	Keep away from o	oxidizing agents and open flan	ne.	To avoid thermal



MATERIAL SAFETY DATA SHEET CRANBERRY V1

	03		Page 4 Print Date 11/12/20
	decom	position, do not overheat.	
Incompatible Materia	ls : Incom	patible with strong acids an	d oxidizing agents.
-			
Hazardous decomposi products			onoxide (CO), oxides of nitrogen and smoke are all possible.
	11. TOXIC	OLOGICAL INFORMAT	TION
health data for the ind		hole for health effects. Exp which comprise the mixture.	osure effects listed are based on exis
Toxicity Overview This product contains	the following compor	nents which in their pure for	rm have the following characteristic
CAS-No.	Chemical Na		Target Organ
13463-67-7	Titanium dioxide	Systemic effects	
1317-65-3	Calcium carbonate	Irritant Systemic effects	Eyes, Skin. Eyes, Skin, Respiratory system
		bystellile effects	
Bioaccumulation Pote		polymer.	
Additional advice	of the j	cals are not readily availabl polymer. ta available.	e as they are bound within the matrix
	of the provide the provide the provide the provide the provident of the provident of the provided the provide	polymer.	
	of the p : No dat 13. DISP : Like m possibl genera classifi	polymer. ta available. OSAL CONSIDERATION nost thermoplastics the pro- le, recycling is preferred to	NS duct can be recycled. Where disposal or incineration. The e responsibility for proper waste lisposal in accordance with
Additional advice	of the p : No dat 13. DISP : Like m possibi genera classifi applica ing : Recycl has the and dis	polymer. ta available. OSAL CONSIDERATIO nost thermoplastics the pro- le, recycling is preferred to tor of waste material has th ication, transportation and c able federal, state/provincia ling is preferred when possi e responsibility for proper w	NS duct can be recycled. Where disposal or incineration. The e responsibility for proper waste lisposal in accordance with l and local regulations.
Additional advice	of the p : No dat 13. DISP : Like m possibl genera classifi applica ing : Recycl has the and dis and loo	polymer. ta available. OSAL CONSIDERATIO nost thermoplastics the pro- le, recycling is preferred to tor of waste material has th ication, transportation and c able federal, state/provincia ling is preferred when possi e responsibility for proper w sposal in accordance with a	duct can be recycled. Where disposal or incineration. The e responsibility for proper waste lisposal in accordance with l and local regulations. ble. The generator of waste material aste classification, transportation pplicable federal, state/provincial



		PolyOne	<u>e</u> .
POLYONE CORPORAT			
IATERIAL SAFETY DATA SHE	ET		
CRANBERRY V1			
ersion Number 1.0 evision Date 08/15/2003		Print Date	Page 6 of 6 11/12/2011
Korea KECI	: Not determined.		
Philippines PICCS	: Listed.		
	16. OTHER INFORM	MATION	
at the date of its publication. The processing, storage, transportation specification. The information re-	e information given is design on, disposal and release and elates only to the specific ma	to the best of our knowledge, informati ned only as a guidance for safe handlin is not to be considered a warranty or q aterial designated and may not be valid and/or in any particular process or pro	ig, use, juality l for such

ſ