

MATERIAL SAFETY DATA SHEET CRANBERRY V2

Version Number 1.0 Revision Date 08/15/2003

Page 1 of 6 Print Date 11/12/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902	
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).	
Product name	:	CRANBERRY V2	
Product code	:	CC10041222	
Chemical Name	:	Mixture	
CAS-No.	:	Mixture	
Product Use	:	Industrial Applications	

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	1 - 5
Calcium carbonate	1317-65-3	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact		
Acute exposure			
Inhalation Ingestion	Resin particles, like other inert materials, can be mechanically irritating.May be harmful if swallowed.		
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.		
Skin	: Experience shows no unusual dermatitis hazard from routine handling.		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		



MATERIAL SAFETY DATA SHEET CRANBERRY V2

Version Number 1.0 Revision Date 08/15/2003 Page 2 of 6 Print Date 11/12/2011

Aggravated by Exposure:	
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not relevant Carbon dioxide blanket, water spray, dry powder, foam.
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 12 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.



MATERIAL SAFETY DATA SHEET CRANBERRY V2

Version Number 1.0 Revision Date 08/15/2003 Page 3 of 6 Print Date 11/12/2011

 Storage
 : Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.

 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

 Respiratory protection
 : No personal respiratory protective equipment normally required.

Eye/Face Protection	:	Safety glasses with side-shields.	
Hand protection	:	Protective gloves.	
Skin and body protection	:	Long sleeved clothing.	
Additional Protective Measures	:	Safety shoes.	
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.	
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.	

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Calcium carbonate	5 mg/m3	PEL:	Respirable fraction.	OSHA Z1
	15 mg/m3	PEL:	Total dust.	OSHA Z1
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH
Titanium dioxide	15 mg/m3	PEL:	Total dust.	OSHA Z1


Form	: Solid	Evaporation rate	: Not applicable.	
Appearance	: Pellets	Specific Gravity	: Not determined	
Color	: RED	Bulk density	: Not established	
Odor	: Very faint	Vapor pressure	: Not applicable	
Melting point/range	: Not determined	Vapor density	: Not applicable	
Boiling Point:	: Not applicable pH : Not applicable			
Water solubility : Insoluble				
	10 CTADII ITV AN	ID DEACTIVITY		
	10. STABILITY AN			
Stability	: Stable.			

Hazardous Polymerization	: Will not occur.			
nazardous i orymenzation				



MATERIAL SAFETY DATA SHEET CRANBERRY V2

sion Number 1.0 sion Date 08/15/200	03			Page 4 Print Date 11/12/2	
		decomposition	n, do not overheat.		
Incompatible Material	ls	: Incompatible	with strong acids and o	oxidizing agents.	
Hazardous decomposi products	ition			oxide (CO), oxides of nitrogen nd smoke are all possible.	
I	11		ICAL INFORMATIO	L	
		. TOAICOLOG			
health data for the ind				ure effects listed are based on exis	
<u>Toxicity Overview</u> This product contains	the following	ng components wl	hich in their pure form	have the following characteristic	
CAS-No.		emical Name	Effect	Target Organ	
13463-67-7	Titanium		Systemic effects	Respiratory system.	
1317-65-3	Calcium	carbonate	Irritant	Eyes, Skin.	
			Systemic effects	Eyes, Skin, Respiratory system	
Bioaccumulation Potential : Additional advice :		Chemicals are not readily available as they are bound within the matrix of the polymer.No data available.			
		13. DISPOSAL	CONSIDERATIONS	5	
Product		possible, recyc generator of w classification,	cling is preferred to div vaste material has the r	ct can be recycled. Where sposal or incineration. The responsibility for proper waste posal in accordance with nd local regulations.	
Contaminated packaging		: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.			
		14. TRANSPOR	RT INFORMATION		
U.S. DOT Classificati					
	ion	: Refer to specif	fic regulation		



	PolyOne.
POLYONE CORPORATION	
AATERIAL SAFETY DATA SHEET	
CRANBERRY V2	
/ersion Number 1.0 Revision Date 08/15/2003	Page 6 of 6 Print Date 11/12/2011
Korea KECI : Not determined.	
Philippines PICCS : Listed.	
16. OTHER INI	FORMATION
The information provided in this Safety Data Sheet is co at the date of its publication. The information given is a processing, storage, transportation, disposal and release specification. The information relates only to the specifi material when used in combination with any other mate conditions.	designed only as a guidance for safe handling, use, e and is not to be considered a warranty or quality fic material designated and may not be valid for such

ſ