

MATERIAL SAFETY DATA SHEET

LEMON GREEN

Version Number 1.0 Revision Date 08/18/2003

Page 1 of 6 Print Date 11/12/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	LEMON GREEN
Product code	:	CC10041327
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Carbon black	1333-86-4	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes Skin	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Particulates, like other inert materials can be mechanically irritating. Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET LEMON GREEN

Version Number 1.0 Revision Date 08/18/2003 Page 2 of 6 Print Date 11/12/2011

		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	Not applicable
Flammable Limits		
Upper explosion limit		Not applicable
Lower explosion limit	:	Not applicable
Autoignition temperature	÷	Not relevant
Suitable extinguishing media	:	Carbon dioxide blanket, water spray, dry powder, foam.
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	:	none
	6. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by scoop or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET LEMON GREEN

Version Number 1.0 Revision Date 08/18/2003 Page 3 of 6 Print Date 11/12/2011

8. 1	XPOSURE	CONTROLS / PERSONA	L PROTECTION	
Respiratory protection	: N d	lo personal respiratory prote usty conditions occur wear a	ctive equipment normall ppropriate respiratory p	y required. If otection.
Eye/Face Protection	: sa	: safety glasses		
Hand protection	: P	: Protective gloves.		
Skin and body protection	: L	: Long sleeved clothing.		
Additional Protective Measures	: S	: Safety shoes.		
General Hygiene Considerations	p	: Wash hands and face before breaks and immediately after handling the product. Handle in accordance with good industrial hygiene and safety practice for diagnostics.		
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.			
Exposure limit(s)				
Components	Value	Exposure time	Exposure type	List:
Carbon black	3.5 mg/m3	Time Weighted Average (TWA):	Total dust. as carbon black	n ACGIH
Carbon black	3.5 mg/m3	PEL:	Total dust. as carbon black	n OSHA Z1
	9. PHYSIC	CAL AND CHEMICAL PI	ROPERTIES	
	: Solic	l Eva	poration rate : N	ot applicable.
Appearance		l Eva es Spec	poration rate : N sific Gravity : N	ot determined
Appearance Color	: Solic : flake : GRE	l Eva es Spec EN Bull	poration rate : N sific Gravity : N c density : N	
Appearance Color Odor Melting point/range	: Solic : flake : GRE : Very : Grea	l Eva es Spec EN Bull faint Vap ter than 130 °C Vap	poration rate : N cific Gravity : N c density : N or pressure : N or density : N	ot determined ot determined ot determined ot determined
Appearance Color Odor Melting point/range Boiling Point:	: Solic : flake : GRE : Very : Grea : Not a	l Eva es Spec EN Bull faint Vap ter than 130 °C Vap applicable pH	poration rate : N cific Gravity : N c density : N or pressure : N or density : N	ot determined ot determined ot determined
Appearance Color Odor Melting point/range Boiling Point:	: Solic : flake : GRE : Very : Grea	l Eva es Spec EN Bull faint Vap ter than 130 °C Vap applicable pH	poration rate : N cific Gravity : N c density : N or pressure : N or density : N	ot determined ot determined ot determined ot determined
Appearance Color Odor Melting point/range Boiling Point:	: Solic : flake : GRE : Very : Grea : Not a : Insol	l Eva es Spec EN Bull faint Vap ter than 130 °C Vap applicable pH	ooration rate : N cific Gravity : N c density : N or pressure : N or density : N : N	ot determined ot determined ot determined ot determined
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	: Solic : flake : GRE : Very : Grea : Not a : Insol 10. S	l Eva es Spec EN Bull faint Vap ter than 130 °C Vap applicable pH luble	ooration rate : N cific Gravity : N c density : N or pressure : N or density : N : N	ot determined ot determined ot determined ot determined
Appearance Color Odor Melting point/range Boiling Point: Water solubility	: Solic : flake : GRE : Very : Grea : Not a : Insol 10. S : S	I Eva s Spec EN Bull faint Vap ter than 130 °C Vap applicable pH uble STABILITY AND REACT	ooration rate : N cific Gravity : N c density : N or pressure : N or density : N : N	ot determined ot determined ot determined ot determined



MATERIAL SAFETY DATA SHEET

LEMON GREEN

Version Number 1.0 Revision Date 08/18/2003

Page 4 of 6 Print Date 11/12/2011

Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), dense black smoke.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1333-86-4	Carbon black	Systemic effects	Eyes, Respiratory system.

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
1333-86-4	Carbon black	Oral LD50	>15,400 mg/kg	rat
		Dermal LD50	> 3 gm/kg	rabbit

Carcinogenicity:

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
1333-86-4	Carbon black	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

Additional Health Hazard Information:

Carbon black 1333-86-4 Carcinogenicity: Many inhalation toxicologists believe that the tumor response observed in the referenced rat studies is species specific and does not correlate to human exposure. However, the IARC evaluation in Monograph Volume 65, issued in April 1996 concluded that, "There is sufficient evidence in experimental animals for the carcinogenicity of carbon black". Based on this evaluation, along with their evaluation of inadequate evidence of carcinogenicity in humans, IARC's overall evaluation is that "Carbon Black is possibly carcinogenic to humans (Group 2B). Carbon Black has not been listed as a carcinogen by the National Toxicology Program (NTP) or the Occupational Safety and Health Administration (OSHA). The National Institute of Occupational Safety and Health (NIOSH) criteria document on carbon black recommends that only carbon black with PAH (polynuclear aromatic hydrocarbon) levels greater than 0.1% be considered suspect carcinogens.



MATERIAL SAFETY DATA SHEET LEMON GREEN

Version Number 1.0 Revision Date 08/18/2003 Page 5 of 6 Print Date 11/12/2011

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Bioaccumulation Potential	: Not inherently biodegradable.
Additional advice	: Chemicals are not readily available as they are bound within the matrix of the polymer.
	13. DISPOSAL CONSIDERATIONS
Product	: Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Refer to specific regulation.
ICAO/IATA	: Refer to specific regulation.
IMO / IMDG	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Substances (40 CFR 302)
Not applicable	



MATERIAL SAFETY DATA SHEET LEMON GREEN

Version Number 1.0 Revision Date 08/18/2003

Page 6 of 6 Print Date 11/12/2011

California Proposition WARNING! This product contains a chemical known to the State of : California to cause cancer. 65 SARA Title III Section 302 Extremely Hazardous Substance Not applicable SARA Title III Section 313 Toxic Chemicals: Not applicable Canadian Regulations: National Pollutant Release Inventory (NPRI) Not applicable WHMIS Classification : D2A WHMIS Ingredient Disclosure List CAS-No. 1333-86-4 DSL : All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt. National Inventories: Australia AICS : Listed. China IECS : Listed. **Europe EINECS** Not determined. : Japan ENCS Not determined. ÷ Korea KECI Not determined. • **Philippines PICCS** : Listed.

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.