

# MATERIAL SAFETY DATA SHEET KINKY ORANGE PEARL

Version Number 1.0 Revision Date 08/13/2003 Page 1 of 7 Print Date *11/11/2011* 

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	KINKY ORANGE PEARL
Product code	:	CC10041338
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
8-Oxa-3,5-dithia-4-stannatetradecanoic acid,	57583-35-4	1 - 5
10-ethyl-4,4-dimethyl-7-oxo-, 2-ethylhexyl		
ester		
Rutile, antimony chromium buff	68186-90-3	1 - 5
Mica	12001-26-2	5 - 10
Titanium dioxide	13463-67-7	5 - 10

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to eyes.</li> </ul>
Skin	: Experience shows no unusual dermatitis hazard from routine handling.

PolyOne.

# MATERIAL SAFETY DATA SHEET KINKY ORANGE PEARL

Version Number 1.0 Revision Date 08/13/2003 Page 2 of 7 Print Date 11/11/2011

Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not relevant</li> <li>Carbon dioxide blanket, water spray, dry powder, foam.</li> </ul>
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.



# MATERIAL SAFETY DATA SHEET KINKY ORANGE PEARL

Version Number 1.0 Revision Date 08/13/2003 Page 3 of 7 Print Date 11/11/2011

Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.
8. EXI	OSURE CONTROLS / PERSONAL PROTECTION
Respiratory protection	: No personal respiratory protective equipment normally required.
Eye/Face Protection	: Safety glasses with side-shields.
Hand protection	: Protective gloves.
Skin and body protection	: Long sleeved clothing.
Additional Protective Measures	: Safety shoes.
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practi Wash hands before breaks and at the end of workday.
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.



### MATERIAL SAFETY DATA SHEET KINKY ORANGE PEARL

Version Number 1.0

Revision Date 08/13/2003

Page 4 of 7 Print Date 11/11/2011

Components	Value	Exposure time	Exposure type	List:
8-Oxa-3,5-dithia-4-sta nnatetradecanoic acid, 10-ethyl-4,4-dimethyl- 7-oxo-, 2-ethylhexyl ester	0.1 mg/m3	PEL:	as Sn	OSHA Z1
8-Oxa-3,5-dithia-4-sta nnatetradecanoic acid, 10-ethyl-4,4-dimethyl- 7-oxo-, 2-ethylhexyl ester	0.1 mg/m3	Time Weighted Average (TWA):	as Sn	ACGIH
	0.2 mg/m3	Short Term Exposure Limit (STEL):	as Sn	ACGIH
Mica	20 mppcf	PEL:	Total dust.	OSHA
	3 mg/m3	Time Weighted Average (TWA):	Respirable fraction.	ACGIH
Rutile, antimony chromium buff	1 mg/m3	PEL:		OSHA Z1
Rutile, antimony chromium buff	0.5 mg/m3	PEL:	as Sb	OSHA Z1
Rutile, antimony chromium buff	0.5 mg/m3	Time Weighted Average (TWA):	as Cr	ACGIH
Rutile, antimony chromium buff	0.5 mg/m3	Time Weighted Average (TWA):	as Sb	ACGIH
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH
Titanium dioxide	15 mg/m3	PEL:	Total dust.	OSHA Z1

Form Appearance Color Odor Melting point/range Boiling Point: Water solubility

: Pellets : ORANGE : Very faint : Not determined : Not applicable : Insoluble

: Solid

Evaporation rate Specific Gravity Bulk density Vapor pressure Vapor density pН

: Not applicable. : Not determined : Not established : Not applicable : Not applicable

: Not applicable

#### **10. STABILITY AND REACTIVITY**

Stability	:	Stable.
Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen

# PolyOne

# MATERIAL SAFETY DATA SHEET KINKY ORANGE PEARL

### Version Number 1.0

Revision Date 08/13/2003

Page 5 of 7 Print Date 11/11/2011

products

(NOx), other hazardous materials, and smoke are all possible.

#### 11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

#### Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
57583-35-4	8-Oxa-3,5-dithia-4-stannat	Irritant	Eyes, Skin.
	etradecanoic acid,		
	10-ethyl-4,4-dimethyl-7-o		
	xo-, 2-ethylhexyl ester		
68186-90-3	Rutile, antimony	Irritant	Eyes, Skin, Respiratory system.
	chromium buff		
12001-26-2	Mica	Systemic effects	Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

### Additional Health Hazard Information:

Rutile, antimony chromium buff 68186-90-3 Can cause eye irritation. Can cause skin irritation. Symptoms may include redness and burning of skin, and other skin damage. Additional symptoms of skin contact may include: antimony measles (a red, pimply rash).

### **12. ECOLOGICAL INFORMATION**

Not readily biodegradable.	
Chemicals are not readily available as they are bou of the polymer.	nd within the matrix
Chemicals are not readily available as they are bou of the polymer.	and within the matrix
No data available.	
DISPOSAL CONSIDERATIONS	
Like most thermoplastics the product can be recy possible, recycling is preferred to disposal or incir generator of waste material has the responsibility classification, transportation and disposal in accor applicable federal, state/provincial and local regul	neration. The for proper waste dance with
Recycling is preferred when possible. The genera	tor of waste material
: : <u>13</u> .	<ul> <li>Chemicals are not readily available as they are bou of the polymer.</li> <li>Chemicals are not readily available as they are bou of the polymer.</li> <li>No data available.</li> </ul> <b>13. DISPOSAL CONSIDERATIONS</b> <ul> <li>Like most thermoplastics the product can be recy possible, recycling is preferred to disposal or incin generator of waste material has the responsibility classification, transportation and disposal in accor applicable federal, state/provincial and local regular</li></ul>



# MATERIAL SAFETY DATA SHEET KINKY ORANGE PEARL

Version Number 1.0 Revision Date 08/13/2003 Page 6 of 7 Print Date 11/11/2011

	14. TRANSPORT	<b>FINFORMATION</b>		
J.S. DOT Classification	: Refer to specific	c regulation.		
CAO/IATA	: Refer to specific	c regulation.		
MO / IMDG	: Refer to specific	c regulation.		
	15. REGULATOR	Y INFORMATION		
JS Regulations:				
OSHA Status	: Classified as ha	zardous based on comp	onents.	
TSCA Status		s of this product are liste		pt from the TSCA
JS. EPA CERCLA Hazardou	is Substances (40 CFR )	302)		
Not applicable				
California Proposition 65	California to ca chemical known	his product contains a c use cancer., WARNING 1 to the State of Califor type harm.	G! This produ	ct contains a
65	California to ca chemical known other reproducti	use cancer., WARNING to the State of Califor we harm.	G! This produ	ct contains a
65	California to ca chemical known other reproducti	use cancer., WARNING to the State of Califor we harm.	G! This produ	ct contains a
65 GARA Title III Section 302 E Not applicable	California to ca chemical known other reproducti extremely Hazardous Su	use cancer., WARNING to the State of Califor we harm.	G! This produ	ct contains a
65 SARA Title III Section 302 E Not applicable SARA Title III Section 313 T Chemical Name	California to ca chemical known other reproducti extremely Hazardous Su	use cancer., WARNING to the State of Califor ve harm. ibstance CAS-No.	G! This produ	et contains a irth defects or
65 ARA Title III Section 302 E Not applicable ARA Title III Section 313 T Chemical Name CHROMIUM III CO COMPOUNDS	California to ca chemical known other reproducti Extremely Hazardous Su oxic Chemicals:	use cancer., WARNING to the State of Califor ve harm. ibstance CAS-No.	3! This produ nia to cause bi	et contains a irth defects or
65 ARA Title III Section 302 E Not applicable ARA Title III Section 313 T Chemical Name CHROMIUM III CO COMPOUNDS Canadian Regulations: National Pollutant Rel	California to ca chemical known other reproducti Extremely Hazardous Su Oxic Chemicals:	use cancer., WARNING to the State of Califor ve harm. bstance CAS-No. Y 68186-90-3	3! This produ nia to cause bi Weight 1.70	%
65 SARA Title III Section 302 E Not applicable SARA Title III Section 313 T Chemical Name CHROMIUM III CO COMPOUNDS Canadian Regulations:	California to ca chemical known other reproducti Extremely Hazardous Su Poxic Chemicals: MPOUNDSANTIMON	use cancer., WARNING to the State of Califor ve harm. ibstance CAS-No.	3! This produ nia to cause bi	et contains a irth defects or



# MATERIAL SAFETY DATA SHEET KINKY ORANGE PEARL

Version Number 1.0 Revision Date 08/13/2003 Page 7 of 7 Print Date *11/11/2011* 

WHMIS Classification	:	D2B	
WHMIS Ingredient Disc	losu	re List	
CAS-No. 57583-35-4 12001-26-2 150-13-0 68186-90-3			
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.	
National Inventories:			
Australia AICS	:	Not determined.	
China IECS	:	Listed.	
Europe EINECS	:	Not determined.	
Japan ENCS	:	Not determined.	
Korea KECI	:	Not determined.	
Philippines PICCS	:	Listed.	
		16. OTHER INFORMATION	Τ

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.