

## MATERIAL SAFETY DATA SHEET IRWIN YELLOW

Version Number 1.0 Revision Date 08/21/2003

Page 1 of 6 Print Date 11/12/2011

### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902	
Emergency telephone:CHEMTREC 1-800-424-9300 (24hrs for spill or accident).		CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).	
Product name	:	IRWIN YELLOW	
Product code	:	CC10041488	
Chemical Name	:	Mixture	
CAS-No.	:	Mixture	
Product Use	:	Industrial Applications	

#### 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	5 - 10
Calcium carbonate	1317-65-3	10 - 30

### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion	<ul><li>Resin particles, like other inert materials, can be mechanically irritating.</li><li>May be harmful if swallowed.</li></ul>
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.



## MATERIAL SAFETY DATA SHEET IRWIN YELLOW

Version Number 1.0 Revision Date 08/21/2003 Page 2 of 6 Print Date 11/12/2011

Aggravated by Exposure:	
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not relevant</li> <li>Carbon dioxide blanket, water spray, dry powder, foam.</li> </ul>
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	<ul> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>None</li> </ul>
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 12 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.



## MATERIAL SAFETY DATA SHEET IRWIN YELLOW

Version Number 1.0 Revision Date 08/21/2003 Page 3 of 6 Print Date 11/12/2011

Storage : Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place. 8. EXPOSURE CONTROLS / PERSONAL PROTECTION Respiratory protection : No personal respiratory protective equipment normally required. Eye/Face Protection Safety glasses with side-shields. : Hand protection Protective gloves. : Skin and body protection : Long sleeved clothing. Additional Protective Safety shoes. : Measures

General Hygiene<br/>Considerations: Handle in accordance with good industrial hygiene and safety practice.<br/>Wash hands before breaks and at the end of workday.Engineering measures: Heat only in areas with appropriate exhaust ventilation. Provide

appropriate exhaust ventilation at machinery.

Exposure limit(s)


Components	Value	Exposure time	Exposure type	List:
Calcium carbonate	5 mg/m3	PEL:	Respirable fraction.	OSHA Z1
	15 mg/m3	PEL:	Total dust.	OSHA Z1
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH
	15 mg/m3	PEL:	Total dust.	OSHA Z1

Form	: Solid	Evaporation rate	: Not applicable.
Appearance	: Pellets	Specific Gravity	: Not determined
Color	: YELLOW	Bulk density	: Not established
Odor	: Very faint	Vapor pressure	: Not applicable
Melting point/range	: Not determined	Vapor density	: Not applicable
Boiling Point:	: Not applicable	pН	: Not applicable
Water solubility	: Insoluble		
	10. STABILITY AN	D REACTIVITY	
Stability	: Stable.		
Hazardous Polymerization	: Will not occur.		
Conditions to avoid	: Keep away from o	xidizing agents and open fl	lame. To avoid thermal



## MATERIAL SAFETY DATA SHEET IRWIN YELLOW

	decomposi	tion, do not overheat.		
Incompatible Materials	: Incompatib	ble with strong acids and	oxidizing agents.	
Hazardous decomposition : Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen				
products			nd smoke are all possible.	
	11. TOXICOLO	OGICAL INFORMATI	ON	
	een evaluated as a whole vidual components which		ure effects listed are based on exis	
<u>Toxicity Overview</u> This product contains the	he following components	which in their pure form	have the following characteristic	
CAS-No.	Chemical Name	Effect	Target Organ	
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.	
1317-65-3	Calcium carbonate	Irritant	Eyes, Skin.	
		Systemic effects	Eyes, Skin, Respiratory system	
	12 ECOLOC	ICAL INFORMATION	AT	
Bioaccumulation Potential       :       Chemical of the pol         Additional advice       :       No data a		are not readily available a mer.	as they are bound within the matrix	
	13. DISPOSA	AL CONSIDERATIONS	5	
Product	possible, re generator o classificatio	ecycling is preferred to di of waste material has the r	act can be recycled. Where sposal or incineration. The responsibility for proper waste sposal in accordance with and local regulations.	
Contaminated packagin	has the resp	ponsibility for proper was al in accordance with app	e. The generator of waste materia ste classification, transportation licable federal, state/provincial	
	14. TRANSP	PORT INFORMATION		
U.S. DOT Classificatio	n : Refer to sp	ecific regulation.		



	PolyOne.
POLYONE CORPORATION	
MATERIAL SAFETY DATA SHEET IRWIN YELLOW	
Version Number 1.0	Page 6 of 6
Revision Date 08/21/2003	Print Date 11/12/2011
Korea KECI : Not determined.	
Philippines PICCS : Not determined.	
16. OTHER INFORMATION	
specification. The information relates only to the specific material desi material when used in combination with any other materials and/or in conditions.	