

MATERIAL SAFETY DATA SHEET UV BLUE M5956B

Version Number 1.0 Revision Date 08/19/2003

Page 1 of 6 Print Date 11/12/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

| NON-EMERGENCY TELEPHONE | : | Product Stewardship (770) 271-5902 | |
|----------------------------|---|--|--|
| | | CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident). | |
| Product name | : | UV BLUE M5956B | |
| Product code | : | CC10041512 | |
| Chemical Name | : | Mixture | |
| CAS-No. | : | Mixture | |
| Product Use | : | Industrial Applications | |

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

| Components | CAS-No. | Weight % |
|-------------------|------------|----------|
| Titanium dioxide | 13463-67-7 | 1 - 5 |
| Calcium carbonate | 1317-65-3 | 5 - 10 |

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

| Routes of Exposure: | : Inhalation, Ingestion, Skin contact | |
|----------------------------|---|--|
| Acute exposure | | |
| Inhalation Ingestion | Resin particles, like other inert materials, can be mechanically irritating.May be harmful if swallowed. | |
| Eyes | : Resin particles, like other inert materials, are mechanically irritating to eyes. | |
| Skin | : Experience shows no unusual dermatitis hazard from routine handling. | |
| Chronic exposure | : Refer to Section 11 for Toxicological Information. | |



MATERIAL SAFETY DATA SHEET UV BLUE M5956B

Version Number 1.0 Revision Date 08/19/2003 Page 2 of 6 Print Date 11/12/2011

| Aggravated by Exposure: | |
|--|---|
| | 4. FIRST AID MEASURES |
| Inhalation | : Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice. |
| Ingestion | : Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice. |
| Eyes | : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention. |
| Skin | : Wash off with soap and plenty of water. If skin irritation persists seel medical attention. |
| | 5. FIRE-FIGHTING MEASURES |
| Flash point | : Not applicable |
| Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media | Not applicable Not applicable Not relevant Carbon dioxide blanket, water spray, dry powder, foam. |
| Special Fire Fighting Procedures Unusual Fire/Explosion Hazards | Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None |
| | 6. ACCIDENTAL RELEASE MEASURES |
| Personal precautions | : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. |
| Environmental precautions | : Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil. |
| Methods for cleaning up | : Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 12 of this MSDS for proper disposal methods. |
| | 7. HANDLING AND STORAGE |
| Handling | : Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation. |



MATERIAL SAFETY DATA SHEET UV BLUE M5956B

Version Number 1.0 Revision Date 08/19/2003 Page 3 of 6 Print Date 11/12/2011

Storage : Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place. 8. EXPOSURE CONTROLS / PERSONAL PROTECTION Respiratory protection : No personal respiratory protective equipment normally required. Eye/Face Protection Safety glasses with side-shields. : Hand protection Protective gloves. : Skin and body protection : Long sleeved clothing. Additional Protective Safety shoes. : Measures General Hygiene Handle in accordance with good industrial hygiene and safety practice. : Considerations Wash hands before breaks and at the end of workday. Engineering measures : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.

Exposure limit(s)

| Components | Value | Exposure time | Exposure type | List: |
|-------------------|----------|------------------------------|----------------------|---------|
| Calcium carbonate | 5 mg/m3 | PEL: | Respirable fraction. | OSHA Z1 |
| | 15 mg/m3 | PEL: | Total dust. | OSHA Z1 |
| Titanium dioxide | 10 mg/m3 | Time Weighted Average (TWA): | | ACGIH |
| Titanium dioxide | 15 mg/m3 | PEL: | Total dust. | OSHA Z1 |

| Form | : Solid | Evaporation rate | : Not applicable. | |
|--------------------------|--|------------------|-------------------|--|
| Appearance | : Pellets | Specific Gravity | : Not determined | |
| Color | : BLUE | Bulk density | : Not established | |
| Odor | : Very faint | Vapor pressure | : Not applicable | |
| Melting point/range | : Not determined | Vapor density | : Not applicable | |
| Boiling Point: | : Not applicable | pН | : Not applicable | |
| Water solubility | : Insoluble | | | |
| | 10. STABILITY AN | D REACTIVITY | | |
| Stability | : Stable. | | | |
| Hazardous Polymerization | : Will not occur. | | | |
| Conditions to avoid | : Keep away from oxidizing agents and open flame. To avoid thermal | | | |



MATERIAL SAFETY DATA SHEET UV BLUE M5956B

Version Number 1.0 Revision Date 08/19/2003

Page 4 of 6 Print Date 11/12/2011

Incompatible Materials: Incompatible with strong acids and oxidizing agents.Hazardous decomposition
products: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen
(NOx), other hazardous materials, and smoke are all possible.

decomposition, do not overheat.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

| CAS-No. | Chemical Name | Effect | Target Organ |
|------------|-------------------|------------------|---------------------------------|
| 13463-67-7 | Titanium dioxide | Systemic effects | Respiratory system. |
| 1317-65-3 | Calcium carbonate | Irritant | Eyes, Skin. |
| | | Systemic effects | Eyes, Skin, Respiratory system. |

| | 12. ECOLOGICAL INFORMATION | |
|-------------------------------|--|--|
| Persistence and degradability | : Not readily biodegradable. | |
| Environmental Toxicity | : Chemicals are not readily available as they are bound within the matrix of the polymer. | |
| Bioaccumulation Potential | : Chemicals are not readily available as they are bound within the matrix of the polymer. | |
| Additional advice | : No data available. | |
| | 13. DISPOSAL CONSIDERATIONS | |
| Product | : Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. | |
| Contaminated packaging | : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. | |
| | 14. TRANSPORT INFORMATION | |
| U.S. DOT Classification | : Refer to specific regulation. | |
| | | |



| TERIAL SAFETY DATA SHE | ЕТ | |
|---|-------|--|
| / BLUE M5956B | | |
| sion Number 1.0 ⁄ision Date 08/19/2003 | | Page 5 of Print Date 11/12/201 |
| | | |
| ICAO/IATA | : | Refer to specific regulation. |
| IMO / IMDG | : | Refer to specific regulation. |
| | 15 | 5. REGULATORY INFORMATION |
| US Regulations: | | |
| OSHA Status | : | Classified as hazardous based on components. |
| TSCA Status | : | All components of this product are listed on or exempt from the TSCA Inventory. |
| US. EPA CERCLA Hazardous | Sub | stances (40 CFR 302) |
| Not applicable | | |
| | | |
| California Proposition 65 | : | WARNING! This product contains a chemical known to the State of California to cause cancer. |
| SARA Title III Section 302 Ext | rem | ely Hazardous Substance |
| Not applicable | | |
| SARA Title III Section 313 Tox | tic C | Chemicals: |
| Not applicable | | |
| Canadian Regulations: | | |
| National Pollutant Release | se Iı | nventory (NPRI) |
| Not applicable | | |
| WHMIS Classification | : | D2B |
| DSL | : | All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt. |
| National Inventories: | | |
| Australia AICS | : | Listed. |
| China IECS | : | Listed. |
| Europe EINECS | : | Not determined. |
| | | |

| | PolyOne. |
|--|--|
| POLYONE CORPORATION | |
| MATERIAL SAFETY DATA SHEET | |
| UV BLUE M5956B | |
| Version Number 1.0 Revision Date 08/19/2003 | Page 6 of 6 Print Date 11/12/2011 |
| | |
| Korea KECI : Not determined. | |
| Philippines PICCS : Not determined. | |
| 16. OTHER INFORM | IATION |
| The information provided in this Safety Data Sheet is correct t at the date of its publication. The information given is designed processing, storage, transportation, disposal and release and i specification. The information relates only to the specific mate material when used in combination with any other materials a conditions. | ed only as a guidance for safe handling, use, s not to be considered a warranty or quality terial designated and may not be valid for such |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

٦

ſ