

MATERIAL SAFETY DATA SHEET

TRANS. PURPLE

Version Number 1.0 Revision Date 08/21/2003

Page 1 of 6 Print Date 11/12/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	TRANS. PURPLE
Product code	:	CC10041641
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Misc00005- Misc Zinc Cpd's	Not Available	1 - 5
Silica, amorphous	7631-86-9	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion	Resin particles, like other inert materials, can be mechanically irritating.May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.



MATERIAL SAFETY DATA SHEET

TRANS. PURPLE

Version Number 1.0 Revision Date 08/21/2003 Page 2 of 6 Print Date 11/12/2011

Aggravated by Exposure:	
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not relevant Carbon dioxide blanket, water spray, dry powder, foam.
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 12 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.



MATERIAL SAFETY DATA SHEET TRANS. PURPLE

Version Number 1.0 Revision Date 08/21/2003 Page 3 of 6 Print Date 11/12/2011

: Keep containers dry and tightly closed to avoid moisture absorption Storage and contamination. Keep in a dry, cool place.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Respiratory protection	:	No personal respiratory protective equipment normally required.
Eye/Face Protection	:	Safety glasses with side-shields.
Hand protection	:	Protective gloves.
Skin and body protection	:	Long sleeved clothing.
Additional Protective Measures	:	Safety shoes.
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Silica, amorphous	20 mppcf	PEL:	Total dust.	OSHA
Silica, amorphous	20 mppcf	PEL:	Total dust.	Z3

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:Color:Odor:Melting point/range:Boiling Point::	Solid Pellets PURPLE Very faint Not determined Not applicable Insoluble	Specific Gravity Bulk density Vapor pressure Vapor density	 Not applicable. Not determined Not established Not applicable Not applicable Not applicable
---	---	---	--

10. STABILITY AND REACTIVITY

Stability	:	Stable.
Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.



MATERIAL SAFETY DATA SHEET

TRANS. PURPLE

Version Number 1.0 Revision Date 08/21/2003

Page 4 of 6 Print Date 11/12/2011

Hazardous decomposition : Ca products (N

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
7631-86-9	Silica, amorphous	Irritant	Eyes, Respiratory system.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Additional advice	: No data available.
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Refer to specific regulation.
ICAO/IATA	: Refer to specific regulation.
IMO / IMDG	: Refer to specific regulation.
	15. REGULATORY INFORMATION



MATERIAL SAFETY DATA SHEET TRANS. PURPLE

sion Number 1.0 ision Date 08/21/2003 Print Date US Regulations: OSHA Status : Classified as hazardous based on components. TSCA Status : All components of this product are listed on or exempt from Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302)	
US Regulations: OSHA Status : Classified as hazardous based on components. TSCA Status : All components of this product are listed on or exempt from Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302)	
OSHA Status : Classified as hazardous based on components. TSCA Status : All components of this product are listed on or exempt from Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302)	the TSC (
OSHA Status : Classified as hazardous based on components. TSCA Status : All components of this product are listed on or exempt from Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302)	the TSC
OSHA Status : Classified as hazardous based on components. TSCA Status : All components of this product are listed on or exempt from Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302)	the TSC /
TSCA Status : All components of this product are listed on or exempt from Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302)	the TSC
Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302)	the TSC
	The ISCA
Not applicable	
California Proposition : This product does not contain a substance listed by Californ 65	ia Prop 65
SARA Title III Section 302 Extremely Hazardous Substance	
Not applicable	
CADA THE HE CARLES 212 THE CLASSICAL	
SARA Title III Section 313 Toxic Chemicals:	
Chemical Name CAS-No. Weight %	
ZINC COMPOUNDS Not Available 1.65	_
ZINC COMPOUNDS 73398-89-7 0.02	
Canadian Regulations:	
National Pollutant Release Inventory (NPRI)	
Chemical Name CAS-No. Weight % NPR	I ID#
Misc00005- Misc Zinc Cpd'sNot Available1.65241	
WHMIS Classification : Not controlled.	
DSL : All components of this product are on the Canadian Domes Substances List (DSL) or are exempt.	stic
National Inventories:	
National Inventories: Australia AICS : Listed.	
Australia AICS : Listed.	
Australia AICS:Listed.China IECS:Not determined.	

	PolyOne.
OLYONE CORPORATION	•
IATERIAL SAFETY DATA SHEET FRANS. PURPLE	
ersion Number 1.0 evision Date 08/21/2003	Page 6 of 6 Print Date 11/12/2011
Korea KECI : No	t determined.
Philippines PICCS : Lis	ted.
16	5. OTHER INFORMATION
processing, storage, transportation, disposed specification. The information relates on	ation given is designed only as a guidance for safe handling, use, osal and release and is not to be considered a warranty or quality ily to the specific material designated and may not be valid for such any other materials and/or in any particular process or processing

ſ