MATERIAL SAFETY DATA SHEET TRANSLUCENT PINK 212C

Version Number 1.0 Revision Date 08/21/2003 Page 1 of 6 Print Date 11/12/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	TRANSLUCENT PINK 212C
Product code	:	CC10041672
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	1 - 5
Calcium carbonate	1317-65-3	5 - 10

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact		
Acute exposure			
Inhalation Ingestion	Resin particles, like other inert materials, can be mechanically irritating.May be harmful if swallowed.		
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.		
Skin	: Experience shows no unusual dermatitis hazard from routine handling.		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		

PolyOne.

MATERIAL SAFETY DATA SHEET TRANSLUCENT PINK 212C

Version Number 1.0 Revision Date 08/21/2003 Page 2 of 6 Print Date 11/12/2011

Aggravated by Exposure:	
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not relevant Carbon dioxide blanket, water spray, dry powder, foam.
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 12 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.



MATERIAL SAFETY DATA SHEET TRANSLUCENT PINK 212C

Version Number 1.0 Revision Date 08/21/2003 Page 3 of 6 Print Date 11/12/2011

Storage : Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place. 8. EXPOSURE CONTROLS / PERSONAL PROTECTION Respiratory protection : No personal respiratory protective equipment normally required. Eye/Face Protection Safety glasses with side-shields. : Hand protection Protective gloves. : Skin and body protection : Long sleeved clothing. Additional Protective Safety shoes. : Measures General Hygiene Handle in accordance with good industrial hygiene and safety practice. : Considerations Wash hands before breaks and at the end of workday. Engineering measures : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery. Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Calcium carbonate	5 mg/m3	PEL:	Respirable fraction.	OSHA Z1
	15 mg/m3	PEL:	Total dust.	OSHA Z1
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH
Titanium dioxide	15 mg/m3	PEL:	Total dust.	OSHA Z1


9	PHYSICAL AND CHE	MICAL PROPERTIES	
Form Appearance Color Odor Melting point/range Boiling Point:	 Solid Pellets PINK Very faint Not determined Not applicable 	Evaporation rate Specific Gravity Bulk density Vapor pressure Vapor density pH	 Not applicable. Not determined Not established Not applicable Not applicable Not applicable
Water solubility	: Insoluble		
Water solubility	: Insoluble 10. STABILITY AN	D REACTIVITY	
Water solubility Stability		D REACTIVITY	
-	10. STABILITY AN	D REACTIVITY	

<u>PolyOne</u>

MATERIAL SAFETY DATA SHEET TRANSLUCENT PINK 212C

Version Number 1.0 Revision Date 08/21/2003 Page 4 of 6 Print Date 11/12/2011

		decomposition	n, do not overheat.		
Incompatible Mater	rials	: Incompatible	tible with strong acids and oxidizing agents.		
Hazardous decompo products	osition			oxide (CO), oxides of nitrogen nd smoke are all possible.	
		11. TOXICOLOG	ICAL INFORMATIO	ON	
		uated as a whole for omponents which co		ure effects listed are based on exi	
	ns the follo	wing components w	hich in their pure form	have the following characteristic	
CAS-No.		Chemical Name	Effect	Target Organ	
13463-67-7		um dioxide	Systemic effects	Respiratory system.	
1317-65-3	Calciu	im carbonate	Irritant	Eyes, Skin.	
			Systemic effects	Eyes, Skin, Respiratory system	
Environmental Tox	icity			as they are bound within the matri	
Environmental Tox Bioaccumulation Po Additional advice		of the polymeChemicals are of the polymeNo data availa	r. not readily available a r. able.	is they are bound within the matri	
Bioaccumulation Pe		of the polymeChemicals are of the polymeNo data availa	r. not readily available a r.	is they are bound within the matri	
Bioaccumulation Pe	otential	 of the polyme Chemicals are of the polyme No data availa 13. DISPOSAL Like most the possible, recygenerator of w classification, applicable fed Recycling is p has the response 	r. not readily available a r. able. CONSIDERATIONS rmoplastics the produc cling is preferred to dis vaste material has the r transportation and dis leral, state/provincial a preferred when possible isbility for proper was n accordance with app	ts they are bound within the matrix ct can be recycled. Where sposal or incineration. The responsibility for proper waste posal in accordance with	
Bioaccumulation Pe Additional advice Product	otential	 of the polyme Chemicals are of the polyme No data availa 13. DISPOSAL Like most ther possible, recy generator of w classification, applicable fed Recycling is p has the respon and disposal in and local regularies 	r. not readily available a r. able. CONSIDERATIONS rmoplastics the produc cling is preferred to dis vaste material has the r transportation and dis leral, state/provincial a preferred when possible isbility for proper was n accordance with app	ts they are bound within the matrix ct can be recycled. Where sposal or incineration. The responsibility for proper waste posal in accordance with nd local regulations. e. The generator of waste materia te classification, transportation licable federal, state/provincial	



	PolyOne.
POLYONE CORPORATION	
MATERIAL SAFETY DATA SHEET	
TRANSLUCENT PINK 212C	
Version Number 1.0 Revision Date 08/21/2003	Page 6 of 6 Print Date <i>11/12/2011</i>
Korea KECI : Listed.	
Philippines PICCS : Listed.	
16. OTHER INFORMATI	ON
at the date of its publication. The information given is designed on processing, storage, transportation, disposal and release and is not specification. The information relates only to the specific material material when used in combination with any other materials and/o conditions.	to be considered a warranty or quality designated and may not be valid for such