

MATERIAL SAFETY DATA SHEET

RED 485C

Version Number 1.0 Revision Date 08/26/2003

Page 1 of 6 Print Date 11/12/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	RED 485C
Product code	:	CC10041855
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	5 - 10
Calcium carbonate	1317-65-3	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion	Resin particles, like other inert materials, can be mechanically irritating.May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.



MATERIAL SAFETY DATA SHEET

RED 485C

Version Number 1.0 Revision Date 08/26/2003 Page 2 of 6 Print Date 11/12/2011

Aggravated by Exposure:	
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not relevant Carbon dioxide blanket, water spray, dry powder, foam.
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 12 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.



MATERIAL SAFETY DATA SHEET

RED 485C

Storage

Version Number 1.0				
Revision Date 08/26/2003				

Page 3 of 6 Print Date 11/12/2011

: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Respiratory protection	:	No personal respiratory protective equipment normally required.
Eye/Face Protection	:	Safety glasses with side-shields.
Hand protection	:	Protective gloves.
Skin and body protection	:	Long sleeved clothing.
Additional Protective Measures	:	Safety shoes.
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Calcium carbonate	5 mg/m3	PEL:	Respirable fraction.	OSHA Z1
	15 mg/m3	PEL:	Total dust.	OSHA Z1
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH
Titanium dioxide	15 mg/m3	PEL:	Total dust.	OSHA Z1

9.	PHYS	SICAL AND CHE	MICAL PROPERTIES		
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	: No : No	llets	Evaporation rate Specific Gravity Bulk density Vapor pressure Vapor density pH	: : : : :	Not applicable. Not determined Not established Not applicable Not applicable Not applicable
	10	. STABILITY AN	D REACTIVITY		
Stability Hazardous Polymerization	:	Stable. Will not occur.			
Conditions to avoid	:		oxidizing agents and open fla	ame.	To avoid thermal



MATERIAL SAFETY DATA SHEET

RED 485C

sion Number 1.0 ision Date 08/26/20	003			Page 4 0 Print Date 11/12/20	
		decomposition	n, do not overheat.		
Incompatible Materia	als	: Incompatible	with strong acids and o	oxidizing agents.	
Hazardous decomposition products:Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.					
	1	I. TOXICOLOG	ICAL INFORMATIO	ON	
health data for the in <u>Toxicity Overview</u>	dividual con	ponents which co	omprise the mixture.	ure effects listed are based on exis	
-		- 1	-		
CAS-No.		emical Name	Effect	Target Organ	
13463-67-7		n dioxide	Systemic effects	Respiratory system.	
1317-65-3	Calcium	carbonate	Irritant	Eyes, Skin.	
			Systemic effects	Eyes, Skin, Respiratory system	
Persistence and degra	adability	: Not readily bi	CAL INFORMATION	N	
Environmental Toxicity : Chemicals are not readily available as they are bound within the matrix of the polymer.					
Bioaccumulation Potential		: Chemicals are not readily available as they are bound within the matrix of the polymer.			
Additional advice		: No data available.			
		13. DISPOSAL	CONSIDERATIONS	5	
Product		: Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.			
Contaminated packaging :		: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.			
		14. TRANSPO	RT INFORMATION		



MATERIAL SAFETY DATA SHE	ЕТ					
RED 485C						
Version Number 1.0 Revision Date 08/26/2003		Page 5 of 6 Print Date 11/12/2011				
ICAO/IATA	:	Refer to specific regulation.				
IMO / IMDG	:	Refer to specific regulation.				
	15	5. REGULATORY INFORMATION				
US Regulations:						
OSHA Status	:	Classified as hazardous based on components.				
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.				
US. EPA CERCLA Hazardous	Sub	stances (40 CFR 302)				
Not applicable						
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.				
SARA Title III Section 302 Ext	SARA Title III Section 302 Extremely Hazardous Substance					
Not applicable						
SARA Title III Section 313 Tox	ic C	Chemicals:				
Not applicable Canadian Regulations:						
National Pollutant Relea	se Iı	nventory (NPRI)				
Not applicable						
WHMIS Classification	:	D2B				
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.				
National Inventories:						
Australia AICS	:	Listed.				
China IECS	:	Listed.				
Europe EINECS	:	Not determined.				
Japan ENCS	:	Listed.				

POLYONE CORPORATION POLYONE CORPORATION					
MATERIAL SAFETY DATA SHEET					
RED 485C					
Version Number 1.0 Revision Date 08/26/2003	Page 6 of 6 Print Date 11/12/2011				
Korea KECI :	Listed.				
Philippines PICCS :	Listed.				
	16. OTHER INFORMATION				
processing, storage, transportation, c specification. The information relate	ormation given is designed only as a guidance for safe handling, use, lisposal and release and is not to be considered a warranty or quality es only to the specific material designated and may not be valid for such with any other materials and/or in any particular process or processing				