

MATERIAL SAFETY DATA SHEET PURPLE TUBING

Version Number 1.0 Revision Date 09/02/2003

Page 1 of 6 Print Date 11/12/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	PURPLE TUBING
Product code	:	CC10041939
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.



MATERIAL SAFETY DATA SHEET **PURPLE TUBING**

Version Number 1.0 Revision Date 09/02/2003 Page 2 of 6 Print Date 11/12/2011

Aggravated by Exposure:	
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not relevant Carbon dioxide blanket, water spray, dry powder, foam.
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 12 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.



MATERIAL SAFETY DATA SHEET **PURPLE TUBING**

Version Number 1.0 Revision Date 09/02/2003

Storage

Page 3 of 6 Print Date 11/12/2011

: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Respiratory protection	:	No personal respiratory protective equipment normally required.
Eye/Face Protection	:	Safety glasses with side-shields.
Hand protection	:	Protective gloves.
Skin and body protection	:	Long sleeved clothing.
Additional Protective Measures	:	Safety shoes.
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Titanium dioxide	10 mg/m3	Time Weighted Average		ACGIH
		(TWA):		
Titanium dioxide	15 mg/m3	PEL:	Total dust.	OSHA Z1

9	. PHYSICAL AND CHE	EMICAL PROPERTIES	
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	 Solid Pellets PURPLE Very faint Not determined Not applicable Insoluble 	Evaporation rate Specific Gravity Bulk density Vapor pressure Vapor density pH	 Not applicable. Not determined Not established Not applicable Not applicable Not applicable Not applicable
	10. STABILITY AN	ND REACTIVITY	
Stability	: Stable.		
Hazardous Polymerization	: Will not occur.		
Conditions to avoid	: Keep away from decomposition, d	oxidizing agents and open f o not overheat.	lame. To avoid thermal



MATERIAL SAFETY DATA SHEET PURPLE TUBING

Version Number 1.0 Revision Date 09/02/200	3			Page 4 of 6 Print Date 11/12/2011
		x		
Incompatible Materials	s :	Incompatible w	ith strong acids and o	oxidizing agents.
Hazardous decomposit products	ion :			xide (CO), oxides of nitrogen d smoke are all possible.
	11. 7	FOXICOLOGIC	CAL INFORMATIC	DN
This mixture has not be health data for the indi				are effects listed are based on existing
<u>Toxicity Overview</u> This product contains t	he following	components whi	ch in their pure form	have the following characteristics:
CAS-No.		ical Name	Effect	Target Organ
13463-67-7	Titanium d	ioxide	Systemic effects	Respiratory system.
	12	2. ECOLOGICA	L INFORMATION	
Persistence and degrad	ability :	Not readily biod	degradable.	
Environmental Toxicit	y :	Chemicals are n of the polymer.	ot readily available a	s they are bound within the matrix
Bioaccumulation Poter	ntial :	Chemicals are n of the polymer.	ot readily available a	s they are bound within the matrix
Additional advice	:	No data availab	le.	
	1.	3. DISPOSAL C	ONSIDERATIONS	
Product	:	possible, recyclingenerator of wa classification, tr	ing is preferred to dis ste material has the r	et can be recycled. Where posal or incineration. The esponsibility for proper waste posal in accordance with nd local regulations.
Contaminated packagin	ng :	has the responsi	bility for proper was accordance with appl	. The generator of waste material te classification, transportation icable federal, state/provincial
	1	4. TRANSPORT	FINFORMATION	
U.S. DOT Classification	on :	Refer to specific	c regulation.	
ICAO/IATA	:	Refer to specific	c regulation.	
IMO / IMDG	:	Refer to specific	c regulation.	



MATERIAL SAFETY DATA SHEET **PURPLE TUBING**

Version Number 1.0 Revision Date 09/02/2003 Page 5 of 6 Print Date 11/12/2011

		15	REGULATORY INFORMATION
US Regulations:			
OSHA Stat	us	:	Classified as hazardous based on components.
TSCA State	us	:	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA	A Hazardous Su	ubs	stances (40 CFR 302)
Not ap	plicable		
California I 65	Proposition	:	This product does not contain a substance listed by California Prop 65.
SARA Title III Sec	ction 302 Extre	eme	ely Hazardous Substance
Not applicable			
SARA Title III Sec	ction 313 Toxic	e C	hemicals:
Not applicable Canadian Regulation	ons:		
National Po	llutant Release	e Ir	ventory (NPRI)
National Po Not applicable	llutant Release	e In	wentory (NPRI)
Not applicable			D2B
Not applicable	lassification		
Not applicable WHMIS Cl	lassification	:	D2B DSL status has not been determined. Quantity use in Canada may be
Not applicable WHMIS Cl DSL	lassification	:	D2B DSL status has not been determined. Quantity use in Canada may be
Not applicable WHMIS Cl DSL National Inventorie	lassification es: JCS	:	D2B DSL status has not been determined. Quantity use in Canada may be restricted by regulations.
Not applicable WHMIS CI DSL National Inventorie Australia A	lassification es: JCS S	:	D2B DSL status has not been determined. Quantity use in Canada may be restricted by regulations.
Not applicable WHMIS CI DSL National Inventorie Australia A China IECS	lassification es: ICS S NECS	: :	D2B DSL status has not been determined. Quantity use in Canada may be restricted by regulations. Not determined. Not determined.



MATERIAL SAFETY DATA SHEET **PURPLE TUBING**

Version Number 1.0 Revision Date 09/02/2003

Page 6 of 6 Print Date 11/12/2011

Philippines PICCS

: Not determined.

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.