

MATERIAL SAFETY DATA SHEET IMAC BLUEBERRY

Version Number 1.0 Revision Date 09/08/2003

Page 1 of 6 Print Date 11/12/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	IMAC BLUEBERRY
Product code	:	CC10042407
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.



MATERIAL SAFETY DATA SHEET IMAC BLUEBERRY

Version Number 1.0 Revision Date 09/08/2003 Page 2 of 6 Print Date 11/12/2011

Aggravated by Exposure:	
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not relevant Carbon dioxide blanket, water spray, dry powder, foam.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 12 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.



MATERIAL SAFETY DATA SHEET IMAC BLUEBERRY

Version Number 1.0 Revision Date 09/08/2003 Page 3 of 6 Print Date 11/12/2011

Storage : Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place. 8. EXPOSURE CONTROLS / PERSONAL PROTECTION Respiratory protection : No personal respiratory protective equipment normally required. Eye/Face Protection : Safety glasses with side-shields. Hand protection Protective gloves. : Skin and body protection : Long sleeved clothing. Additional Protective Safety shoes. : Measures General Hygiene Handle in accordance with good industrial hygiene and safety practice. : Considerations Wash hands before breaks and at the end of workday. : Heat only in areas with appropriate exhaust ventilation. Provide Engineering measures appropriate exhaust ventilation at machinery. Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Titanium dioxide	10 mg/m3	Time Weighted Average		ACGIH
		(TWA):		
Titanium dioxide	15 mg/m3	PEL:	Total dust.	OSHA Z1

Form	: Solid	Evaporation rate	: Not applicable.
Appearance	: Pellets	Specific Gravity	: Not determined
Color	: BLUE	Bulk density	: Not established
Odor	: Very faint	Vapor pressure	: Not applicable
Melting point/range	: Not determined	Vapor density	: Not applicable
Boiling Point:	: Not applicable	pH	: Not applicable
Water solubility	: Insoluble		
	10. STABILITY AN	D REACTIVITY	
Stability	: Stable.		
Hazardous Polymerization	: Will not occur.		
Conditions to avoid	: Keep away from o decomposition, do	xidizing agents and open fl	lame. To avoid thermal



MATERIAL SAFETY DATA SHEET IMAC BLUEBERRY

Version Number 1.0 Revision Date 09/0					Print Date	Page 4 of 6 11/12/2011
	1					
Incompatible Ma	iterials	:	Incompatible wi	ith strong acids and c	oxidizing agents.	
Hazardous decor products	nposition	:			oxide (CO), oxides of nitro nd smoke are all possible.	
		11.]	FOXICOLOGIC	CAL INFORMATIO)N	
				ealth effects. Exposu	are effects listed are based	1 on existing
<u>Toxicity Overvio</u> This product cor		ving	components whi	ch in their pure form	have the following chara	cteristics:
CAS-No.			ical Name	Effect	Target Organ	
13463-67-7	Titaniu	ım di	ioxide	Systemic effects	Respiratory system.	
		12	2. ECOLOGICA	L INFORMATION	I	
Persistence and	legradability	:	Not readily bioc			
Environmental 7	`oxicity	:	Chemicals are n of the polymer.	ot readily available a	s they are bound within th	ie matrix
Bioaccumulation	I Potential	:	Chemicals are n of the polymer.	ot readily available a	s they are bound within th	e matrix
Additional advic	e	:	No data availab	le.		
		13	3. DISPOSAL C	ONSIDERATIONS		
Product		:	possible, recycli generator of was classification, tr	ing is preferred to dis ste material has the re	ct can be recycled. Where sposal or incineration. The esponsibility for proper we posal in accordance with nd local regulations.	ne
Contaminated pa	ickaging	:	has the responsi	bility for proper was accordance with appl	e. The generator of waste te classification, transpor licable federal, state/prov	tation
		1	4. TRANSPORT	Γ INFORMATION		
U.S. DOT Class	ification	:	Refer to specific	c regulation.		
ICAO/IATA		:	Refer to specific	c regulation.		
IMO / IMDG		:	Refer to specific	c regulation.		



MATERIAL SAFETY DATA SHEET IMAC BLUEBERRY

Version Number 1.0 Revision Date 09/08/2003 Page 5 of 6 Print Date 11/12/2011

	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Substances (40 CFR 302)
Not applicable	
California Proposition 65	: This product does not contain a substance listed by California Prop 65.
SARA Title III Section 302 Extr	remely Hazardous Substance
Not applicable	
SARA Title III Section 313 Tox	tic Chemicals:
Not applicable Canadian Regulations:	
National Pollutant Releas	se Inventory (NPRI)
Not applicable	
WHMIS Classification	: D2B
DSL	: All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:	
National Inventories: Australia AICS	: Listed.
	: Listed.
Australia AICS	
Australia AICS China IECS	: Listed.



Page 6 of 6

Print Date 11/12/2011

MATERIAL SAFETY DATA SHEET IMAC BLUEBERRY

Version Number 1.0

Revision Date 09/08/2003

Philippines PICCS

: Not determined.

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.