

MATERIAL SAFETY DATA SHEET **BLUE** 

Version Number 1.0 Revision Date 09/08/2003

Page 1 of 6 Print Date 11/12/2011

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	BLUE
Product code	:	CC10042578
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Calcium carbonate	1317-65-3	10 - 30
Titanium dioxide	13463-67-7	10 - 30

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion	<ul><li>Resin particles, like other inert materials, can be mechanically irritating.</li><li>May be harmful if swallowed.</li></ul>
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.



# MATERIAL SAFETY DATA SHEET

## BLUE

Version Number 1.0 Revision Date 09/08/2003 Page 2 of 6 Print Date 11/12/2011

Aggravated by Exposure:	
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not relevant</li> <li>Carbon dioxide blanket, water spray, dry powder, foam.</li> </ul>
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	<ul> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>None</li> </ul>
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.



### MATERIAL SAFETY DATA SHEET BLUE

#### Version Number 1.0 Revision Date 09/08/2003

Storage

Page 3 of 6 Print Date 11/12/2011

: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.

#### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Respiratory protection	:	No personal respiratory protective equipment normally required.
Eye/Face Protection	:	Safety glasses with side-shields.
Hand protection	:	Protective gloves.
Skin and body protection	:	Long sleeved clothing.
Additional Protective Measures	:	Safety shoes.
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Calcium carbonate	5 mg/m3	PEL:	Respirable fraction.	OSHA Z1
	15 mg/m3	PEL:	Total dust.	OSHA Z1
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH
Titanium dioxide	15 mg/m3	PEL:	Total dust.	OSHA Z1

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Form Appearance Color Odor Melting point/range Boiling Point: Water solubility

- : Solid : Pellets : BLUE : Very faint : Not determined : Not applicable : Insoluble
- Evaporation rate Specific Gravity Bulk density Vapor pressure Vapor density pН
- : Not applicable. : Not determined
- : Not established
- : Not applicable : Not applicable
- : Not applicable

### **10. STABILITY AND REACTIVITY**

Stability	:	Stable.
Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal



## MATERIAL SAFETY DATA SHEET **BLUE**

Incompatible Materials : Inc Hazardous decomposition : Ca products : Ca Not This mixture has not been evaluated as a health data for the individual componen Toxicity Overview This product contains the following con CAS-NO. Chemical 1317-65-3 Calcium carbon 13463-67-7 Titanium dioxid 13463-67-7 Titanium dioxid Persistence and degradability : No Environmental Toxicity : Ch of f Bioaccumulation Potential : Ch of f Additional advice : No Product : Lik pog gen cla app Contaminated packaging : Re has and	compatible with arbon dioxide ( IOx), other haze ( XICOLOGIC) a whole for heat has which components which components which components which has a second structure of the seco	(CO2), carbon mo izardous materials, CAL INFORMAT ealth effects. Expo prise the mixture.	osure effects listed are based on e rm have the following characterist Target Organ Eyes, Skin. Eyes, Skin, Respiratory syste	
Hazardous decomposition products       : Ca (Na interpretendent individual component individual	arbon dioxide ( IOx), other haz XICOLOGIC a whole for he ats which components which nponents which I Name nate	(CO2), carbon mo izardous materials, CAL INFORMAT ealth effects. Expo prise the mixture. ch in their pure for Effect Irritant Systemic effects	onoxide (CO), oxides of nitrogen , and smoke are all possible. FION osure effects listed are based on ex- rm have the following characterist Target Organ Eyes, Skin. S Eyes, Skin, Respiratory syste	
products       (Note: Second state of the individual component of the indindity of the individual component of the individual comp	IOx), other haz	CAL INFORMAT ealth effects. Exponentiate the mixture. ch in their pure for Effect Irritant Systemic effects	, and smoke are all possible.  FION osure effects listed are based on ex- rm have the following characterist Target Organ Eyes, Skin. Eyes, Skin, Respiratory syste	
This mixture has not been evaluated as a health data for the individual componen          Toxicity Overview         This product contains the following con         CAS-No.       Chemical         1317-65-3       Calcium carbor         13463-67-7       Titanium dioxid         Persistence and degradability         Environmental Toxicity       :         Chaditional advice       :         No         1310         Contaminated packaging       :         Reserved	a whole for he nts which comp nponents whic l Name nate	ealth effects. Expo prise the mixture. ch in their pure for Effect Irritant Systemic effects	osure effects listed are based on e rm have the following characterist Target Organ Eyes, Skin. Eyes, Skin, Respiratory syste	
health data for the individual componen          Toxicity Overview         This product contains the following com         CAS-No.         Chemical         1317-65-3       Calcium carbor         13463-67-7       Titanium dioxid         12. EQ         Persistence and degradability       :       No         Environmental Toxicity       :       Ch         Bioaccumulation Potential       :       Ch         Of       Of       Of         Product       :       Lik         poor       ger       cla         Question and the state of the state o	nts which components which components which components which is a second structure whi	ch in their pure for Effect Irritant Systemic effects	rm have the following characterist Target Organ Eyes, Skin. Eyes, Skin, Respiratory syste	
CAS-No.       Chemical         1317-65-3       Calcium carbor         13463-67-7       Titanium dioxid <b>12. EC</b> Persistence and degradability       :         Persistence and degradability       :         Environmental Toxicity       :         Chadditional advice       :         No <b>13. D</b> Product       :         Lik       pos         ger       cla         cla       app         Contaminated packaging       :       Re	l Name nate	Effect Irritant Systemic effects	Target Organ       Eyes, Skin.       Eyes, Skin, Respiratory system	
1317-65-3       Calcium carbor         13463-67-7       Titanium dioxid         12. EC         Persistence and degradability       : No         Environmental Toxicity       : Ch         of t	nate	Irritant Systemic effects	Eyes, Skin. Eyes, Skin, Respiratory syste	
13463-67-7       Titanium dioxid         12. EC         Persistence and degradability       : No         Environmental Toxicity       : Ch         of r         Bioaccumulation Potential       : Ch         Additional advice       : No         13. D         Product       : Lik         por       ger         cla       app         Contaminated packaging       : Re         has       and	ide	Systemic effects	Eyes, Skin, Respiratory syste	
<b>12. E( 12. E(</b> Persistence and degradability       : No         Environmental Toxicity       : Ch         of :         Bioaccumulation Potential       : Ch         of :       Additional advice       : No <b>13. D</b> Product       : Lik         poor       ger         cla       app         Contaminated packaging       : Re         has       and			· · · · ·	
<b>12. E( 12. E(</b> Persistence and degradability       : No         Environmental Toxicity       : Ch         of :         Bioaccumulation Potential       : Ch         of :       Additional advice       : No <b>13. D</b> Product       : Lik         pos       ger         cla       app         Contaminated packaging       : Re         has       and				
Persistence and degradability       :       No         Environmental Toxicity       :       Ch         of       :       Ch         Bioaccumulation Potential       :       Ch         Additional advice       :       No         13. Di       .       Product       :         Product       :       Lik         pos       .       .         Qert       :       Lik         pos       .       .         Contaminated packaging       :       Re         has       .       .	COLOGICA			
Environmental Toxicity : Ch of Bioaccumulation Potential : Ch of Additional advice : No 13. D Product : Lik pos ger cla app Contaminated packaging : Re has		L INFORMATIO	ON	
13. D         Product       : Lik         pos       ger         cla       app         Contaminated packaging       : Re         has       and	<ul><li>of the polymer.</li><li>Chemicals are not readily available as they are bound within the matrix of the polymer.</li></ul>			
Product : Lik pos ger cla app Contaminated packaging : Re has and	: No data available.			
pos ger cla app Contaminated packaging : Re- has and	ISPOSAL CO	ONSIDERATION	NS	
has	: Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.			
and	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.			
14. T		T INFORMATIO	DN	
U.S. DOT Classification : Re	_			



		_
ion Number 1.0 sion Date 09/08/2003		Page 5 Print Date 11/12/
ICAO/IATA	:	Refer to specific regulation.
IMO / IMDG	:	Refer to specific regulation.
	15	5. REGULATORY INFORMATION
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on or exempt from the TSC Inventory.
US. EPA CERCLA Hazardous	Sub	stances (40 CFR 302)
Not applicable		
California Proposition 65		WARNING! This product contains a chemical known to the State o California to cause cancer.
SARA Title III Section 302 Ext	rem	ely Hazardous Substance
Not applicable		
SARA Title III Section 313 Tox	ic (	Chemicals:
Not applicable Canadian Regulations:		
National Pollutant Relea	se Ii	nventory (NPRI)
Not applicable		
WHMIS Classification	:	D2B
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:		
Australia AICS	:	Listed.
China IECS	:	Listed.
Europe EINECS	:	Not determined.

POLYONE CORPORATION	PolyOne.
MATERIAL SAFETY DATA SHEET BLUE	
Version Number 1.0 Revision Date 09/08/2003	Page 6 of 6 Print Date 11/12/2011
Korea KECI : Listed.	
Philippines PICCS : Listed.	
16. OTHER INFORM	IATION
The information provided in this Safety Data Sheet is correct at the date of its publication. The information given is design processing, storage, transportation, disposal and release and specification. The information relates only to the specific ma material when used in combination with any other materials conditions.	ted only as a guidance for safe handling, use, is not to be considered a warranty or quality terial designated and may not be valid for such