

MATERIAL SAFETY DATA SHEET

RED

Version Number 1.0 Revision Date 09/09/2003 Page 1 of 6 Print Date 11/12/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	RED
Product code	:	CC10042580
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	1 - 5
Calcium carbonate	1317-65-3	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion	Resin particles, like other inert materials, can be mechanically irritating.May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.



MATERIAL SAFETY DATA SHEET

RED

Version Number 1.0 Revision Date 09/09/2003 Page 2 of 6 Print Date 11/12/2011

Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not relevant Carbon dioxide blanket, water spray, dry powder, foam.
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 12 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.



MATERIAL SAFETY DATA SHEET

RED

Version Number 1.0 Revision Date 09/09/2003

Page 3 of 6 Print Date 11/12/2011

Storage

: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Respiratory protection	:	No personal respiratory protective equipment normally required.
Eye/Face Protection	:	Safety glasses with side-shields.
Hand protection	:	Protective gloves.
Skin and body protection	:	Long sleeved clothing.
Additional Protective Measures	:	Safety shoes.
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Calcium carbonate	5 mg/m3	PEL:	Respirable fraction.	OSHA Z1
	15 mg/m3	PEL:	Total dust.	OSHA Z1
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH
Titanium dioxide	15 mg/m3	PEL:	Total dust.	OSHA Z1

9.]	PHY	SICAL AND CHEM	IICAL PROPERTIES		
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	: Po : R : V : N : N	ellets ED ery faint ot determined ot applicable	Evaporation rate Specific Gravity Bulk density Vapor pressure Vapor density pH	:	Not established
	1). STABILITY AND	O REACTIVITY		
Stability Hazardous Polymerization Conditions to avoid	::		idizing agents and open fl	lame.	To avoid thermal
	Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	Form:SoAppearance:PeColor:ROdor:VMelting point/range:NBoiling Point::NWater solubility:InItem 10Stability:Hazardous Polymerization:	Form : Solid Appearance : Pellets Color : RED Odor : Very faint Melting point/range : Not determined Boiling Point: : Not applicable Water solubility : Insoluble IO. STABILITY ANI Stability : Stable. Hazardous Polymerization : Will not occur.	Appearance : Pellets Specific Gravity Color : RED Bulk density Odor : Very faint Vapor pressure Melting point/range : Not determined Vapor density Boiling Point: : Not applicable pH Water solubility : Insoluble Insoluble Stability Stability : Stable. Hazardous Polymerization : Will not occur.	Form: SolidEvaporation rate:Appearance: PelletsSpecific Gravity:Color: REDBulk density:Odor: Very faintVapor pressure:Melting point/range: Not determinedVapor density:Boiling Point:: Not applicablepH:Water solubility: InsolubleInsolubleInsolubleInsolubleHazardous Polymerization: Will not occur.



MATERIAL SAFETY DATA SHEET

RED

rsion Number 1.0					
vision Date 09/09/20)03		Page 4 o Print Date 11/12/20		
	decompos	sition, do not overheat.			
Incompatible Materia	als : Incompat	ible with strong acids and o	oxidizing agents.		
Hazardous decomposition products:Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.					
	11. TOXICOI	OGICAL INFORMATIO	DN		
health data for the ind	been evaluated as a whole dividual components whic		ure effects listed are based on existi		
Toxicity Overview This product contains	s the following componen	ts which in their pure form	have the following characteristics:		
CAS-No.	Chemical Name	Effect	Target Organ		
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.		
1317-65-3	Calcium carbonate	Irritant	Eyes, Skin.		
		Systemic effects	Eyes, Skin, Respiratory system.		
	12. ECOLO	GICAL INFORMATION	J		
Environmental Toxic Bioaccumulation Pot	of the pol tential : Chemical	 Chemicals are not readily available as they are bound within the matrix of the polymer. Chemicals are not readily available as they are bound within the matrix of the polymer. 			
	· No data a	: No data available.			
Additional advice	. 110 data a	ivaliable.			
Additional advice		SAL CONSIDERATIONS	3		
Additional advice	13. DISPOS : Like mos possible, generator classification	SAL CONSIDERATIONS t thermoplastics the produce recycling is preferred to dis	ct can be recycled. Where sposal or incineration. The esponsibility for proper waste posal in accordance with		
	13. DISPOS : Like mos possible, generator classificat applicable ging : Recycling has the re and dispo	SAL CONSIDERATIONS t thermoplastics the product recycling is preferred to dist of waste material has the r tion, transportation and disp e federal, state/provincial a g is preferred when possible esponsibility for proper was	ct can be recycled. Where sposal or incineration. The esponsibility for proper waste posal in accordance with		
Product	13. DISPOS : Like mos possible, generator classificar applicable ging : Recycling has the re and dispo and local	SAL CONSIDERATIONS t thermoplastics the product recycling is preferred to dist of waste material has the r tion, transportation and dist e federal, state/provincial a g is preferred when possible esponsibility for proper was osal in accordance with app	ct can be recycled. Where sposal or incineration. The esponsibility for proper waste posal in accordance with nd local regulations. e. The generator of waste material te classification, transportation		



ion Number 1.0 sion Date 09/09/2003		Pri	nt Date	Page 5
0.011 2 4 10 00, 00, 2000				,,
ICAO/IATA	:	Refer to specific regulation.		
IMO / IMDG	:	Refer to specific regulation.		
	15	. REGULATORY INFORMATION		
US Regulations:				
OSHA Status	:	Classified as hazardous based on components.		
TSCA Status	:	All components of this product are listed on or exem Inventory.	1pt from t	he TSC.
US. EPA CERCLA Hazardous	Sub	stances (40 CFR 302)		
Not applicable				
California Proposition 65	:	This product does not contain a substance listed by C	California	a Prop 6
SARA Title III Section 302 Ext	rem	ely Hazardous Substance		
Not applicable				
SARA Title III Section 313 Tox	ic C	hemicals:		
Not applicable				
Canadian Regulations:				
National Pollutant Release	se Iı	iventory (NPRI)		
Not applicable				
WHMIS Classification	:	D2B		
DSL	:	All components of this product are on the Canadian Substances List (DSL) or are exempt.	1 Domest	ic
National Inventories:				
Australia AICS	:	Listed.		
China IECS	:	Listed.		
Europe EINECS	:	Not determined.		

POLYONE CORPORATIO	N PolyOne
MATERIAL SAFETY DATA SHEET	
RED	
Version Number 1.0 Revision Date 09/09/2003	Page 6 of 6 Print Date 11/12/2011
Korea KECI :	Listed.
Philippines PICCS :	Listed.
	16. OTHER INFORMATION
at the date of its publication. The info processing, storage, transportation, di specification. The information relates	ty Data Sheet is correct to the best of our knowledge, information and belief ormation given is designed only as a guidance for safe handling, use, isposal and release and is not to be considered a warranty or quality s only to the specific material designated and may not be valid for such vith any other materials and/or in any particular process or processing