MATERIAL SAFETY DATA SHEET UV MET. COOL GREEN M6043B

Version Number 1.1 Revision Date 10/26/2006

Page 1 of 6 Print Date 11/25/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:number	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name :	UV MET. COOL GREEN M6043B
Product code :	CC10042673
Chemical Name :	Mixture
CAS-No. :	Mixture
Product Use :	Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	1 - 5
Mica	12001-26-2	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to
Skin	eyes. : Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

MATERIAL SAFETY DATA SHEET UV MET. COOL GREEN M6043B

Version Number 1.1 Revision Date 10/26/2006 Page 2 of 6 Print Date 11/25/2011

		4. FIRST AID MEASURES			
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases doubt seek medical advice.			
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.			
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for least 15 minutes. If eye irritation persists, seek medical attention.			
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seel medical attention.			
		5. FIRE-FIGHTING MEASURES			
Flash point	:	Not applicable			
Flammable Limits					
Upper explosion limit		Not applicable			
Lower explosion limit	•	Not applicable			
Autoignition temperature	•	Not applicable			
Suitable extinguishing media	:	Carbon dioxide blanket, water spray, dry powder, foamnone.			
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positiv pressure mode should be worn to prevent inhalation of airborne contaminants.			
Unusual Fire/Explosion Hazards	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.			
	6. A	CCIDENTAL RELEASE MEASURES			
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.			
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.			
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.			
		7. HANDLING AND STORAGE			
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.			
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption			

PolyOne.

MATERIAL SAFETY DATA SHEET UV MET. COOL GREEN M6043B

Version Number 1.1 Revision Date 10/26/2006 Page 3 of 6 Print Date 11/25/2011

0.1	EXPOSURE	CONTROLS / PERSONAL	PROTECTION			
Respiratory protection	: N	lo personal respiratory protec	tive equipment normally	required.		
Eye/Face Protection	: S	: Safety glasses with side-shields.				
Hand protection	: F	: Protective gloves.				
Skin and body protection	: L	ong sleeved clothing.				
Additional Protective Measures	: S	Safety shoes.				
General Hygiene Considerations		Iandle in accordance with goo Vash hands before breaks and		afety practice		
Engineering measures		leat only in areas with approp ppropriate exhaust ventilatior		Provide		
Exposure limit(s)						
Components	Value	Exposure time	Exposure type	List:		
Mica	20 mppcf	PEL:	Total dust.	OSHA		
	3 mg/m3	Time Weighted Average (TWA):	Respirable fraction.	ACGIH		
	3 mg/m3	Time Weighted Average (TWA):		MX OEL		
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH		
	15 mg/m3	PEL:	Total dust.	OSHA Z1		
	20 mg/m3	Short Term Exposure Limit (STEL):	as Ti	MX OEL		
		(5122).				
	9. PHYSI	CAL AND CHEMICAL PR	OPERTIES			
Form		CAL AND CHEMICAL PR		annliashla		
Form	: Solid	CAL AND CHEMICAL PR	oration rate : Not	applicable		
Appearance	: Solid : Pelle	CAL AND CHEMICAL PR d Evap ets Speci	oration rate : Not fic Gravity: : Not	determined		
Appearance Color	: Solic : Pelle : GRE	CAL AND CHEMICAL PR d Evap ets Speci EEN Bulk	oration rate : Not fic Gravity: : Not density : Not	determined established		
Appearance Color Odor	: Solid : Pella : GRE : Very	CAL AND CHEMICAL PR d Evap ets Speci EEN Bulk 7 faint Vapo	oration rate : Not ific Gravity: : Not density : Not r pressure : Not	t determined established applicable		
Appearance Color Odor Melting point/range	: Solid : Pelle : GRE : Very : Not	CAL AND CHEMICAL PR d Evap ets Speci EEN Bulk v faint Vapo determined Vapo	oration rate : Not ific Gravity: : Not density : Not r pressure : Not our density : Not	determined established applicable applicable		
Appearance Color Odor	: Solid : Pelle : GRE : Very : Not	CAL AND CHEMICAL PR d Evap ets Speci EEN Bulk 7 faint Vapo determined Vapo applicable pH	oration rate : Not ific Gravity: : Not density : Not r pressure : Not our density : Not	t determined established applicable		

MATERIAL SAFETY DATA SHEET UV MET. COOL GREEN M6043B

Version Number 1.1Page 4 of 6Revision Date 10/26/2006Print Date 11/25/2011

Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.
12001-26-2	Mica	Systemic effects	Respiratory system.

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
13463-67-7	Titanium dioxide	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

	12. ECOLOGICAL INFORMATION		
Persistence and degradability	:]	Not readily biodegradable.	
Environmental Toxicity		Chemicals are not readily available as they are bound within the polymer matrix.	
Bioaccumulation Potential		Chemicals are not readily available as they are bound within the polymer matrix.	
Additional advice	: 1	No data available	

PolyOne.

MATERIAL SAFETY DATA SHEET UV MET. COOL GREEN M6043B

Version Number 1.1 Revision Date 10/26/2006 Page 5 of 6 Print Date 11/25/2011

	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA (air)	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardo	us Substances (40 CFR 302)
Not applicable	
California Proposition 65	n : Not applicable
SARA Title III Section 302 F	Extremely Hazardous Substance
Unless specific chemicals are	e identified under this section, this product is Not Applicable under this regula

PolvOne

MATERIAL SAFETY DATA SHEET UV MET. COOL GREEN M6043B

Version Number 1.1 Revision Date 10/26/2006 Page 6 of 6 Print Date 11/25/2011

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Canadian Regulations:

Chemical Name			CAS-No.	Weight %	NPRI ID#
Phthalocyanine green			1328-53-6	0.10 - 1.00	71
2-Propenoic acid, 2-methyl-,	met	hyl ester	80-62-6	0.10 - 1.00	161
WHMIS Classification	:			ined. Quantity use	in Canada may
National Inventories:					
Australia AICS	:	Not determined			
China IECS	:	Not determined			
Europe EINECS	:	Not determined			
Japan ENCS	:	Not determined			
Korea KECI	:	Not determined			
Philippines PICCS		Not determined			

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.