

MATERIAL SAFETY DATA SHEET

FL PINK

Version Number 1.1 Revision Date 09/25/2003 Page 1 of 6 Print Date *11/12/2011*

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	FL PINK
Product code	:	CC10042818
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Silica, amorphous	7631-86-9	1 - 5
Titanium dioxide	13463-67-7	5 - 10

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion	Resin particles, like other inert materials, can be mechanically irritating.May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.



MATERIAL SAFETY DATA SHEET

FL PINK

Version Number 1.1 Revision Date 09/25/2003 Page 2 of 6 Print Date 11/12/2011

Aggravated by Exposure:	
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not relevant Carbon dioxide blanket, water spray, dry powder, foamnone.
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge Heat only in areas with appropriate exhaust ventilation.



MATERIAL SAFETY DATA SHEET

FL PINK

Storage

Version Number	er 1.1
Revision Date	09/25/2003

: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Respiratory protection	:	No personal respiratory protective equipment normally required.
Eye/Face Protection	:	Safety glasses with side-shields.
Hand protection	:	Protective gloves. Refer to equipment supplier to ensure protection.
Skin and body protection	:	Long sleeved clothing.
Additional Protective Measures	:	Safety shoes.
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Silica, amorphous	20 mppcf	PEL:	Total dust.	OSHA
	20 mppcf	PEL:	Total dust.	Z3
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH
	15 mg/m3	PEL:	Total dust.	OSHA Z1

Form	: Solid	Evaporation rate	: Not applicable.
Appearance	: Pellets	Specific Gravity	: Not determined
Color	: PINK	Bulk density	: Not established
Odor	: Very faint	Vapor pressure	: Not applicable
Melting point/range	: Not determined	Vapour density	: Not applicable
Boiling Point:	: Not applicable	pH	: Not applicable
Water solubility	: Insoluble		
	10. STABILITY AN	D REACTIVITY	
Stability	: Stable.		
Hazardous Polymerization	: Will not occur.		
Conditions to avoid	• Keen away from o	oxidizing agents and open fl	lame To avoid thermal



MATERIAL SAFETY DATA SHEET

FL PINK

sion Date 09/25/2	2003			Page 4 Print Date 11/12/2	
	de	ecomposition	n, do not overheat.		
Incompatible Materials : Incompatible with strong acids and oxidizing agents.					
Hazardous decomposition products:Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.					
	11. TO	XICOLOG	ICAL INFORMATIO	ON	
health data for the i	ndividual compone	nts which co	mprise the mixture.	ure effects listed are based on exis	
CAS-No.	Chemica	*	Effect	Target Organ	
7631-86-9	Silica, amorph		Irritant	Eyes, Respiratory system.	
13463-67-7	Titanium diox		Systemic effects	Respiratory system.	
	12. H	ECOLOGIC	AL INFORMATION	N	
Environmental Tox			not readily available a	as they are bound within the matrix	
Bioaccumulation Po	otential : C	f the polymer themicals are f the polymer	not readily available a		
Bioaccumulation Po Additional advice	otential : C	hemicals are	not readily available a r.		
	otential : C o: : N	Themicals are f the polymer fo data availa	not readily available a r.	as they are bound within the matrix	
	otential : C or : N <u>13. I</u> : L pr g cl	Themicals are f the polymer to data availa DISPOSAL ike most ther ossible recyc enerator of w lassification,	not readily available a r. ble. CONSIDERATIONS rmoplastic plastics the ling is preferred to dis vaste material has the r	s they are bound within the matrix product can be recycled. Where posal or incineration. The responsibility for proper waste posal in accordance with	
Additional advice	otential : C or : N <u>13. I</u> : L py gr cl aj aging : R hr an	Themicals are f the polymer to data availa DISPOSAL ike most ther ossible recyc enerator of w lassification, pplicable fed ecycling is p as the respon	not readily available a r. able. CONSIDERATIONS rmoplastic plastics the ling is preferred to dis vaste material has the r transportation and dis eral, state/provincial a referred when possible sibility for proper was n accordance with app	s they are bound within the matrix product can be recycled. Where posal or incineration. The responsibility for proper waste posal in accordance with nd local regulations.	
Additional advice	otential : C or : N <u>13. I</u> : L py g cl aj aging : R ha ai a	Themicals are f the polymer to data availa DISPOSAL ike most ther ossible recyc enerator of w lassification, pplicable fed ecycling is p as the respon nd disposal in nd local regu	not readily available a r. able. CONSIDERATIONS rmoplastic plastics the ling is preferred to dis vaste material has the r transportation and dis eral, state/provincial a referred when possible sibility for proper was n accordance with app	as they are bound within the matrix product can be recycled. Where posal or incineration. The responsibility for proper waste posal in accordance with nd local regulations. e. The generator of waste material ste classification, transportation licable federal, state/provincial	
Additional advice	otential : C or : N 13. I : L pr gg cl aj aging : R ha au at	TRANSPOI	not readily available a r. able. CONSIDERATIONS rmoplastic plastics the ling is preferred to dis vaste material has the r transportation and dis eral, state/provincial a referred when possible sibility for proper was n accordance with app lations.	as they are bound within the matrix product can be recycled. Where posal or incineration. The responsibility for proper waste posal in accordance with nd local regulations. e. The generator of waste material ste classification, transportation licable federal, state/provincial	

POLYONE (CORPORATION



MATERIAL SAFETY DATA SHEET

FL PINK

Version Number 1.1 Revision Date 09/25/2003 Page 5 of 6 Print Date 11/12/2011

	15. REGULATORY INFORMATION
	15. REGULATORT INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardo	ous Substances (40 CFR 302)
Not applicable	
California Propositio 65	on : This product does not contain a substance listed by California Prop 65.
SARA Title III Section 302	Extremely Hazardous Substance
Not applicable	
SARA Title III Section 313	Toxic Chemicals:
Not applicable Canadian Regulations:	
National Pollutant Re	elease Inventory (NPRI)
Not applicable	
WHMIS Classification	on : D2B
WHMIS Ingredient D	Disclosure List
CAS-No. 7631-86-9	
DSL	: DSL status has not been determined. Quantity use in Canada may be restricted by regulations.
National Inventories:	
	: Not determined
Australia AICS	. Not determined



MATERIAL SAFETY DATA SHEET

FL PINK

Version Number 1.1 Revision Date 09/25/2003		Page 6 of 6 Print Date 11/12/2011
Europe EINECS	: Not determined	
Japan ENCS	: Not determined	
Korea KECI	: Not determined	
Philippines PICCS	: Not determined	
	16. OTHER INFORMATION	1

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.