

## MATERIAL SAFETY DATA SHEET

## LT. YELLOW 801C

Version Number 1.1 Revision Date 09/26/2003

Page 1 of 6 Print Date 11/12/2011

## 1. PRODUCT AND COMPANY IDENTIFICATION

### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	LT. YELLOW 801C
Product code	:	CC10042892
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Calcium carbonate	1317-65-3	10 - 30
Titanium dioxide	13463-67-7	30 - 60

### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

## POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion	<ul><li>Resin particles, like other inert materials, can be mechanically irritating.</li><li>May be harmful if swallowed.</li></ul>
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.



## MATERIAL SAFETY DATA SHEET

## LT. YELLOW 801C

Version Number 1.1 Revision Date 09/26/2003 Page 2 of 6 Print Date 11/12/2011

Aggravated by Exposure:	
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not relevant</li> <li>Carbon dioxide blanket, water spray, dry powder, foamnone.</li> </ul>
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge Heat only in areas with appropriate exhaust ventilation.



# MATERIAL SAFETY DATA SHEET *LT. YELLOW 801C*

Version Number 1.1 Revision Date 09/26/2003 Page 3 of 6 Print Date 11/12/2011

Storage : Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place. 8. EXPOSURE CONTROLS / PERSONAL PROTECTION Respiratory protection : No personal respiratory protective equipment normally required. Eye/Face Protection Safety glasses with side-shields. : Hand protection Protective gloves. Refer to equipment supplier to ensure protection. : Skin and body protection : Long sleeved clothing. Additional Protective Safety shoes. : Measures

General Hygiene: Handle in accordance with good industrial hygiene and safety practice.Considerations: Wash hands before breaks and at the end of workday.

appropriate exhaust ventilation at machinery.

: Heat only in areas with appropriate exhaust ventilation. Provide

Exposure limit(s)

Engineering measures

Components	Value	Exposure time	Exposure type	List:
Calcium carbonate	5 mg/m3	PEL:	Respirable fraction.	OSHA Z1
	15 mg/m3	PEL:	Total dust.	OSHA Z1
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH
	15 mg/m3	PEL:	Total dust.	OSHA Z1

Form	: Solid	Evaporation rate	: Not applicable.
Appearance	: Pellets	Specific Gravity	: Not determined
Color	: YELLOW	Bulk density	: Not established
Odor	: Very faint	Vapor pressure	: Not applicable
Melting point/range	: Not determined	Vapour density	: Not applicable
Boiling Point:	: Not applicable	pH	: Not applicable
Water solubility : Insoluble			
	10. STABILITY AN	D REACTIVITY	
Stability	: Stable.		
Hazardous Polymerization	: Will not occur.		
Conditions to avoid	: Keep away from o	xidizing agents and open fl	lame. To avoid thermal



# MATERIAL SAFETY DATA SHEET

# LT. YELLOW 801C

Version Number 1.1 Revision Date 09/26/2003 Page 4 of 6 Print Date 11/12/2011

decomposition, do not overheat.Incompatible Materials:Incompatible with strong acids and oxidizing agents.Hazardous decomposition<br/>products:Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen<br/>(NOx), other hazardous materials, and smoke are all possible.

## 11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1317-65-3	Calcium carbonate	Irritant	Eyes, Skin.
		Systemic effects	Eyes, Skin, Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Additional advice	: No data available.
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.



MATERIAL SAFETY DATA SHEE	T			
LT. YELLOW 801C				
Version Number 1.1 Revision Date 09/26/2003		Pri		Page 5 of 6 11/12/2011
ICAO/IATA (air) :	:	Refer to specific regulation.		
IMO / IMDG (maritime) :	:	Refer to specific regulation.		
1	15	5. REGULATORY INFORMATION		
US Regulations:				
OSHA Status :	:	Classified as hazardous based on components.		
TSCA Status :	:	All components of this product are listed on or exen Inventory.	mpt from t	he TSCA
US. EPA CERCLA Hazardous Su	ub	stances (40 CFR 302)		
Not applicable				
California Proposition : 65	:	This product does not contain a substance listed by	California	Prop 65.
SARA Title III Section 302 Extrem	m	ely Hazardous Substance		
Not applicable				
SARA Title III Section 313 Toxic	e C	Chemicals:		
Not applicable Canadian Regulations:				
National Pollutant Release	e Iı	nventory (NPRI)		
Not applicable				
WHMIS Classification :	:	D2B		
DSL :	:	All components of this product are on the Canadian Substances List (DSL) or are exempt.	n Domesti	ic
National Inventories:				
Australia AICS :	:	Listed		
China IECS :	:	Listed		
Europe EINECS :	:	Not determined		
Japan ENCS :	:	Not determined		

PolyOne.
POLYONE CORPORATION
MATERIAL SAFETY DATA SHEET
LT. YELLOW 801C
Version Number 1.1 Page 6 of Revision Date 09/26/2003 Print Date 11/12/201
Korea KECI : Listed
Philippines PICCS : Listed
16. OTHER INFORMATION
The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and beli at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.