

MATERIAL SAFETY DATA SHEET **NAVY**

Version Number 1.1 Revision Date 09/26/2003

Page 1 of 7 Print Date 11/12/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	NAVY
Product code	:	CC10043134
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Carbon black	1333-86-4	0.1 - 1
Titanium dioxide	13463-67-7	1 - 5
Calcium carbonate	1317-65-3	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes Skin	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes. Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.



MATERIAL SAFETY DATA SHEET **NAVY**

Version Number 1.1 Revision Date 09/26/2003

Page 2 of 7 Print Date 11/12/2011

Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion	 Not applicable Not applicable Not relevant Carbon dioxide blanket, water spray, dry powder, foamnone. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
Hazards	
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge Heat



MATERIAL SAFETY DATA SHEET **NAVY**

				- -
sion Number 1.1 ision Date 09/26/2003			Print Da	Page 3 ate 11/12/2
	01	nly in areas with appropriate e	exhaust ventilation.	
Storage		eep containers dry and tightly nd contamination. Keep in a c		absorption
8. I	EXPOSURE	CONTROLS / PERSONAL	PROTECTION	
Respiratory protection	: N	o personal respiratory protect	ive equipment normally re	equired.
Eye/Face Protection	: Sa	afety glasses with side-shields	S.	
Hand protection	: P1	rotective gloves. Refer to equi	pment supplier to ensure	protection.
Skin and body protection	: L	ong sleeved clothing.		
Additional Protective Measures	: Sa	afety shoes.		
General Hygiene Considerations		andle in accordance with good ash hands before breaks and		fety practice.
Engineering measures Exposure limit(s)		eat only in areas with appropropropriate exhaust ventilation	riate exhaust ventilation.	Provide
Exposure limit(s)	aŗ	eat only in areas with appropropropriate exhaust ventilation	iate exhaust ventilation. at machinery.	
Exposure limit(s) Components	ar Value	eat only in areas with appropropropriate exhaust ventilation Exposure time	iate exhaust ventilation. at machinery. Exposure type	List:
Exposure limit(s)	ar Value 5 mg/m3	eat only in areas with appropropropriate exhaust ventilation	iate exhaust ventilation. at machinery.	List: OSHA Z1
Exposure limit(s) Components	ar Value	eat only in areas with appropropropriate exhaust ventilation Exposure time PEL:	iate exhaust ventilation. at machinery. Exposure type Respirable fraction.	List:
Exposure limit(s) Components Calcium carbonate	Value 5 mg/m3 15 mg/m3	eat only in areas with appropropropriate exhaust ventilation Exposure time PEL: PEL: Time Weighted Average	iate exhaust ventilation. at machinery. Exposure type Respirable fraction. Total dust. Total dust. as carbon	List: OSHA Z1 OSHA Z1
Exposure limit(s) Components Calcium carbonate	ap Value 5 mg/m3 15 mg/m3 3.5 mg/m3	eat only in areas with approproprion exhaust ventilation Exposure time PEL: PEL: Time Weighted Average (TWA): PEL: Time Weighted Average	iate exhaust ventilation. at machinery. Exposure type Respirable fraction. Total dust. Total dust. as carbon black Total dust. as carbon	List: OSHA Z1 OSHA Z1 ACGIH
Exposure limit(s) Components Calcium carbonate Carbon black	44 Value 5 mg/m3 15 mg/m3 3.5 mg/m3 3.5 mg/m3	Exposure time PEL: PEL: Time Weighted Average (TWA): PEL:	iate exhaust ventilation. at machinery. Exposure type Respirable fraction. Total dust. Total dust. as carbon black Total dust. as carbon	List: OSHA Z1 OSHA Z1 ACGIH OSHA Z1
Exposure limit(s) Components Calcium carbonate Carbon black	ap Value 5 mg/m3 15 mg/m3 3.5 mg/m3 3.5 mg/m3 10 mg/m3 15 mg/m3	Exposure time PEL: PEL: Time Weighted Average (TWA): Time Weighted Average (TWA):	iate exhaust ventilation. at machinery. Exposure type Respirable fraction. Total dust. Total dust. as carbon black Total dust. as carbon black Total dust. as carbon black	List: OSHA Z1 OSHA Z1 ACGIH OSHA Z1 ACGIH
Exposure limit(s) Components Calcium carbonate Carbon black Titanium dioxide	44 Value 5 mg/m3 15 mg/m3 3.5 mg/m3 3.5 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC	Exposure time PEL: PEL: PEL: Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO	iate exhaust ventilation. at machinery. Exposure type Respirable fraction. Total dust. Total dust. as carbon black Total dust. as carbon black Total dust. as carbon black Total dust.	List: OSHA Z1 OSHA Z1 ACGIH OSHA Z1 ACGIH OSHA Z1
Exposure limit(s) Components Calcium carbonate Carbon black Titanium dioxide Form	ap Value 5 mg/m3 15 mg/m3 3.5 mg/m3 3.5 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC : Solid	eat only in areas with appropriate exhaust ventilation Exposure time PEL: PEL: Time Weighted Average (TWA): PEL:	iate exhaust ventilation. at machinery. Exposure type Respirable fraction. Total dust. Total dust. as carbon black Total dust. as carbon black Total dust. as carbon black DPERTIES	List: OSHA Z1 OSHA Z1 ACGIH OSHA Z1 ACGIH OSHA Z1
Exposure limit(s) Components Calcium carbonate Carbon black Titanium dioxide Form Appearance	ap Value 5 mg/m3 15 mg/m3 3.5 mg/m3 3.5 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle	Exposure time PEL: PEL: Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO	Exposure type Respirable fraction. Total dust. Total dust. as carbon black Total dust. Sector of the sector of	List: OSHA Z1 OSHA Z1 ACGIH OSHA Z1 ACGIH OSHA Z1 OSHA Z1 applicable.
Exposure limit(s) Components Calcium carbonate Carbon black Titanium dioxide Form Appearance Color	ap Value 5 mg/m3 15 mg/m3 3.5 mg/m3 3.5 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : BLU	eat only in areas with approproprion exhaust ventilation Exposure time PEL: PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO I Evapo ts Specifier E Bulk components	Exposure type Respirable fraction. Total dust. Total dust. as carbon black Total dust. as carbon black Total dust. Total dust. as carbon black Total dust. as carbon black Total dust. Total dust. Total dust. Supervision of the second secon	List: OSHA Z1 OSHA Z1 ACGIH OSHA Z1 ACGIH OSHA Z1 OSHA Z1
Exposure limit(s) Components Calcium carbonate Carbon black Titanium dioxide Form Appearance Color Odor	ap Value 5 mg/m3 15 mg/m3 3.5 mg/m3 3.5 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : BLU : Very	eat only in areas with appropri- propriate exhaust ventilation PEL: PEL: Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO E Evapo ts Specifi E Bulk of faint Vapor	Exposure type Respirable fraction. Total dust. Total dust. as carbon black Total dust. Sector of the sector o	List: OSHA Z1 OSHA Z1 ACGIH OSHA Z1 ACGIH OSHA Z1 OSHA Z1
Exposure limit(s) Components Calcium carbonate Carbon black Titanium dioxide Form Appearance Color	ap Value 5 mg/m3 15 mg/m3 3.5 mg/m3 3.5 mg/m3 10 mg/m3 15 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : BLU : Very : Not C	eat only in areas with appropri- propriate exhaust ventilation PEL: PEL: Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO E Evapo ts Specifi E Bulk of faint Vapor	Exposure type Respirable fraction. Total dust. Total dust. as carbon black Total dust. DPERTIES oration rate : Not and the second se	List: OSHA Z1 OSHA Z1 ACGIH OSHA Z1 ACGIH OSHA Z1 OSHA Z1 applicable. determined established

10. STABILITY AND REACTIVITY



MATERIAL SAFETY DATA SHEET **NAVY**

Version Number 1.1 Revision Date 09/26/2003

Page 4 of 7 Print Date 11/12/2011

Stability	:	Stable.
Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1333-86-4	Carbon black	Systemic effects	Eyes, Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.
1317-65-3	Calcium carbonate	Irritant	Eyes, Skin.
		Systemic effects	Eyes, Skin, Respiratory system.

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
1333-86-4	Carbon black	Oral LD50	>15,400 mg/kg	rat
		Dermal LD50	> 3 gm/kg	rabbit

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
1333-86-4	Carbon black	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

Additional Health Hazard Information:



MATERIAL SAFETY DATA SHEET

NAVY

Version Number 1.1 Revision Date 09/26/2003 Page 5 of 7 Print Date 11/12/2011

Carbon black 1333-86-4 Carcinogenicity: Many inhalation toxicologists believe that the tumor response observed in the referenced rat studies is species specific and does not correlate to human exposure. However, the IARC evaluation in Monograph Volume 65, issued in April 1996 concluded that, "There is sufficient evidence in experimental animals for the carcinogenicity of carbon black". Based on this evaluation, along with their evaluation of inadequate evidence of carcinogenicity in humans, IARC's overall evaluation is that "Carbon Black is possibly carcinogenic to humans (Group 2B). Carbon Black has not been listed as a carcinogen by the National Toxicology Program (NTP) or the Occupational Safety and Health Administration (OSHA). The National Institute of Occupational Safety and Health (NIOSH) criteria document on carbon black recommends that only carbon black with PAH (polynuclear aromatic hydrocarbon) levels greater than 0.1% be considered suspect carcinogens.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Additional advice	: No data available.
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA (air)	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.

5/7



MATERIAL SAFETY DATA SHEET

VAVY		
/ersion Number 1.1 Revision Date 09/26/2003		Page 6 of 7 Print Date 11/12/2011
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Sub	stances (40 CFR 302)
Not applicable		
California Proposition 65	:	WARNING! This product contains a chemical known to the State of California to cause cancer.
SARA Title III Section 302 Ext	rem	ely Hazardous Substance
Not applicable		
SARA Title III Section 313 Tox	kic C	Chemicals:
Not applicable Canadian Regulations:		
National Pollutant Relea	se Ir	nventory (NPRI)
Not applicable		
WHMIS Classification	:	D2A
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:		
Australia AICS	:	Listed
China IECS	:	Listed
Europe EINECS	:	Listed
Japan ENCS	:	Listed
Korea KECI	:	Listed
Philippines PICCS	:	Listed
		16. OTHER INFORMATION



MATERIAL SAFETY DATA SHEET **NAVY**

Version Number 1.1 Revision Date 09/26/2003 Page 7 of 7 Print Date *11/12/2011*

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.