

MATERIAL SAFETY DATA SHEET **MAROON** 

Version Number 1.0 Revision Date 09/23/2003

Page 1 of 6 Print Date 11/12/2011

## 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
		CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	MAROON
Product code	:	CC10043160
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Iron oxide	1309-37-1	5 - 10
Titanium dioxide	13463-67-7	5 - 10
Calcium carbonate	1317-65-3	10 - 30

### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact		
Acute exposure			
Inhalation Ingestion Eyes Skin	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to eyes.</li> <li>Experience shows no unusual dermatitis hazard from routine handling.</li> </ul>		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		



MATERIAL SAFETY DATA SHEET MAROON

Version Number 1.0 Revision Date 09/23/2003 Page 2 of 6 Print Date 11/12/2011

Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not relevant</li> <li>Carbon dioxide blanket, water spray, dry powder, foamnone.</li> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>None</li> </ul>
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge Heat



# MATERIAL SAFETY DATA SHEET **MAROON**

AROON						
sion Number 1.0 vision Date 09/23/2003				Print D	Page 3 Date 11/12/2	
	0	nly in areas with app	ropriate e	xhaust ventilation.		
Storage	: Keep containers dry and and contamination. Keep			tightly closed to avoid moisture absorption o in a dry, cool place.		
<b>8.</b> E	XPOSURE	CONTROLS / PEF	SONAL	PROTECTION		
Respiratory protection	: N	o personal respirator	y protect	ive equipment normally	required.	
Eye/Face Protection	: S	afety glasses with sid	le-shields			
Hand protection	: Protective gloves. Refer to equipment supplier to ensure protection.					
Skin and body protection	: L	ong sleeved clothing				
Additional Protective Measures	: Safety shoes.					
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.					
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.					
Exposure limit(s)						
Components	Value	Exposure tin	ne	Exposure type	List:	
Calcium carbonate	5 mg/m3	PEL:	-	Respirable fraction.	OSHA Z1	
	15 mg/m3	PEL:		Total dust.	OSHA Z1	
Iron oxide	5 mg/m3	Time Weighted A (TWA):	verage	Dust and fume. as Fe	ACGIH	
Titanium dioxide	10 mg/m3	Time Weighted A (TWA):	verage		ACGIH	
	15 mg/m3	PEL:		Total dust.	OSHA Z1	
	9. PHYSIC	CAL AND CHEMI	CAL PRO	OPERTIES		
Form Appearance	: Solid : Pellets		Specif	ic Gravity : Not	applicable. determined	
Color	: RED			~	established	
Odor	: Very				applicable	
Melting point/range		letermined	-		applicable	
Boiling Point: Water solubility	: Not a : Insol	applicable uble	рН	: Not	applicable	
	10. 5	STABILITY AND F	EACTIV	VITY		



## MATERIAL SAFETY DATA SHEET **MAROON**

Version Number 1.0 Revision Date 09/23/2003		Page 4 of 6 Print Date 11/12/2011
Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

## 11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

### Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1309-37-1	Iron oxide	Systemic effects	Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.
1317-65-3	Calcium carbonate	Irritant	Eyes, Skin.
		Systemic effects	Eyes, Skin, Respiratory system.

Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Additional advice	: No data available.
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION



## MATERIAL SAFETY DATA SHEET MAROON

naion Number 4.0	
ersion Number 1.0 evision Date 09/23/2003	Page 5 o Print Date 11/12/20
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA (air)	: Refer to specific regulation.
IMO / IMDG (maritime)	
IMO / IMDO (manume)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardo	us Substances (40 CFR 302)
Not applicable	
California Propositio 65	n : This product does not contain a substance listed by California Prop 65.
65	n : This product does not contain a substance listed by California Prop 65. Extremely Hazardous Substance
65	
65 SARA Title III Section 302	Extremely Hazardous Substance
65 SARA Title III Section 302 I Not applicable	Extremely Hazardous Substance
65 SARA Title III Section 302 I Not applicable SARA Title III Section 313 7 Not applicable Canadian Regulations:	Extremely Hazardous Substance
65 SARA Title III Section 302 I Not applicable SARA Title III Section 313 7 Not applicable Canadian Regulations:	Extremely Hazardous Substance Toxic Chemicals:
65 SARA Title III Section 302 I Not applicable SARA Title III Section 313 7 Not applicable Canadian Regulations: National Pollutant Re	Extremely Hazardous Substance Toxic Chemicals:
65 SARA Title III Section 302 I Not applicable SARA Title III Section 313 T Not applicable Canadian Regulations: National Pollutant Re Not applicable	Extremely Hazardous Substance Toxic Chemicals: elease Inventory (NPRI) on : D2B
65 SARA Title III Section 302 I Not applicable SARA Title III Section 313 T Not applicable Canadian Regulations: National Pollutant Re Not applicable WHMIS Classificatio	Extremely Hazardous Substance Toxic Chemicals: elease Inventory (NPRI) on : D2B





## MATERIAL SAFETY DATA SHEET MAROON

## Version Number 1.0 Revision Date 09/23/2003

Page 6 of 6 Print Date *11/12/2011* 

National Inventories:

Australia AICS	:	Not determined
China IECS	:	Listed
Europe EINECS	:	Not determined
Japan ENCS	:	Not determined
Korea KECI	:	Listed
Philippines PICCS	:	Listed
	:	210000

## **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.