

# MATERIAL SAFETY DATA SHEET

## NON-MET. RED

Version Number 1.0 Revision Date 09/24/2003 Page 1 of 6 Print Date 11/12/2011

## 1. PRODUCT AND COMPANY IDENTIFICATION

## POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	NON-MET. RED
Product code	:	CC10043337
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %	
Iron oxide	1309-37-1	1 - 5	
Titanium dioxide	13463-67-7	1 - 5	

## **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

## POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion	<ul><li>Resin particles, like other inert materials, can be mechanically irritating.</li><li>May be harmful if swallowed.</li></ul>
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.



## MATERIAL SAFETY DATA SHEET NON-MET. RED

Version Number 1.0 Revision Date 09/24/2003

Page 2 of 6 Print Date 11/12/2011

Aggravated by Exposure:	
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not relevant</li> <li>Carbon dioxide blanket, water spray, dry powder, foamnone.</li> </ul>
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	<ul> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>None</li> </ul>
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge Heat only in areas with appropriate exhaust ventilation.



## MATERIAL SAFETY DATA SHEET NON-MET. RED

Version Number 1.0 Revision Date 09/24/2003

Storage

Page 3 of 6 Print Date 11/12/2011

: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Respiratory protection	:	No personal respiratory protective equipment normally required.
Eye/Face Protection	:	Safety glasses with side-shields.
Hand protection	:	Protective gloves. Refer to equipment supplier to ensure protection.
Skin and body protection	:	Long sleeved clothing.
Additional Protective Measures	:	Safety shoes.
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Iron oxide	5 mg/m3	Time Weighted Average (TWA):	Dust and fume. as Fe	ACGIH
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH
	15 mg/m3	PEL:	Total dust.	OSHA Z1

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Form	: S	olid	Evaporation rate	:	Not applicable.
Appearance	: P	ellets	Specific Gravity	:	Not determined
Color	: R	ED	Bulk density	:	Not established
Odor	: V	ery faint	Vapor pressure	:	Not applicable
Melting point/range	: N	lot determined	Vapour density	:	Not applicable
Boiling Point:	: N	lot applicable	pH	:	Not applicable
Water solubility	: Ir	nsoluble			
	1	0. STABILITY AND RE	ACTIVITY		
Stability	:	Stable.			
Hazardous Polymerization	:	Will not occur.			
Conditions to avoid	:	Keep away from oxidizi	ng agents and open flam	le.	To avoid thermal



# MATERIAL SAFETY DATA SHEET NON-MET. RED


sion Date 09/24/200	3		Page 4 Print Date 11/12/2		
	decompositi	on, do not overheat.			
Incompatible Material	s : Incompatibl	e with strong acids and c	oxidizing agents.		
Hazardous decomposition products:Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.					
	11. TOXICOLO	GICAL INFORMATIO	DN		
health data for the indi <u>Toxicity Overview</u>	vidual components which	comprise the mixture.	are effects listed are based on ex have the following characteristi		
CAS-No. 1309-37-1	Chemical Name Iron oxide	Effect Systemic effects	Target OrganRespiratory system.		
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.		
Persistence and degrad Environmental Toxicit Bioaccumulation Poter	cy : Chemicals a of the polyn	ner. re not readily available a	s they are bound within the matri s they are bound within the matri		
Additional advice	: No data ava				
Additional advice					
Additional advice Product Contaminated packagi	13. DISPOSA         : Like most th         possible rec         generator of         classificatio         applicable for         ng       : Recycling is         has the response	ilable. <b>L CONSIDERATIONS</b> hermoplastic plastics the ycling is preferred to disp <sup>2</sup> waste material has the r n, transportation and disp ederal, state/provincial and s preferred when possible onsibility for proper was l in accordance with appl	product can be recycled. Where posal or incineration. The esponsibility for proper waste posal in accordance with		
Product	13. DISPOSAL         : Like most th         possible rec         generator of         classificatio         applicable for         ng       : Recycling is         has the resp         and disposal         and local resp	ilable. <b>L CONSIDERATIONS</b> hermoplastic plastics the ycling is preferred to disp <sup>2</sup> waste material has the r n, transportation and disp ederal, state/provincial and s preferred when possible onsibility for proper was l in accordance with appl	product can be recycled. Where posal or incineration. The esponsibility for proper waste posal in accordance with nd local regulations. b. The generator of waste materia te classification, transportation		
Product	13. DISPOSAL         : Like most the possible reconstruction of classification applicable for applicable for the second structure in the seco	ilable. <b>L CONSIDERATIONS</b> hermoplastic plastics the ycling is preferred to disp waste material has the re- n, transportation and disp ederal, state/provincial and s preferred when possible onsibility for proper was l in accordance with appl gulations.	product can be recycled. Where posal or incineration. The esponsibility for proper waste posal in accordance with nd local regulations. b. The generator of waste materia te classification, transportation		



# MATERIAL SAFETY DATA SHEET **NON-MET. RED**

Version Number 1.0 Revision Date 09/24/2003 Page 5 of 6 Print Date 11/12/2011

IMO / IMDG (maritime)	:	Refer to specific regulation.			
	15. REGULATORY INFORMATION				
US Regulations:	US Regulations:				
OSHA Status	:	Classified as hazardous based on components.			
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.			
US. EPA CERCLA Hazardous S	Subs	stances (40 CFR 302)			
Not applicable					
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.			
SARA Title III Section 302 Extr	reme	ely Hazardous Substance			
Not applicable					
SARA Title III Section 313 Tox	kic C	Chemicals:			
Not applicable Canadian Regulations:					
National Pollutant Release	se Ir	aventory (NPRI)			
Not applicable					
WHMIS Classification	:	D2B			
WHMIS Ingredient Disclosure List					
CAS-No. 1309-37-1					
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.			
National Inventories:					
Australia AICS	:	Not determined			
China IECS	:	Listed			



The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.