

MATERIAL SAFETY DATA SHEET **RED HIPS**

Version Number 1.0 Revision Date 09/26/2003

Page 1 of 6 Print Date *11/12/2011*

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	RED HIPS
Product code	:	CC10043517
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Iron oxide	1309-37-1	1 - 5
Titanium dioxide	13463-67-7	5 - 10

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact				
Acute exposure					
Inhalation Ingestion	Resin particles, like other inert materials, can be mechanically irritating.May be harmful if swallowed.				
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.				
Skin	: Experience shows no unusual dermatitis hazard from routine handling.				
Chronic exposure	: Refer to Section 11 for Toxicological Information.				



MATERIAL SAFETY DATA SHEET **RED HIPS**

Version Number 1.0 Revision Date 09/26/2003 Page 2 of 6 Print Date 11/12/2011

Aggravated by Exposure:	
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not relevant Carbon dioxide blanket, water spray, dry powder, foamnone.
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 12 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge Heat only in areas with appropriate exhaust ventilation.



MATERIAL SAFETY DATA SHEET **RED HIPS**

Version Number 1.0 Revision Date 09/26/2003

Storage

Page 3 of 6 Print Date 11/12/2011

: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Respiratory protection	:	No personal respiratory protective equipment normally required.
Eye/Face Protection	:	Safety glasses with side-shields.
Hand protection	:	Protective gloves. Refer to equipment supplier to ensure protection.
Skin and body protection	:	Long sleeved clothing.
Additional Protective Measures	:	Safety shoes.
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Iron oxide	5 mg/m3	Time Weighted Average (TWA):	Dust and fume. as Fe	ACGIH
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH
	15 mg/m3	PEL:	Total dust.	OSHA Z1

9. PHYSICAL AND CHEMICAL PROPERTIES

Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	:	Solid Pellets RED Very faint Not determined Not applicable Insoluble	Evaporation rate Specific Gravity Bulk density Vapor pressure Vapour density pH	-	Not determined Not established Not applicable
		10. STABILITY AND RE	CACTIVITY		
Stability		: Stable.			
Hazardous Polymerization		: Will not occur.			
Conditions to avoid		: Keep away from oxidizi	ing agents and open flam	e.	To avoid thermal



MATERIAL SAFETY DATA SHEET **RED HIPS**

	2003			Page 4 0 Print Date 11/12/20
		decompositio	n, do not overheat.	
Incompatible Mater	rials :	Incompatible	with strong acids and o	oxidizing agents.
Hazardous decompo products	osition :			oxide (CO), oxides of nitrogen and smoke are all possible.
	11.	TOXICOLOG	ICAL INFORMATIO	ON
health data for the i	ndividual comp	onents which co	omprise the mixture.	ure effects listed are based on exis
				have the following characteristics
CAS-No.		nical Name	Effect	Target Organ
1309-37-1 13463-67-7	Iron oxide Titanium d	ioxide	Systemic effects Systemic effects	Respiratory system. Respiratory system.
13403-07-7	T italiiulii u	loxide	Systemic effects	Respiratory system.
Environmental Tox	icity :	of the polyme		s they are bound within the matrix
Bioaccumulation Po Additional advice	otential :	of the polyme Chemicals are of the polyme No data avail	er. e not readily available a er. able.	s they are bound within the matrix
Bioaccumulation Po	otential :	of the polyme Chemicals are of the polyme No data avail	er. e not readily available a er.	s they are bound within the matrix
Bioaccumulation Po	otential :	of the polyme Chemicals are of the polyme No data avail 3. DISPOSAL Like most the possible recy generator of v classification	er. e not readily available a er. able. CONSIDERATIONS ermoplastic plastics the cling is preferred to dis waste material has the r	product can be recycled. Where posal or incineration. The esponsibility for proper waste posal in accordance with
Bioaccumulation Po Additional advice	otential : : <u>1</u>	of the polyme Chemicals are of the polyme No data avail 3. DISPOSAL Like most the possible recy generator of y classification applicable fee Recycling is p has the respon	er. e not readily available a er. able. CONSIDERATIONS ermoplastic plastics the cling is preferred to dis waste material has the r , transportation and disp leral, state/provincial a preferred when possible nsibility for proper was in accordance with appl	s they are bound within the matrix product can be recycled. Where posal or incineration. The esponsibility for proper waste posal in accordance with
Bioaccumulation Po Additional advice Product	otential : <u>1</u> aging :	of the polyme Chemicals are of the polyme No data avail 3. DISPOSAL Like most the possible recy generator of v classification applicable fee Recycling is p has the respon and disposal is and local regu	er. e not readily available a er. able. CONSIDERATIONS ermoplastic plastics the cling is preferred to dis waste material has the r , transportation and disp leral, state/provincial a preferred when possible nsibility for proper was in accordance with appl	product can be recycled. Where posal or incineration. The esponsibility for proper waste posal in accordance with nd local regulations.
Bioaccumulation Po Additional advice Product	otential : <u>1</u> aging : <u>1</u>	of the polyme Chemicals are of the polyme No data avail 3. DISPOSAL Like most the possible recyc generator of v classification applicable fee Recycling is p has the respon and disposal and local regy	er. e not readily available a er. able. CONSIDERATIONS cronoplastic plastics the cling is preferred to dis waste material has the r , transportation and disp deral, state/provincial an preferred when possible nsibility for proper was in accordance with appli- alations.	product can be recycled. Where posal or incineration. The esponsibility for proper waste posal in accordance with nd local regulations.

POLYONE	CORPORATION



MATERIAL SAFETY DATA SHEET **RED HIPS**

Version Number 1.0 Revision Date 09/26/2003 Page 5 of 6 Print Date 11/12/2011

IMO / IMDG (maritime)	:	Refer to specific regulation.
	15	S. REGULATORY INFORMATION
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Subs	stances (40 CFR 302)
Not applicable		
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.
SARA Title III Section 302 Ext	trem	ely Hazardous Substance
Not applicable		
SARA Title III Section 313 To:	xic C	Chemicals:
Not applicable Canadian Regulations:		
National Pollutant Relea	se Ir	nventory (NPRI)
Not applicable		
WHMIS Classification	:	D2B
WHMIS Ingredient Disc	losu	re List
CAS-No. 1309-37-1		
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:		
Australia AICS	:	Listed
China IECS	:	Listed



MATERIAL SAFETY DATA SHEET **RED HIPS**

Version Number 1.0 Revision Date 09/26/2003

Page 6 of 6 Print Date *11/12/2011*

:	Listed
:	Listed
:	Not determined
:	Listed
	:

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.