

MATERIAL SAFETY DATA SHEET **BLUE**

Version Number 1.0 Revision Date 09/30/2003

Page 1 of 6 Print Date *11/12/2011*

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).	
Product name	:	BLUE
Product code	:	CC10043690
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Calcium carbonate	1317-65-3	10 - 30
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact	
Acute exposure		
Inhalation Ingestion	Resin particles, like other inert materials, can be mechanically irritating.May be harmful if swallowed.	
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.	
Skin	: Experience shows no unusual dermatitis hazard from routine handling.	
Chronic exposure	: Refer to Section 11 for Toxicological Information.	



MATERIAL SAFETY DATA SHEET

BLUE

Version Number 1.0 Revision Date 09/30/2003 Page 2 of 6 Print Date 11/12/2011

Aggravated by Exposure:	
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not relevant Carbon dioxide blanket, water spray, dry powder, foamNone.
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge Heat only in areas with appropriate exhaust ventilation.



MATERIAL SAFETY DATA SHEET **BLUE**

Version Number 1.0 Revision Date 09/30/2003

Storage

Page 3 of 6 Print Date 11/12/2011

: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Respiratory protection	:	No personal respiratory protective equipment normally required.
Eye/Face Protection	:	Safety glasses with side-shields.
Hand protection	:	Protective gloves. Refer to equipment supplier to ensure protection.
Skin and body protection	:	Long sleeved clothing.
Additional Protective Measures	:	Safety shoes.
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Calcium carbonate	5 mg/m3	PEL:	Respirable fraction.	OSHA Z1
	15 mg/m3	PEL:	Total dust.	OSHA Z1
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH
	15 mg/m3	PEL:	Total dust.	OSHA Z1

Form	: Solid	Evaporation rate	: Not applicable		
Appearance	: Pellets Specific Gravity : Not determ				
Color	: BLUE Bulk density : Not establish				
Odor	: Very faint Vapor pressure : Not applica				
Melting point/range	: Not determined	Vapour density	: Not applicable		
Boiling Point:	: Not applicable	pH	: Not applicable		
Water solubility : Insoluble					
	10. STABILITY AN	D REACTIVITY			
	: Stable.				
Stability					
Stability Hazardous Polymerization	: Will not occur.				



MATERIAL SAFETY DATA SHEET **BLUE**

ion Number 1.0 sion Date 09/30/200	3			Page 4 Print Date 11/12/2
	Ċ	lecompositio	n, do not overheat.	
Incompatible Material	s : I	ncompatible	with strong acids and o	oxidizing agents.
Hazardous decomposition products:Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.				
	11. T(XICOLOG	ICAL INFORMATIO	DN
health data for the indi <u>Toxicity Overview</u>	vidual compone	ents which co	omprise the mixture.	are effects listed are based on existence of the state of
-		-	-	
CAS-No. 1317-65-3	Chemic Calcium carb	al Name	Effect Irritant	Target Organ Eyes, Skin.
1317-03-3		onale	Systemic effects	Eyes, Skin, Respiratory system
13463-67-7	Titanium dio	xide	Systemic effects	Respiratory system.
Bioaccumulation Potential : Che of the		of the polymer. Chemicals are not readily available as they are bound within the matrix of the polymer. No data available		
	13.	DISPOSAL	CONSIDERATIONS	
pos ger cla		ossible recy enerator of v lassification	cling is preferred to dis waste material has the r	product can be recycled. Where posal or incineration. The esponsibility for proper waste posal in accordance with nd local regulations.
Contaminated packaging :		as the respon	nsibility for proper was in accordance with app	 The generator of waste materia te classification, transportation licable federal, state/provincial
	14.	TRANSPO	RT INFORMATION	
U.S. DOT Classification		Not regulated	for transportation.	



MATERIAL SAFETY DATA SHE	ЕТ	
BLUE		
Version Number 1.0 Revision Date 09/30/2003		Page 5 of 6 Print Date 11/12/2011
ICAO/IATA (air)	:	Refer to specific regulation.
IMO / IMDG (maritime)	:	Refer to specific regulation.
	15	5. REGULATORY INFORMATION
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Sub	stances (40 CFR 302)
Not applicable		
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.
SARA Title III Section 302 Ext	rem	ely Hazardous Substance
Not applicable		
SARA Title III Section 313 Tox	ic C	Chemicals:
Not applicable Canadian Regulations:		
National Pollutant Release	se Iı	nventory (NPRI)
Not applicable		
WHMIS Classification	:	D2B
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:		
Australia AICS	:	Not determined
China IECS	:	Listed
Europe EINECS	:	Listed
Japan ENCS	:	Not determined

POLYONE CORPORATION	PolyOne.
MATERIAL SAFETY DATA SHEET	
BLUE	David of C
Version Number 1.0 Revision Date 09/30/2003	Page 6 of 6 Print Date 11/12/2011
Korea KECI : Listed	
Philippines PICCS : Listed	
16. OTHER IN	FORMATION
The information provided in this Safety Data Sheet is co at the date of its publication. The information given is processing, storage, transportation, disposal and releas specification. The information relates only to the speci material when used in combination with any other mate conditions.	e and is not to be considered a warranty or quality fic material designated and may not be valid for such