

MATERIAL SAFETY DATA SHEET **PURPLE 514C**

Version Number 1.0 Revision Date 10/22/2003

Page 1 of 6 Print Date 11/12/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	PURPLE 514C
Product code	:	CC10044131
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Silica, amorphous	7631-86-9	1 - 5
Titanium dioxide	13463-67-7	30 - 60

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion	Resin particles, like other inert materials, can be mechanically irritating.May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.



MATERIAL SAFETY DATA SHEET **PURPLE 514C**

Version Number 1.0 Revision Date 10/22/2003 Page 2 of 6 Print Date 11/12/2011

Aggravated by Exposure:	
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not applicable Carbon dioxide blanket, water spray, dry powder, foamnone.
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 12 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge Heat only in areas with appropriate exhaust ventilation.



MATERIAL SAFETY DATA SHEET **PURPLE 514C**

Version Number 1.0 Revision Date 10/22/2003

Storage

Page 3 of 6 Print Date 11/12/2011

: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Respiratory protection	No personal respiratory protective equipment	normally required.
Eye/Face Protection	Safety glasses with side-shields.	
Hand protection	Protective gloves. Refer to equipment supplier	to ensure protection.
Skin and body protection	Long sleeved clothing.	
Additional Protective Measures	Safety shoes.	
General Hygiene Considerations	Handle in accordance with good industrial hyg Wash hands before breaks and at the end of we	• •
Engineering measures	Heat only in areas with appropriate exhaust ve appropriate exhaust ventilation at machinery.	ntilation. Provide

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Silica, amorphous	20 mppcf	PEL:	Total dust.	OSHA
	20 mppcf	PEL:	Total dust.	Z3
Titanium dioxide	10 mg/m3	Time Weighted Average		ACGIH
		(TWA):		
	15 mg/m3	PEL:	Total dust.	OSHA Z1

	9. PHYSICAL AND CHE	MICAL FROFERILS	
Form	: Solid	Evaporation rate	: Not applicable
Appearance	: Pellets	Specific Gravity	: Not determined
Color	: PURPLE	Bulk density	: Not established
Odor	: Very faint	Vapor pressure	: Not applicable
Melting point/range	: Not determined	Vapour density	: Not applicable
Boiling Point:	: Not applicable	pH	: Not applicable
Water solubility	: Insoluble		
	10. STABILITY AN	D REACTIVITY	
Stability	: Stable.		
Stability	. Stable.		
Hazardous Polymerization	: Will not occur.		
	· Keen away from o	xidizing agents and open fl	lama To avoid thermal



MATERIAL SAFETY DATA SHEET **PURPLE 514C**


ision Date 10/22/20	003			Page 4 0 Print Date 11/12/20
		decompositio	on, do not overheat.	
Incompatible Materi	ala	-		avidizing agants
Incompatible Materials : Incompatible with strong acids and oxidizing agents.				oxidizing agents.
Hazardous decomposition products: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.				
	-	11. TOXICOLOG	GICAL INFORMATION	ON
			r health effects. Expose omprise the mixture.	ure effects listed are based on exis
		•	which in their pure form	have the following characteristics
CAS-No.		hemical Name	Effect	Target Organ
7631-86-9 13463-67-7		amorphous m dioxide	Irritant Systemic effects	Eyes, Respiratory system. Respiratory system.
13403-07-7	Titalliu		Systemic effects	Respiratory system.
Persistence and degr Environmental Toxic	-			is they are bound within the matrix
-	city	 Chemicals are of the polymet Chemicals are of the polymet No data avail 	e not readily available a er. e not readily available a er.	s they are bound within the matrix
Environmental Toxic Bioaccumulation Po	city	 Chemicals ar of the polyme Chemicals ar of the polyme No data avail 13. DISPOSAL Like most the possible recy generator of v classification 	e not readily available a er. e not readily available a er. lable CONSIDERATIONS ermoplastic plastics the cling is preferred to dis waste material has the r	product can be recycled. Where posal or incineration. The esponsibility for proper waste posal in accordance with
Environmental Toxic Bioaccumulation Po Additional advice	city tential	 Chemicals ar of the polyme Chemicals ar of the polyme Chemicals ar of the polyme No data avail 13. DISPOSAL Like most the possible recy generator of y classification applicable fee Recycling is p has the response 	e not readily available a er. e not readily available a er. lable <u>CONSIDERATIONS</u> ermoplastic plastics the cling is preferred to dis waste material has the r l, transportation and dis deral, state/provincial a preferred when possible nsibility for proper was in accordance with app	product can be recycled. Where posal or incineration. The esponsibility for proper waste posal in accordance with
Environmental Toxic Bioaccumulation Po Additional advice Product	city tential	 Chemicals ar of the polyme Chemicals ar of the polyme Chemicals ar of the polyme No data avail 13. DISPOSAL Like most the possible recy generator of v classification applicable fee Recycling is p has the respon and disposal and local regr 	e not readily available a er. e not readily available a er. lable <u>CONSIDERATIONS</u> ermoplastic plastics the cling is preferred to dis waste material has the r l, transportation and dis deral, state/provincial a preferred when possible nsibility for proper was in accordance with app	product can be recycled. Where posal or incineration. The esponsibility for proper waste posal in accordance with nd local regulations. e. The generator of waste material te classification, transportation
Environmental Toxic Bioaccumulation Po Additional advice Product	city tential	 Chemicals ar of the polyme Chemicals ar of the polyme Chemicals ar of the polyme No data avail 13. DISPOSAL Like most the possible recy generator of y classification applicable fee Recycling is phas the respondent of the respon	e not readily available a er. e not readily available a er. lable CONSIDERATIONS ermoplastic plastics the cling is preferred to dis waste material has the r a, transportation and dis deral, state/provincial a preferred when possible nsibility for proper was in accordance with app ulations.	product can be recycled. Where posal or incineration. The esponsibility for proper waste posal in accordance with nd local regulations. e. The generator of waste material te classification, transportation



MATERIAL SAFETY DATA SHEET **PURPLE 514C**

Version Number 1.0 Revision Date 10/22/2003 Page 5 of 6 Print Date 11/12/2011

IMO / IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous Su	ubstances (40 CFR 302)
Not applicable	
California Proposition 65	: This product does not contain a substance listed by California Prop 65.
SARA Title III Section 302 Extre	mely Hazardous Substance
Not applicable	
SARA Title III Section 313 Toxic	c Chemicals:
Not applicable Canadian Regulations:	
National Pollutant Release	Inventory (NPRI)
Not applicable	
WHMIS Classification	: D2B
WHMIS Ingredient Disclo	sure List
CAS-No. 7631-86-9]
DSL	: All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:	
Australia AICS	: Not determined
China IECS	: Not determined



The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.