

MATERIAL SAFETY DATA SHEET **PURPLE CD5016**

Version Number 1.0

Revision Date 10/13/2003

Page 1 of 6 Print Date 11/12/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	PURPLE CD5016
Product code	:	CC10044447
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Calcium carbonate	1317-65-3	1 - 5
Titanium dioxide	13463-67-7	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion	Resin particles, like other inert materials, can be mechanically irritating.May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.



MATERIAL SAFETY DATA SHEET **PURPLE CD5016**

Version Number 1.0 Revision Date 10/13/2003 Page 2 of 6 Print Date 11/12/2011

Aggravated by Exposure:	
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not applicable Carbon dioxide blanket, water spray, dry powder, foamnone.
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge Heat only in areas with appropriate exhaust ventilation.



MATERIAL SAFETY DATA SHEET PURPLE CD5016

Version Number 1.0 Revision Date 10/13/2003

Storage

Page 3 of 6 Print Date 11/12/2011

: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Respiratory protection	:	No personal respiratory protective equipment normally required.
Eye/Face Protection	:	safety glasses with side-shields
Hand protection	:	Protective gloves. Refer to equipment supplier to ensure protection.
Skin and body protection	:	long sleeved clothing
Additional Protective Measures	:	safety shoes
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Calcium carbonate	5 mg/m3	PEL:	Respirable fraction.	OSHA Z1
	15 mg/m3	PEL:	Total dust.	OSHA Z1
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH
	15 mg/m3	PEL:	Total dust.	OSHA Z1

Not applicable Not determined Not established Not applicable Not applicable
Not established Not applicable
Not applicable
Not applicable
Not applicable



MATERIAL SAFETY DATA SHEET PURPLE CD5016

sion Date 10/13/20			Page 4	
SIOIT Date 10/13/20	003		Print Date 11/12/2	
	1			
	decompositio	on, do not overheat.		
Incompatible Materi	als : Incompatible	with strong acids and c	oxidizing agents.	
Hazardous decomposition products:Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.				
	11. TOXICOLOG	GICAL INFORMATIO	DN	
	t been evaluated as a whole for adividual components which co		are effects listed are based on exi	
	as the following components w	which in their pure form	have the following characteristic	
CAS-No.	Chemical Name	Effect	Target Organ	
1317-65-3	Calcium carbonate	Irritant	Eyes, Skin.	
		Systemic effects	Eyes, Skin, Respiratory system	
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.	
		CAL INFORMATION	,	
-		iodegradable. e not readily available a	s they are bound within the matri	
Environmental Toxic	city : Chemicals ar of the polyme tential : Chemicals ar of the polyme	e not readily available a er. e not readily available a er.		
Environmental Toxic Bioaccumulation Por	city : Chemicals ar of the polyme tential : Chemicals ar	e not readily available a er. e not readily available a er.		
Environmental Toxic Bioaccumulation Por	city : Chemicals ar of the polyme tential : Chemicals ar of the polyme : No data avail	e not readily available a er. e not readily available a er.	s they are bound within the matri	
Persistence and degr Environmental Toxic Bioaccumulation Por Additional advice Product	city : Chemicals ar of the polyme tential : Chemicals ar of the polyme : No data avail 13. DISPOSAL : Like most the possible recy generator of v classification	e not readily available a er. e not readily available a er. able CONSIDERATIONS ermoplastic plastics the cling is preferred to dis waste material has the r	product can be recycled. Where posal or incineration. The esponsibility for proper waste posal in accordance with	
Environmental Toxic Bioaccumulation Por Additional advice Product	city : Chemicals ar of the polyme tential : Chemicals ar of the polyme : No data avail 13. DISPOSAL : Like most the possible recy generator of v classification applicable fee uging : Recycling is p has the respo	e not readily available a er. e not readily available a er. able CONSIDERATIONS ermoplastic plastics the cling is preferred to dis waste material has the r , transportation and disp deral, state/provincial ar preferred when possible nsibility for proper was in accordance with appl	s they are bound within the matri product can be recycled. Where posal or incineration. The esponsibility for proper waste posal in accordance with nd local regulations.	
Environmental Toxic Bioaccumulation Por Additional advice	city : Chemicals ar of the polyme tential : Chemicals ar of the polyme : No data avail 13. DISPOSAL : Like most the possible recy generator of v classification applicable fee aging : Recycling is p has the respon and disposal and local regr	e not readily available a er. e not readily available a er. able CONSIDERATIONS ermoplastic plastics the cling is preferred to dis waste material has the r , transportation and disp deral, state/provincial ar preferred when possible nsibility for proper was in accordance with appl	s they are bound within the matrix product can be recycled. Where posal or incineration. The esponsibility for proper waste posal in accordance with nd local regulations.	



MATERIAL SAFETY DATA SHE	ЕТ	
PURPLE CD5016		
Version Number 1.0 Revision Date 10/13/2003		Page 5 of 6 Print Date 11/12/2011
ICAO/IATA (air)	:	Refer to specific regulation.
IMO / IMDG (maritime)	:	Refer to specific regulation.
	15	5. REGULATORY INFORMATION
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Sub	stances (40 CFR 302)
Not applicable		
California Proposition 65	:	WARNING! This product contains a chemical known to the State of California to cause cancer.
SARA Title III Section 302 Extr	rem	ely Hazardous Substance
Not applicable		
SARA Title III Section 313 Tox	tic (Chemicals:
Not applicable Canadian Regulations:		
National Pollutant Release	se I	nventory (NPRI)
Not applicable		
WHMIS Classification	:	D2B
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:		
Australia AICS	:	Listed
China IECS	:	Listed
Europe EINECS	:	Listed
Japan ENCS	:	Listed

	PolyOne.
POLYONE CORPORATIO	ON CON
MATERIAL SAFETY DATA SHEET	۱ ــــــــــــــــــــــــــــــــــــ
PURPLE CD5016	
Version Number 1.0 Revision Date 10/13/2003	Page 6 of 6 Print Date 11/12/2011
10101011 Dato 10,10,2000	
Korea KECI :	Listed
Philippines PICCS :	Listed
	16. OTHER INFORMATION
at the date of its publication. The inf processing, storage, transportation, of specification. The information related	fety Data Sheet is correct to the best of our knowledge, information and belief formation given is designed only as a guidance for safe handling, use, disposal and release and is not to be considered a warranty or quality es only to the specific material designated and may not be valid for such with any other materials and/or in any particular process or processing