



MATERIAL SAFETY DATA SHEET

## TRANS. SMOKE

Version Number 1.0 Revision Date 10/17/2003

Page 1 of 5 Print Date 11/12/2011

## 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	TRANS. SMOKE
Product code	:	CC10044571
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to eyes.</li> </ul>
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET **TRANS. SMOKE** 

Version Number 1.0 Revision Date 10/17/2003 Page 2 of 5 Print Date 11/12/2011

		4. FIRST AID MEASURES		
Inhalation		Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.		
Ingestion	: Do not induce vomiting without medical advice. When symptopersist or in all cases of doubt seek medical advice.			
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, fo least 15 minutes. If eye irritation persists, seek medical attention.		
Skin		Wash off with soap and plenty of water. If skin irritation persists seek medical attention.		
		5. FIRE-FIGHTING MEASURES		
Flash point	:	Not applicable		
Flammable Limits				
Upper explosion limit		Not applicable		
Lower explosion limit	:	Not applicable		
Autoignition temperature	:	Not applicable		
Suitable extinguishing media	:	Carbon dioxide blanket, water spray, dry powder, foamnone.		
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.		
Unusual Fire/Explosion Hazards	:	None		
(	6. A	CCIDENTAL RELEASE MEASURES		
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.		
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.		
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.		
		7. HANDLING AND STORAGE		
Handling	:	Take measures to prevent the build up of electrostatic charge Heat only in areas with appropriate exhaust ventilation.		
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption		



## MATERIAL SAFETY DATA SHEET **TRANS. SMOKE**

Version Number 1.0 Revision Date 10/17/2003 Page 3 of 5 Print Date 11/12/2011

07 2111	OSURE CONTROLS	/ PERSONAL PROTECTION				
Respiratory protection	: No personal respiratory protective equipment normally required.					
Eye/Face Protection	: Safety glasses v	Safety glasses with side-shields.				
Hand protection	: Protective glove	Protective gloves. Refer to equipment supplier to ensure protection.				
Skin and body protection	: Long sleeved cl	Long sleeved clothing.				
Additional Protective Measures	: Safety shoes.	Safety shoes.				
General Hygiene Considerations		Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.				
Engineering measures		: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
Exposure limit(s)						
There are no known nazardou	is components above re	gulatory thresholds in this product.				
		gulatory thresholds in this product.				
			ole			
9.	PHYSICAL AND CH	EMICAL PROPERTIES         Evaporation rate       : Not applical         Specific Gravity       : Not determite				
<b>9.</b> Form	PHYSICAL AND CH : Solid : Pellets : GREY	Evaporation rate       :       Not applical         Specific Gravity       :       Not determi         Bulk density       :       Not establish	ned hed			
<b>9.</b> Form Appearance Color Odor	PHYSICAL AND CH : Solid : Pellets : GREY : Very faint	IEMICAL PROPERTIES         Evaporation rate       : Not applical         Specific Gravity       : Not determi         Bulk density       : Not establisi         Vapor pressure       : Not applical	ned hed ole			
<b>9.</b> Form Appearance Color Odor Melting point/range	PHYSICAL AND CH : Solid : Pellets : GREY : Very faint : Not determined	EMICAL PROPERTIES         Evaporation rate       : Not applical         Specific Gravity       : Not determi         Bulk density       : Not establisis         Vapor pressure       : Not applical         Vapour density       : Not applical         Vapour density       : Not applical	ned hed ble ble			
9. Form Appearance Color Odor Melting point/range Boiling Point:	<ul> <li>PHYSICAL AND CH</li> <li>Solid</li> <li>Pellets</li> <li>GREY</li> <li>Very faint</li> <li>Not determined</li> <li>Not applicable</li> </ul>	IEMICAL PROPERTIES         Evaporation rate       : Not applical         Specific Gravity       : Not determi         Bulk density       : Not establisi         Vapor pressure       : Not applical	ned hed ble ble			
<b>9.</b> Form Appearance Color Odor Melting point/range	PHYSICAL AND CH : Solid : Pellets : GREY : Very faint : Not determined	EMICAL PROPERTIES         Evaporation rate       : Not applical         Specific Gravity       : Not determi         Bulk density       : Not establisis         Vapor pressure       : Not applical         Vapour density       : Not applical         Vapour density       : Not applical	ned hed ble ble			
9. Form Appearance Color Odor Melting point/range Boiling Point:	<ul> <li>PHYSICAL AND CH</li> <li>Solid</li> <li>Pellets</li> <li>GREY</li> <li>Very faint</li> <li>Not determined</li> <li>Not applicable</li> <li>Insoluble</li> </ul>	EMICAL PROPERTIES         Evaporation rate       : Not applical         Specific Gravity       : Not determi         Bulk density       : Not establisi         Vapor pressure       : Not applical         Vapour density       : Not applical	ned hed ble ble			
9. Form Appearance Color Odor Melting point/range Boiling Point:	<ul> <li>PHYSICAL AND CH</li> <li>Solid</li> <li>Pellets</li> <li>GREY</li> <li>Very faint</li> <li>Not determined</li> <li>Not applicable</li> <li>Insoluble</li> </ul>	<b>EMICAL PROPERTIES</b> Evaporation rate       : Not applical         Specific Gravity       : Not determi         Bulk density       : Not establisi         Vapor pressure       : Not applical         Vapour density       : Not applical         pH       : Not applical	ned hed ble ble			
9. Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	PHYSICAL AND CH : Solid : Pellets : GREY : Very faint : Not determined : Not applicable : Insoluble 10. STABILITY A	<b>EMICAL PROPERTIES</b> Evaporation rate       : Not applical         Specific Gravity       : Not determi         Bulk density       : Not establisi         Vapor pressure       : Not applical         Vapour density       : Not applical         pH       : Not applical	ned hed ble ble			
9. Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	PHYSICAL AND CH         : Solid         : Pellets         : GREY         : Very faint         : Not determined         : Not applicable         : Insoluble         10. STABILITY A         : Stable.         : Will not occur.         : Keep away from	<b>EMICAL PROPERTIES</b> Evaporation rate       : Not applical         Specific Gravity       : Not determi         Bulk density       : Not establisi         Vapor pressure       : Not applical         Vapour density       : Not applical         pH       : Not applical	ned hed ole ole ole			
9. Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	PHYSICAL AND CH         : Solid         : Pellets         : GREY         : Very faint         : Not determined         : Not applicable         : Insoluble         10. STABILITY A         : Stable.         : Will not occur.         : Keep away from decomposition,	IEMICAL PROPERTIES         Evaporation rate       : Not applical         Specific Gravity       : Not determi         Bulk density       : Not establisi         Vapor pressure       : Not applical         Vapour density       : Not applical         pH       : Not applical         MND REACTIVITY         an oxidizing agents and open flame. To avoid the	ned hed ole ole ole			



MATERIAL SAFETY DATA SHEET **TRANS. SMOKE** 

Version Number 1.0 Revision Date 10/17/2003 Page 4 of 5 Print Date 11/12/2011

There are no known hazardous components above regulatory thresholds in this product.

	12. ECOLOGICAL INFORMATION			
Persistence and degradability	: Not readily biodegradable.			
Environmental Toxicity	: Chemicals are not readily available as they are bound within the ma of the polymer.			
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the matri of the polymer.			
Additional advice	: No data available			
	13. DISPOSAL CONSIDERATIONS			
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.			
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.			
	14. TRANSPORT INFORMATION			
U.S. DOT Classification	: Not regulated for transportation.			
ICAO/IATA (air)	: Refer to specific regulation.			
IMO / IMDG (maritime)	: Refer to specific regulation.			
	15. REGULATORY INFORMATION			
US Regulations:				
OSHA Status	: There are no known hazardous components above regulatory thresholds in this product.			
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.			
US. EPA CERCLA Hazardous	Substances (40 CFR 302)			
Not applicable				



# MATERIAL SAFETY DATA SHEET **TRANS. SMOKE**

Version Number 1.0 Revision Date 10/17/2003			Print Date	Page 5 of 5 11/12/2011		
California Proposition 65	:	This product does not contain a substance listed	by Californi	a Prop 65.		
SARA Title III Section 302 Extr	rem	ely Hazardous Substance				
Not applicable						
SARA Title III Section 313 Tox	ic (	Chemicals:				
Not applicable Canadian Regulations:						
National Pollutant Releas	se Iı	nventory (NPRI)				
Not applicable						
WHMIS Classification	:	Not controlled.				
DSL	:	All components of this product are on the Cana Substances List (DSL) or are exempt.	adian Domest	tic		
National Inventories:						
Australia AICS	:	Listed				
China IECS	:	Listed				
Europe EINECS	:	Listed				
Japan ENCS	:	Not determined				
Korea KECI	:	Listed				
Philippines PICCS	:	Listed				
16. OTHER INFORMATION						

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.