

MATERIAL SAFETY DATA SHEET **ORANGE**

Version Number 1.0 Revision Date 10/27/2003

Page 1 of 6 Print Date 11/12/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	ORANGE
Product code	:	CC10044815
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	5 - 10

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact	
Acute exposure		
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes. 	
Skin	: Experience shows no unusual dermatitis hazard from routine handling.	
Chronic exposure	: Refer to Section 11 for Toxicological Information.	



MATERIAL SAFETY DATA SHEET **ORANGE**

Version Number 1.0 Revision Date 10/27/2003 Page 2 of 6 Print Date 11/12/2011

Aggravated by Exposure:	
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not applicable Carbon dioxide blanket, water spray, dry powder, foamnone.
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 12 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge Heat only in areas with appropriate exhaust ventilation.



MATERIAL SAFETY DATA SHEET **ORANGE**

Version Number	er 1.0
Revision Date	10/27/2003

Storage

Page 3 of 6 Print Date 11/12/2011

: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Respiratory protection	:	No personal respiratory protective equipment normally required.
Eye/Face Protection	:	Safety glasses with side-shields.
Hand protection	:	Protective gloves. Refer to equipment supplier to ensure protection.
Skin and body protection	:	Long sleeved clothing.
Additional Protective Measures	:	Safety shoes.
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Titanium dioxide	10 mg/m3	Time Weighted Average		ACGIH
		(TWA):		
	15 mg/m3	PEL:	Total dust.	OSHA Z1

Form	: Solid	Evaporation rate	: Not applicable
Appearance	: Pellets	Specific Gravity	: Not determined
Color	: ORANGE	Bulk density	: Not established
Odor	: Very faint	Vapor pressure	: Not applicable
Melting point/range	: Not determined	Vapour density	: Not applicable
Boiling Point:	: Not applicable	pH	: Not applicable
Water solubility	: Insoluble		
		AND REACTIVITY	
Stability	: Stable.		
Hazardous Polymerization	: Will not occur.		
Conditions to avoid	: Keep away fro	m oxidizing agents and open f	lame. To avoid thermal



MATERIAL SAFETY DATA SHEET **ORANGE**

Version Number 1.0 Revision Date 10/27/2003			Page 4 of 6 Print Date 11/12/2011		
Incompatible Materials	: Incompatible w	vith strong acids and c	oxidizing agents.		
Hazardous decomposition products					
	11. TOXICOLOGI	CAL INFORMATIO)N		
This mixture has not been ev health data for the individua	valuated as a whole for h	ealth effects. Exposu	are effects listed are based on existing		
<u>Toxicity Overview</u> This product contains the fol	llowing components whi	ich in their pure form	have the following characteristics:		
CAS-No.	Chemical Name	Effect	Target Organ		
13463-67-7 Tita	anium dioxide	Systemic effects	Respiratory system.		
	12. ECOLOGICA	L INFORMATION	1		
Persistence and degradability					
Environmental Toxicity	Persistence and degradability : Not readily biodegradable. Environmental Toxicity : Chemicals are not readily available as they are bound within the matrix of the polymer.				
Bioaccumulation Potential	: Chemicals are r of the polymer.		s they are bound within the matrix		
Additional advice	: No data availab	ble			
	13. DISPOSAL C	CONSIDERATIONS			
Product	possible recycli generator of wa classification, t	ing is preferred to dispaste material has the re	product can be recycled. Where posal or incineration. The esponsibility for proper waste posal in accordance with nd local regulations.		
Contaminated packaging	has the respons	ibility for proper was accordance with appl	e. The generator of waste material te classification, transportation licable federal, state/provincial		
	14. TRANSPOR	T INFORMATION			
U.S. DOT Classification	: Not regulated f	or transportation.			
ICAO/IATA (air)	: Refer to specifi	c regulation.			
IMO / IMDG (maritime)	: Refer to specifi	c regulation.			



MATERIAL SAFETY DATA SHEET **ORANGE**

Version Number 1.0 Revision Date 10/27/2003 Page 5 of 6 Print Date 11/12/2011

	15. REGUI	LATORY INFO	DRMATION	
US Regulations:				
OSHA Status	: Classifie	ed as hazardous	based on compo	nents.
TSCA Status	TSCA Status : All components of this product are listed on or exempt from the TSCA Inventory.			
US. EPA CERCLA Hazardous	s Substances (4	0 CFR 302)		
Not applicable				
California Proposition 65	: This pro	duct does not co	ntain a substance	e listed by California Prop 6
SARA Title III Section 302 Ex	tremely Hazar	dous Substance		
Not applicable				
SARA Title III Section 313 To	oxic Chemicals	:		
	oxic Chemicals	:	CAS-No.	Weight %
SARA Title III Section 313 To Chemical Name BARIUM COMPOUN			CAS-No. 7585-41-3	Weight % 5.73
Chemical Name				
Chemical Name BARIUM COMPOUN	IDS [EXCEPT	BASO4]		
Chemical Name BARIUM COMPOUN Canadian Regulations:	IDS [EXCEPT	BASO4]		
Chemical Name BARIUM COMPOUN Canadian Regulations: National Pollutant Rele	IDS [EXCEPT ase Inventory (BASO4]		
Chemical Name BARIUM COMPOUN Canadian Regulations: National Pollutant Rele Not applicable	IDS [EXCEPT ase Inventory (: D2B : All con	BASO4]	7585-41-3 product are on th	
Chemical Name BARIUM COMPOUN Canadian Regulations: National Pollutant Rele Not applicable WHMIS Classification	IDS [EXCEPT ase Inventory (: D2B : All con	BASO4] (NPRI)	7585-41-3 product are on th	5.73
Chemical Name BARIUM COMPOUN Canadian Regulations: National Pollutant Rele Not applicable WHMIS Classification DSL	IDS [EXCEPT ase Inventory (: D2B : All con	BASO4] (NPRI)	7585-41-3 product are on th	5.73
Chemical Name BARIUM COMPOUN Canadian Regulations: National Pollutant Rele Not applicable WHMIS Classification DSL National Inventories:	IDS [EXCEPT ase Inventory (: D2B : All con Substanc	BASO4] (NPRI)	7585-41-3 product are on th	5.73
Chemical Name BARIUM COMPOUN Canadian Regulations: National Pollutant Rele Not applicable WHMIS Classification DSL National Inventories: Australia AICS	IDS [EXCEPT ase Inventory (: D2B : All com Substand : Listed	BASO4] (NPRI)	7585-41-3 product are on th	5.73

POLYONE	CORPORATION



MATERIAL SAFETY DATA SHEET

ORANGE

Version Number 1.0 Revision Date 10/27/2003

Page 6 of 6 Print Date 11/12/2011

Korea KECI :	Listed
--------------	--------

Listed

Philippines PICCS :

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.