

MATERIAL SAFETY DATA SHEET

### **BLUE 285C**

Version Number 1.0 Revision Date 10/24/2003

Page 1 of 6 Print Date 11/12/2011

### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	BLUE 285C
Product code	:	CC10044873
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Silica, amorphous	7631-86-9	1 - 5
Titanium dioxide	13463-67-7	5 - 10

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion	<ul><li>Resin particles, like other inert materials, can be mechanically irritating.</li><li>May be harmful if swallowed.</li></ul>
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.



## MATERIAL SAFETY DATA SHEET

### **BLUE 285C**

Version Number 1.0 Revision Date 10/24/2003 Page 2 of 6 Print Date 11/12/2011

Aggravated by Exposure:	
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> <li>Carbon dioxide blanket, water spray, dry powder, foamnone.</li> </ul>
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge Heat only in areas with appropriate exhaust ventilation.



### MATERIAL SAFETY DATA SHEET BLUE 285C

### Version Number 1.0 Revision Date 10/24/2003

Storage

Page 3 of 6 Print Date 11/12/2011

: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Respiratory protection	: No personal respiratory protective equipment normal	ly required.
Eye/Face Protection	: Safety glasses with side-shields.	
Hand protection	: Protective gloves. Refer to equipment supplier to ens	ure protection.
Skin and body protection	: Long sleeved clothing.	
Additional Protective Measures	: Safety shoes.	
General Hygiene Considerations	: Handle in accordance with good industrial hygiene an Wash hands before breaks and at the end of workday	• •
Engineering measures	: Heat only in areas with appropriate exhaust ventilation appropriate exhaust ventilation at machinery.	on. Provide

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Silica, amorphous	20 mppcf	PEL:	Total dust.	OSHA
	20 mppcf	PEL:	Total dust.	Z3
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH
	15 mg/m3	PEL:	Total dust.	OSHA Z1

Form	: Solid	Evaporation rate	: Not applicable
Appearance	: Pellets	Specific Gravity	: Not determined
Color	: BLUE	Bulk density	: Not established
Odor	: Very faint	Vapor pressure	: Not applicable
Melting point/range	: Not determined	Vapour density	: Not applicable
Boiling Point:	: Not applicable	pH	: Not applicable
Water solubility	: Insoluble		
	10. STABILITY AN	D REACTIVITY	
Stability	: Stable.		
	: Will not occur.		
Hazardous Polymorization			
Hazardous Polymerization	. will not occur.		



# MATERIAL SAFETY DATA SHEET

## **BLUE 285C**

	003			Page 4 Print Date 11/12/2
		decomposition,	, do not overheat.	
Incompatible Materia	als	: Incompatible w	vith strong acids and o	oxidizing agents.
-				
Hazardous decompos products	sition			oxide (CO), oxides of nitrogen ad smoke are all possible.
	11	I. TOXICOLOGI	CAL INFORMATIO	ON
health data for the ind				ure effects listed are based on exis
<u>Toxicity Overview</u> This product contain	s the followi	ng components wh	ich in their pure form	have the following characteristic
CAS-No.		emical Name	Effect	Target Organ
7631-86-9		norphous	Irritant	Eyes, Respiratory system.
13463-67-7	Titanium	dioxide	Systemic effects	Respiratory system.
		12. ECOLOGICA	AL INFORMATION	1
Environmental Toxic	city	: Chemicals are n of the polymer.		s they are bound within the matrix
Environmental Toxic Bioaccumulation Pot Additional advice	·	of the polymer.	not readily available a	
Bioaccumulation Pot	·	<ul> <li>of the polymer.</li> <li>Chemicals are n of the polymer.</li> <li>No data availab</li> </ul>	not readily available a	s they are bound within the matrix is they are bound within the matrix
Bioaccumulation Pot	·	<ul> <li>of the polymer.</li> <li>Chemicals are n of the polymer.</li> <li>No data availab</li> <li>13. DISPOSAL C</li> <li>Like most thern possible recycling generator of war classification, t</li> </ul>	not readily available a ble CONSIDERATIONS moplastic plastics the ing is preferred to dis aste material has the r	s they are bound within the matrix product can be recycled. Where posal or incineration. The esponsibility for proper waste posal in accordance with
Bioaccumulation Pot Additional advice	tential	<ul> <li>of the polymer.</li> <li>Chemicals are n of the polymer.</li> <li>No data availab</li> <li>13. DISPOSAL C</li> <li>Like most thern possible recycling generator of wa classification, t applicable fede</li> <li>Recycling is pro- has the respons</li> </ul>	not readily available a ble <b>CONSIDERATIONS</b> moplastic plastics the ing is preferred to dis aste material has the r ransportation and dis ral, state/provincial a eferred when possible ibility for proper was accordance with app	s they are bound within the matrix product can be recycled. Where posal or incineration. The esponsibility for proper waste posal in accordance with
Bioaccumulation Pot Additional advice Product	tential	<ul> <li>of the polymer.</li> <li>Chemicals are r of the polymer.</li> <li>No data availab</li> <li>13. DISPOSAL C</li> <li>Like most therr possible recycli generator of wa classification, t applicable fede</li> <li>Recycling is pro- has the respons and disposal in and local regula</li> </ul>	not readily available a ble <b>CONSIDERATIONS</b> moplastic plastics the ing is preferred to dis aste material has the r ransportation and dis ral, state/provincial a eferred when possible ibility for proper was accordance with app	product can be recycled. Where posal or incineration. The esponsibility for proper waste posal in accordance with nd local regulations.
Bioaccumulation Pot Additional advice Product	ging	<ul> <li>of the polymer.</li> <li>Chemicals are n of the polymer.</li> <li>No data availab</li> <li>13. DISPOSAL C</li> <li>Like most thern possible recycli generator of wa classification, t applicable fede</li> <li>Recycling is pro- has the respons and disposal in and local regula</li> <li>14. TRANSPOR</li> </ul>	not readily available a ble <b>CONSIDERATIONS</b> moplastic plastics the ing is preferred to dis aste material has the r ransportation and dis ral, state/provincial a eferred when possible ibility for proper was accordance with app ations.	product can be recycled. Where posal or incineration. The esponsibility for proper waste posal in accordance with nd local regulations.

POLYONE	CORPORATION




# MATERIAL SAFETY DATA SHEET

## **BLUE 285C**

Version Number 1.0 Revision Date 10/24/2003 Page 5 of 6 Print Date 11/12/2011

	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardo	ous Substances (40 CFR 302)
Not applicable	
California Propositio 65	n : This product does not contain a substance listed by California Prop 65.
SARA Title III Section 302	Extremely Hazardous Substance
Not applicable	
SARA Title III Section 313	Toxic Chemicals:
Not applicable Canadian Regulations:	
National Pollutant Re	elease Inventory (NPRI)
Not applicable	
WHMIS Classification	on : D2B
WHMIS Ingredient D	Disclosure List
CAS-No. 7631-86-9	
DSL	: All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:	
Australia AICS	: Not determined



The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.