

MATERIAL SAFETY DATA SHEET

PG 45081 RD PP

Version Number 1.0 Revision Date 01/08/2004

Page 1 of 6 Print Date *11/13/2011*

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	PG 45081 RD PP
Product code	:	CC10045081
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes Skin	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Chronic exposure	Experience shows no unusual dermatitis hazard from routine handling.Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET **PG 45081 RD PP**

Version Number 1.0 Revision Date 01/08/2004 Page 2 of 6 Print Date 11/13/2011

	4. FIRST AID MEASURES	
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all case doubt seek medical advice.	s of
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.	3
Eyes	: Rinse immediately with plenty of water, also under the eyelids, fo least 15 minutes. If eye irritation persists, seek medical attention.	r at
Skin	: Wash off with soap and plenty of water. If skin irritation persists medical attention.	seel
	5. FIRE-FIGHTING MEASURES	
Flash point	: Not applicable	
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not applicable Carbon dioxide blanket, water spray, dry powder, foamnone. 	
Special Fire Fighting Procedures Unusual Fire/Explosion	 Fullface self-contained breathing apparatus (SCBA) used in positi pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen 	
Hazards	(NOx), other hazardous materials, and smoke are all possible.	
	ACCIDENTAL RELEASE MEASURES	
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.	
Environmental precautions	: Should not be released into the environment. The product should be allowed to enter drains, water courses or the soil.	not
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material plastic, cardboard or metal containers for disposal. Refer to Sectio of this MSDS for proper disposal methods.	
	7. HANDLING AND STORAGE	
Handling	: Take measures to prevent the build up of electrostatic charge Hea only in areas with appropriate exhaust ventilation.	t
Storage	: Keep containers dry and tightly closed to avoid moisture absorption	m

2/6



MATERIAL SAFETY DATA SHEET **PG 45081 RD PP**

Version Number 1.0 Revision Date 01/08/2004 Page 3 of 6 Print Date 11/13/2011

	required.			
ndustrial hygiene and	required.			
	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.			
: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
Exposure type	List:			
	ACGIH			
Total dust.	OSHA Z1			
PERTIES				
id Evaporation rate : Not applicat lets Specific Gravity: : Not determined Bulk density : Not establish to bulk density : Not establish vy faint Vapor pressure : Not applicat determined Vapour density : Not applicat applicable pH : Not applicat bluble				
ТҮ				
Conditions to avoid : Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.				
Incompatible Materials : Incompatible with strong acids and oxidizing agents.				
	-			



MATERIAL SAFETY DATA SHEET

PG 45081 RD PP

Version Number 1.0 Revision Date 01/08/2004

Page 4 of 6 Print Date *11/13/2011*

Hazardous decomposition : products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ		
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.		
	12. ECOLOGIO	CAL INFORMATION	1		
Persistence and degrada	ability : Not readily b	iodegradable.			
Environmental Toxicity		: Chemicals are not readily available as they are bound within the matrix of the polymer.			
Bioaccumulation Poten		: Chemicals are not readily available as they are bound within the matrix of the polymer.			
Additional advice	: No data avail	able			
	13. DISPOSAL	CONSIDERATIONS	9		
Product Contaminated packagir	g : Recycling is possible recy generator of v classification applicable fea has the respo and disposal	 Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal. 			
	14. TRANSPO	RT INFORMATION			
U.S. DOT Classificatio	n : Not regulated	l for transportation.			
ICAO/IATA (air)	: Refer to spec	ific regulation.			
IMO / IMDG (maritime	e) : Refer to spec	ific regulation.			
	15. REGULATO	ORY INFORMATIO	N		



MATERIAL SAFETY DATA SHEET **PG 45081 RD PP**

Version Number 1.0		Page 5 of 6			
Revision Date 01/08/2004		Print Date 11/13/2011			
US Regulations:					
OSHA Status	:	Classified as hazardous based on components.			
	•	-			
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.			
US. EPA CERCLA Hazardous S	Sub	stances (40 CFR 302)			
Not applicable					
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.			
SARA Title III Section 302 Extr	em	ely Hazardous Substance			
Not applicable					
SARA Title III Section 313 Tox	ic C	Chemicals:			
Not applicable Canadian Regulations:					
National Pollutant Release	se Iı	nventory (NPRI)			
Not applicable					
WHMIS Classification	:	D2B			
DSL	:	DSL status has not been determined. Quantity use in Canada may be restricted by regulations.			
National Inventories:					
Australia AICS	:	Not determined			
China IECS	:	Not determined			
Europe EINECS	:	Not determined			
Japan ENCS	:	Not determined			
Korea KECI	:	Not determined			
Philippines PICCS	:	Not determined			
	16. OTHER INFORMATION				



MATERIAL SAFETY DATA SHEET **PG 45081 RD PP**

Version Number 1.0 Revision Date 01/08/2004

Page 6 of 6 Print Date 11/13/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.