

MATERIAL SAFETY DATA SHEET UV REDWOOD

Version Number 1.0 Revision Date 11/03/2003

Page 1 of 6 Print Date 11/12/2011

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	UV REDWOOD
Product code	:	CC10045538
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	1 - 5
Iron oxide	1309-37-1	10 - 30

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact		
Acute exposure			
Inhalation Ingestion	<ul><li>Resin particles, like other inert materials, can be mechanically irritating.</li><li>May be harmful if swallowed.</li></ul>		
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.		
Skin	: Experience shows no unusual dermatitis hazard from routine handling.		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		



### MATERIAL SAFETY DATA SHEET **UV REDWOOD**

Version Number 1.0 Revision Date 11/03/2003 Page 2 of 6 Print Date 11/12/2011

Aggravated by Exposure:	
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> <li>Carbon dioxide blanket, water spray, dry powder, foamnone.</li> </ul>
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	<ul> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>None</li> </ul>
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1: of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge Heat only in areas with appropriate exhaust ventilation.



### MATERIAL SAFETY DATA SHEET **UV REDWOOD**

Version Number 1.0 Revision Date 11/03/2003 Page 3 of 6 Print Date 11/12/2011

 Storage
 : Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.

 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Respiratory protection	:	No personal respiratory protective equipment normally required.
Eye/Face Protection	:	Safety glasses with side-shields.
Hand protection	:	Protective gloves. Refer to equipment supplier to ensure protection.
Skin and body protection	:	Long sleeved clothing.
Additional Protective Measures	:	Safety shoes.
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Iron oxide	5 mg/m3	Time Weighted Average (TWA):	Dust and fume. as Fe	ACGIH
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH
	15 mg/m3	PEL:	Total dust.	OSHA Z1

Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	<ul> <li>Solid</li> <li>Pellets</li> <li>RED</li> <li>Very faint</li> <li>Not determined</li> <li>Not applicable</li> <li>Insoluble</li> </ul>	Evaporation rate Specific Gravity Bulk density Vapor pressure Vapour density pH	<ul> <li>Not applicable</li> <li>Not determined</li> <li>Not established</li> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> </ul>
	10. STABILITY AN	ND REACTIVITY	
Stability	: Stable.		
Hazardous Polymerization	: Will not occur.		
Conditions to avoid	: Keep away from o	oxidizing agents and open f	lame. To avoid thermal



# MATERIAL SAFETY DATA SHEET UV REDWOOD

sion Date 11/03/20	003			Page 4 Print Date 11/12/2
		decomposition	n, do not overheat.	
Incompatible Materi	alc	· Incompatible	with strong acids and o	ovidizing agents
incompandie Materi	ais	. incompatible	with strong acros and o	oxidizing agents.
Hazardous decompo products	sition			oxide (CO), oxides of nitrogen nd smoke are all possible.
		11. TOXICOLOG	ICAL INFORMATIO	ON
health data for the in				ure effects listed are based on exi
<u>Toxicity Overview</u> This product contain	is the follo	wing components w	hich in their pure form	have the following characteristic
CAS-No.		Chemical Name	Effect	Target Organ
13463-67-7		um dioxide	Systemic effects	Respiratory system.
1309-37-1	Iron o	oxide	Systemic effects	Respiratory system.
Environmental Toxic	-	: Chemicals are of the polyme	r.	
Environmental Toxic Bioaccumulation Po Additional advice	city	<ul> <li>Chemicals are of the polyme</li> <li>Chemicals are of the polyme</li> <li>No data availa</li> </ul>	e not readily available a r. e not readily available a r. able	is they are bound within the matrix
Environmental Toxic Bioaccumulation Po	city	<ul> <li>Chemicals are of the polyme</li> <li>Chemicals are of the polyme</li> <li>No data availa</li> </ul>	e not readily available a r. e not readily available a r.	is they are bound within the matrix is they are bound within the matrix
Environmental Toxic Bioaccumulation Po	city	<ul> <li>Chemicals are of the polyme</li> <li>Chemicals are of the polyme</li> <li>Chemicals are of the polyme</li> <li>No data availa</li> <li>13. DISPOSAL</li> <li>Like most the possible recycle generator of we classification,</li> </ul>	e not readily available a r. e not readily available a r. able <b>CONSIDERATIONS</b> rmoplastic plastics the eling is preferred to dis vaste material has the r	s they are bound within the matrix product can be recycled. Where posal or incineration. The esponsibility for proper waste posal in accordance with
Environmental Toxic Bioaccumulation Po Additional advice	city tential	<ul> <li>Chemicals are of the polyme</li> <li>Chemicals are of the polyme</li> <li>Chemicals are of the polyme</li> <li>No data availa</li> <li>13. DISPOSAL</li> <li>Like most the possible recyce generator of w classification, applicable fed</li> <li>Recycling is p has the response</li> </ul>	e not readily available a r. e not readily available a r. able <b>CONSIDERATIONS</b> rmoplastic plastics the ling is preferred to dis vaste material has the r transportation and dis eral, state/provincial a preferred when possible isbility for proper was n accordance with app	product can be recycled. Where posal or incineration. The esponsibility for proper waste posal in accordance with nd local regulations.
Environmental Toxid Bioaccumulation Po Additional advice Product	city tential	<ul> <li>Chemicals are of the polyme</li> <li>Chemicals are of the polyme</li> <li>Chemicals are of the polyme</li> <li>No data availa</li> <li>13. DISPOSAL</li> <li>Like most the possible recyclong generator of we classification, applicable fed</li> <li>Recycling is phas the respont and disposal in and local regularies</li> </ul>	e not readily available a r. e not readily available a r. able <b>CONSIDERATIONS</b> rmoplastic plastics the ling is preferred to dis vaste material has the r transportation and dis eral, state/provincial a preferred when possible isbility for proper was n accordance with app	product can be recycled. Where posal or incineration. The esponsibility for proper waste posal in accordance with nd local regulations. e. The generator of waste materia te classification, transportation licable federal, state/provincial
Environmental Toxid Bioaccumulation Po Additional advice Product	city tential	<ul> <li>Chemicals are of the polyme</li> <li>Chemicals are of the polyme</li> <li>Chemicals are of the polyme</li> <li>No data availa</li> <li>13. DISPOSAL</li> <li>Like most the possible recyce generator of w classification, applicable fed</li> <li>Recycling is p has the responand disposal in and local regu</li> <li>14. TRANSPOI</li> </ul>	e not readily available a r. e not readily available a r. able <b>CONSIDERATIONS</b> rmoplastic plastics the ling is preferred to dis vaste material has the r transportation and dis leral, state/provincial a preferred when possible isibility for proper was n accordance with app lations.	product can be recycled. Where posal or incineration. The esponsibility for proper waste posal in accordance with nd local regulations. e. The generator of waste materia te classification, transportation licable federal, state/provincial



### MATERIAL SAFETY DATA SHEET **UV REDWOOD**

Version Number 1.0 Revision Date 11/03/2003 Page 5 of 6 Print Date 11/12/2011

IMO / IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Substances (40 CFR 302)
Not applicable	
California Proposition 65	: This product does not contain a substance listed by California Prop 65.
SARA Title III Section 302 Ext	remely Hazardous Substance
Not applicable	
SARA Title III Section 313 To:	cic Chemicals:
Not applicable Canadian Regulations:	
National Pollutant Relea	se Inventory (NPRI)
Not applicable	
WHMIS Classification	: D2B
WHMIS Ingredient Disc	losure List
CAS-No. 1309-37-1	
DSL	: All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:	
Australia AICS	: Listed
China IECS	: Listed



### MATERIAL SAFETY DATA SHEET UV REDWOOD

Version Number 1.0 Revision Date 11/03/2003

Page 6 of 6 Print Date 11/12/2011

Europe EINECS	:	Listed
Japan ENCS	:	Not determined
Korea KECI	:	Not determined
Philippines PICCS	:	Not determined

#### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.