

MATERIAL SAFETY DATA SHEET UV BROWN

Version Number 1.0 Revision Date 11/05/2003

Page 1 of 6 Print Date 11/12/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	UV BROWN
Product code	:	CC10045544
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Carbon black	1333-86-4	1 - 5
Titanium dioxide	13463-67-7	1 - 5
Iron oxide	1309-37-1	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes Skin	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes. Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.



MATERIAL SAFETY DATA SHEET **UV BROWN**

Version Number 1.0 Revision Date 11/05/2003 Page 2 of 6 Print Date 11/12/2011

Medical Conditions Aggravated by Exposure:	: None known.			
4. FIRST AID MEASURES				
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.			
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.			
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.			
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.			
	5. FIRE-FIGHTING MEASURES			
Flash point	: Not applicable			
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Not applicable Not applicable Not applicable Not applicable Carbon dioxide blanket, water spray, dry powder, foamnone. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None 			
	6. ACCIDENTAL RELEASE MEASURES			
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.			
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.			
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.			
	7. HANDLING AND STORAGE			
Handling	: Take measures to prevent the build up of electrostatic charge Heat			



MATERIAL SAFETY DATA SHEET UV BROWN

vision Date 11/05/2003			Print Da	Page 3 ate 11/12/2
	01	nly in areas with appropriate e	exhaust ventilation.	
a .	. V		1 1 1	1
Storage		eep containers dry and tightly nd contamination. Keep in a		absorption
8. H	XPOSURE	CONTROLS / PERSONAL	PROTECTION	
Respiratory protection	: N	o personal respiratory protect	tive equipment normally re	equired.
Eye/Face Protection	: Sa	afety glasses with side-shield	S.	
Hand protection	: Pi	rotective gloves. Refer to equ	ipment supplier to ensure	protection.
Skin and body protection	: L	ong sleeved clothing.		
Additional Protective Measures	: Sa	afety shoes.		
General Hygiene Considerations		andle in accordance with goo ash hands before breaks and		ifety practice.
Engineering measures		eat only in areas with approp ppropriate exhaust ventilation		Provide
Exposure limit(s)				
Components	Value	Exposure time	Exposure type	List:
Carbon black	3.5 mg/m3	Time Weighted Average (TWA):	Total dust. as carbon black	ACGIH
		(1 111).		
	3.5 mg/m3	PEL:	Total dust. as carbon black	OSHA Z1
Iron oxide	5 mg/m3	PEL: Time Weighted Average (TWA):		ACGIH
Iron oxide Titanium dioxide	5 mg/m3 10 mg/m3	PEL: Time Weighted Average (TWA): Time Weighted Average (TWA):	black Dust and fume. as Fe	ACGIH ACGIH
	5 mg/m3	PEL: Time Weighted Average (TWA): Time Weighted Average	black	ACGIH
	5 mg/m3 10 mg/m3 15 mg/m3	PEL: Time Weighted Average (TWA): Time Weighted Average (TWA):	black Dust and fume. as Fe Total dust.	ACGIH ACGIH
	5 mg/m3 10 mg/m3 15 mg/m3	PEL: Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO	black Dust and fume. as Fe Total dust.	ACGIH ACGIH
Titanium dioxide	5 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC	PEL: Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO Evapo	black Dust and fume. as Fe Total dust. OPERTIES oration rate : Not and	ACGIH ACGIH OSHA Z1
Titanium dioxide	5 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC : Solid	PEL: Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO L Evaports	black Dust and fume. as Fe Total dust. OPERTIES oration rate : Not fic Gravity : Not	ACGIH ACGIH OSHA Z1 applicable
Titanium dioxide	5 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle	PEL: Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO L Evapor ts Speci: WN Bulk of faint Vapor	black Dust and fume. as Fe Total dust. OPERTIES oration rate : Not a fic Gravity if Gravity : Not a fic gravity or pressure : Not a fic gravity	ACGIH ACGIH OSHA Z1 applicable determined
Titanium dioxide Titanium dioxide	5 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : BRO : Very : Not c	PEL: Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO L Evapor ts Special WN Bulk of faint Vapor letermined Vapor	black Dust and fume. as Fe Total dust. OPERTIES oration rate : Not of the second secon	ACGIH ACGIH OSHA Z1 applicable determined established applicable applicable
Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range Boiling Point:	5 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : BRO : Very : Not c : Not a	PEL: Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO L Evapor ts Special WN Bulk of faint Vapor letermined Vapor applicable pH	black Dust and fume. as Fe Total dust. OPERTIES oration rate : Not of the second secon	ACGIH ACGIH OSHA Z1 applicable determined established applicable
Titanium dioxide Titanium dioxide	5 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : BRO : Very : Not c	PEL: Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO L Evapor ts Special WN Bulk of faint Vapor letermined Vapor applicable pH	black Dust and fume. as Fe Total dust. OPERTIES oration rate : Not of the second secon	ACGIH ACGIH OSHA Z1 applicable determined established applicable applicable



MATERIAL SAFETY DATA SHEET UV BROWN

Version Number 1.0 Revision Date 11/05/2003

Page 4 of 6 Print Date 11/12/2011

Stability	:	Stable.
Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1333-86-4	Carbon black	Systemic effects	Eyes, Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.
1309-37-1	Iron oxide	Systemic effects	Respiratory system.

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
1333-86-4	Carbon black	Oral LD50	>15,400 mg/kg	rat
		Dermal LD50	> 3 gm/kg	rabbit

Additional Health Hazard Information:

Carbon black 1333-86-4 Carcinogenicity: Many inhalation toxicologists believe that the tumor response observed in the referenced rat studies is species specific and does not correlate to human exposure. However, the IARC evaluation in Monograph Volume 65, issued in April 1996 concluded that, "There is sufficient evidence in experimental animals for the carcinogenicity of carbon black". Based on this evaluation, along with their evaluation of inadequate evidence of carcinogenicity in humans, IARC's overall evaluation is that "Carbon Black is possibly carcinogenic to humans (Group 2B). The IARC 2B listing only pertains to airborne, unbound carbon black particles of respirable size. Carbon Black has not been listed as a carcinogen by the National Toxicology Program (NTP) or the Occupational Safety and Health Administration (OSHA). The National Institute of Occupational Safety and Health (NIOSH) criteria document on carbon black recommends that only carbon black with PAH (polynuclear aromatic hydrocarbon) levels greater than 0.1% be considered suspect carcinogens.

12. ECOLOGICAL INFORMATION

Persistence and degradability

: Not readily biodegradable.

Environmental Toxicity

: Chemicals are not readily available as they are bound within the matrix



MATERIAL SAFETY DATA SHEET
UV BROWN

ion Number 1.0 sion Date 11/05/2003	Page 5 Print Date 11/12/2
	of the polymer.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the matri of the polymer.
Additional advice	: No data available
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA (air)	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardou	s Substances (40 CFR 302)
Not applicable	
California Proposition 65	: This product does not contain a substance listed by California Prop 65
SARA Title III Section 302 E	xtremely Hazardous Substance



MATERIAL SAFETY DATA SHEET UV BROWN

Version Number 1.0 Revision Date 11/05/2003

Page 6 of 6 Print Date *11/12/2011*

Not applicable

SARA Title III Section 313 Toxic Chemicals:

Not applicable Canadian Regulations:

National Pollutant Release Inventory (NPRI)

Not applicable

WHMIS Classification : D2A

WHMIS Ingredient Disclosure List

CAS-No.	
1333-86-4	
1309-37-1	

DSL

All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.

National Inventories:

Australia AICS	:	Listed
China IECS	:	Listed
Europe EINECS	:	Listed
Japan ENCS	:	Not determined
Korea KECI	:	Not determined
Philippines PICCS	:	Not determined

:

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.