

MATERIAL SAFETY DATA SHEET

PG 45578 BU PE

Version Number 1.0 Revision Date 11/10/2003 Page 1 of 5 Print Date 11/12/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	PG 45578 BU PE
Product code	:	CC10045578
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET **PG 45578 BU PE**

Version Number 1.0 Revision Date 11/10/2003 Page 2 of 5 Print Date 11/12/2011

		4. FIRST AID MEASURES	
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases doubt seek medical advice.		
Ingestion	:	Do not induce vomiting without medical advice. When symptom persist or in all cases of doubt seek medical advice.	
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.	
Skin		Vash off with soap and plenty of water. If skin irritation persists see nedical attention.	
		5. FIRE-FIGHTING MEASURES	
Flash point	:	Not applicable	
Flammable Limits			
Upper explosion limit		Not applicable	
Lower explosion limit	:	Not applicable	
Autoignition temperature	•	Not applicable	
Suitable extinguishing media	:	Carbon dioxide blanket, water spray, dry powder, foamnone.	
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.	
Unusual Fire/Explosion Hazards	:	None	
(6. A	CCIDENTAL RELEASE MEASURES	
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.	
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.	
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.	
		7. HANDLING AND STORAGE	
Handling	:	Take measures to prevent the build up of electrostatic charge Heat only in areas with appropriate exhaust ventilation.	
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption	



MATERIAL SAFETY DATA SHEET **PG 45578 BU PE**

Version Number 1.0 Revision Date 11/10/2003 Page 3 of 5 Print Date 11/12/2011

	OSUR	E CONTROLS / PERSONAL PROTECTION			
Respiratory protection	: No personal respiratory protective equipment normally required.				
Eye/Face Protection	:	Safety glasses with side-shields.			
Hand protection	:	Protective gloves. Refer to equipment supplier to ensure protection.			
Skin and body protection	:	Long sleeved clothing.			
Additional Protective Measures	:	Safety shoes.			
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.			
Engineering measures	:	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.			
9.	PHYS	ICAL AND CHEMICAL PROPERTIES			
Form	: So	id Evaporation rate : Not	applicable		
Form Appearance	: So : Pe	id Evaporation rate : Not lets Specific Gravity : Not	determined		
Form Appearance Color	: So : Pe : BI	id Evaporation rate : Not lets Specific Gravity : Not UE Bulk density : Not	determined established		
Form Appearance Color Odor	: So : Pe : BI : Ve	id Evaporation rate : Not lets Specific Gravity : Not UE Bulk density : Not ry faint Vapor pressure : Not	determined established applicable		
Form Appearance Color Odor Melting point/range	: So : Pe : BI : Ve : No	id Evaporation rate : Not lets Specific Gravity : Not UE Bulk density : Not ry faint Vapor pressure : Not t determined Vapour density : Not	determined established applicable applicable		
Form Appearance Color Odor	: So : Pe : BI : Ve : No : No	id Evaporation rate : Not lets Specific Gravity : Not UE Bulk density : Not ry faint Vapor pressure : Not t determined Vapour density : Not	determined established applicable		
Form Appearance Color Odor Melting point/range Boiling Point:	: So : Pe : BI : Ve : No : No : In	id Evaporation rate : Not lets Specific Gravity : Not UE Bulk density : Not ry faint Vapor pressure : Not t determined Vapour density : Not t applicable pH : Not	determined established applicable applicable		
Form Appearance Color Odor Melting point/range Boiling Point:	: So : Pe : BI : Ve : No : No : In	id Evaporation rate : Not lets Specific Gravity : Not UE Bulk density : Not ry faint Vapor pressure : Not t determined Vapour density : Not t applicable pH : Not oluble	determined established applicable applicable		
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	: So : Pe : BI : Ve : No : No : In	id Evaporation rate : Not lets Specific Gravity : Not UE Bulk density : Not ry faint Vapor pressure : Not t determined Vapour density : Not t applicable pH : Not oluble STABILITY AND REACTIVITY	determined established applicable applicable		
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	: So : Pe : BI : Ve : No : No : In	id Evaporation rate : Not lets Specific Gravity : Not UE Bulk density : Not ry faint Vapor pressure : Not t determined Vapour density : Not t applicable pH : Not oluble STABILITY AND REACTIVITY Stable.	determined established applicable applicable applicable		
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	: So : Pe : BI : Ve : No : No : In	id Evaporation rate : Not lets Specific Gravity : Not UE Bulk density : Not ry faint Vapor pressure : Not t determined Vapour density : Not t applicable pH : Not oluble Stable. Stable. Will not occur. Keep away from oxidizing agents and open flame. To a	determined established applicable applicable applicable		



MATERIAL SAFETY DATA SHEET **PG 45578 BU PE**

Version Number 1.0 Revision Date 11/10/2003 Page 4 of 5 Print Date 11/12/2011

There are no known hazardous components above regulatory thresholds in this product.

	12. ECOLOGICAL INFORMATION		
Persistence and degradability	: Not readily biodegradable.		
Environmental Toxicity	: Chemicals are not readily available as they are bound within the ma of the polymer.		
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the matrix of the polymer.		
Additional advice	: No data available		
	13. DISPOSAL CONSIDERATIONS		
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.		
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.		
	14. TRANSPORT INFORMATION		
U.S. DOT Classification	: Not regulated for transportation.		
ICAO/IATA (air)	: Refer to specific regulation.		
IMO / IMDG (maritime)	: Refer to specific regulation.		
	15. REGULATORY INFORMATION		
US Regulations:			
OSHA Status	: There are no known hazardous components above regulatory thresholds in this product.		
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.		
US. EPA CERCLA Hazardous	Substances (40 CFR 302)		
Not applicable			



MATERIAL SAFETY DATA SHEET **PG 45578 BU PE**

Version Number 1.0 Revision Date 11/10/2003		Print Date	Page 5 of 5 11/12/2011			
California Proposition 65	: This product does not contain a substance list	ed by Californi	a Prop 65.			
SARA Title III Section 302 Extre	mely Hazardous Substance					
Not applicable						
SARA Title III Section 313 Toxic	Chemicals:					
Not applicable Canadian Regulations:						
National Pollutant Release	Inventory (NPRI)					
Not applicable						
WHMIS Classification	: Not controlled.					
DSL	: All components of this product are on the Ca Substances List (DSL) or are exempt.	nadian Domes	tic			
National Inventories:						
Australia AICS	: Listed					
China IECS	: Listed					
Europe EINECS	: Listed					
Japan ENCS	: Listed					
Korea KECI	: Listed					
Philippines PICCS	: Listed					
16. OTHER INFORMATION						

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.