

# MATERIAL SAFETY DATA SHEET PRIMARY BLUE W/UV SC

Version Number 1.0 Revision Date 11/17/2003

Page 1 of 6 Print Date 11/12/2011

### 1. PRODUCT AND COMPANY IDENTIFICATION

### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	PRIMARY BLUE W/UV SC
Product code	:	CC10045808
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Calcium carbonate	1317-65-3	1 - 5
Titanium dioxide	13463-67-7	5 - 10

### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

## POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact	
Acute exposure		
Inhalation Ingestion	<ul><li>Resin particles, like other inert materials, can be mechanically irritating.</li><li>May be harmful if swallowed.</li></ul>	
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.	
Skin	: Experience shows no unusual dermatitis hazard from routine handling.	
Chronic exposure	: Refer to Section 11 for Toxicological Information.	



# MATERIAL SAFETY DATA SHEET PRIMARY BLUE W/UV SC

Version Number 1.0 Revision Date 11/17/2003 Page 2 of 6 Print Date 11/12/2011

Aggravated by Exposure:			
4. FIRST AID MEASURES			
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.		
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.		
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.		
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.		
	5. FIRE-FIGHTING MEASURES		
Flash point	: Not applicable		
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> <li>Carbon dioxide blanket, water spray, dry powder, foamnone.</li> </ul>		
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	<ul> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>None</li> </ul>		
	6. ACCIDENTAL RELEASE MEASURES		
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.		
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.		
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.		
	7. HANDLING AND STORAGE		
Handling	: Take measures to prevent the build up of electrostatic charge Heat only in areas with appropriate exhaust ventilation.		



# MATERIAL SAFETY DATA SHEET PRIMARY BLUE W/UV SC

Version Number 1.0 Revision Date 11/17/2003 Page 3 of 6 Print Date 11/12/2011

Storage : Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place. 8. EXPOSURE CONTROLS / PERSONAL PROTECTION Respiratory protection : No personal respiratory protective equipment normally required. Eye/Face Protection Safety glasses with side-shields. : Hand protection Protective gloves. Refer to equipment supplier to ensure protection. : Skin and body protection : Long sleeved clothing. Additional Protective Safety shoes. : Measures Handle in accordance with good industrial hygiene and safety practice. General Hygiene : Considerations Wash hands before breaks and at the end of workday. Engineering measures : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery. Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Calcium carbonate	5 mg/m3	PEL:	Respirable fraction.	OSHA Z1
	15 mg/m3	PEL:	Total dust.	OSHA Z1
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH
	15 mg/m3	PEL:	Total dust.	OSHA Z1


Form	: Solid	Evaporation rate	: Not applicable
Appearance	: Pellets	Specific Gravity	: Not determined
Color	: BLUE	Bulk density	: Not established
Odor	: Very faint	Vapor pressure	: Not applicable
Melting point/range	: Not determined	Vapour density	: Not applicable
Boiling Point:	: Not applicable	pН	: Not applicable
Water solubility	: Insoluble		
	10. STABILITY AN	D REACTIVITY	
Stability	: Stable.		
Hazardous Polymerization	: Will not occur.		
Conditions to avoid	: Keep away from o	xidizing agents and open f	lame. To avoid thermal

PolyOne.

# MATERIAL SAFETY DATA SHEET PRIMARY BLUE W/UV SC

Version Number 1.0 Revision Date 11/17/2003 Page 4 of 6 Print Date 11/12/2011

		decomposition	, do not overheat.		
Incompatible Materials :		: Incompatible v	: Incompatible with strong acids and oxidizing agents.		
Hazardous decompo products	osition		Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.		
	-	11. TOXICOLOGI	CAL INFORMATIO	ON	
health data for the i	ndividual co	mponents which con	mprise the mixture.	ure effects listed are based on exis	
CAS-No.		hemical Name	Effect		
1317-65-3		n carbonate	Irritant	Target OrganEyes, Skin.	
1517-05-5	Calciur	n carbonate	Systemic effects	Eyes, Skin, Respiratory system	
13463-67-7	Titaniu	m dioxide	Systemic effects	Respiratory system.	
		12. ECOLOGIC	AL INFORMATION	1	
Bioaccumulation Po Additional advice	otential	of the polymer : No data availa	ble	as they are bound within the matrix	
		13. DISPOSAL O	CONSIDERATIONS	<b>b</b>	
Product Contaminated packaging		<ul> <li>Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.</li> <li>Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.</li> </ul>			
		14. TRANSPOR	<b>RT INFORMATION</b>		



	PolyOne.
POLYONE CORPORATION	
MATERIAL SAFETY DATA SHEET	
PRIMARY BLUE W/UV SC	
Version Number 1.0 Revision Date 11/17/2003	Page 6 of 6 Print Date 11/12/2011
Korea KECI : No	ot determined
Philippines PICCS : No	ot determined
10	5. OTHER INFORMATION
at the date of its publication. The inform processing, storage, transportation, disp specification. The information relates on	Data Sheet is correct to the best of our knowledge, information and belief nation given is designed only as a guidance for safe handling, use, osal and release and is not to be considered a warranty or quality nly to the specific material designated and may not be valid for such any other materials and/or in any particular process or processing