MATERIAL SAFETY DATA SHEET **BIOLAGE PURPLE 667**

Version Number 1.1 Revision Date 04/25/2007

Page 1 of 5 Print Date 11/27/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	BIOLAGE PURPLE 667
Product code	:	CC10046309
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact	
Acute exposure		
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.	
Ingestion	: May be harmful if swallowed.	
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.	
Skin	: Experience shows no unusual dermatitis hazard from routine handling.	
Chronic exposure	: Refer to Section 11 for Toxicological Information.	
Medical Conditions Aggravated by Exposure:	: None known.	
4. FIRST AID MEASURES		

POLYONE CORPORATION

PolyOne.

MATERIAL SAFETY DATA SHEET **BIOLAGE PURPLE 667**

ion Number 1.1 sion Date 04/25/2007	Page Print Date 11/27
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists se medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion	 Not applicable Not applicable Not applicable Not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen
Hazards	(NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.

PolyOne

MATERIAL SAFETY DATA SHEET **BIOLAGE PURPLE 667**

Version Number 1.1 Revision Date 04/25/2007 Page 3 of 5 Print Date 11/27/2011

	OSURE CONTROLS / F	PERSONAL PROTECTIO	ON		
Respiratory protection	: No personal respire	atory protective equipment	normally required.		
Eye/Face Protection	: Safety glasses with	n side-shields			
Hand protection	: Protective gloves				
Skin and body protection	: Long sleeved clothing				
Additional Protective Measures	: Safety shoes				
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety prac Wash hands before breaks and at the end of workday.				
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.		entilation. Provide		
Exposure limit(s)					
There are no known hazardous components above regulatory thresholds in this product. 9. PHYSICAL AND CHEMICAL PROPERTIES					
/					
_	a				
Form	: Solid	Evaporation rate	: Not applicable		
Appearance	: pellets	Evaporation rate Specific Gravity	: Not determined		
Appearance Color	: pellets : PURPLE	Evaporation rate Specific Gravity Bulk density	Not determinedNot established		
Appearance Color Odour	 pellets PURPLE Very faint	Evaporation rate Specific Gravity Bulk density Vapour pressure	Not determinedNot establishedNot applicable		
Appearance Color Odour Melting point/range	 pellets PURPLE Very faint Not determined	Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density	Not determinedNot establishedNot applicableNot applicable		
Appearance Color Odour Melting point/range Boiling Point:	 pellets PURPLE Very faint Not determined Not applicable 	Evaporation rate Specific Gravity Bulk density Vapour pressure	Not determinedNot establishedNot applicable		
Appearance Color Odour Melting point/range	 pellets PURPLE Very faint Not determined	Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density	Not determinedNot establishedNot applicableNot applicable		
Appearance Color Odour Melting point/range Boiling Point:	 pellets PURPLE Very faint Not determined Not applicable 	Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH	Not determinedNot establishedNot applicableNot applicable		
Appearance Color Odour Melting point/range Boiling Point:	 pellets PURPLE Very faint Not determined Not applicable Insoluble 	Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH	Not determinedNot establishedNot applicableNot applicable		
Appearance Color Odour Melting point/range Boiling Point: Water solubility	 pellets PURPLE Very faint Not determined Not applicable Insoluble 10. STABILITY AND	Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH	Not determinedNot establishedNot applicableNot applicable		
Appearance Color Odour Melting point/range Boiling Point: Water solubility Stability	 pellets PURPLE Very faint Not determined Not applicable Insoluble 10. STABILITY AN Stable. Will not occur. 	Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH D REACTIVITY	 Not determined Not established Not applicable Not applicable Not applicable 		
Appearance Color Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	 pellets PURPLE Very faint Not determined Not applicable Insoluble 10. STABILITY AN Stable. Will not occur. Keep away from o decomposition, do 	Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH D REACTIVITY	 Not determined Not established Not applicable Not applicable Not applicable Not applicable 		

PolyOne.

MATERIAL SAFETY DATA SHEET **BIOLAGE PURPLE 667**

Version Number 1.1 Revision Date 04/25/2007 Page 4 of 5 Print Date 11/27/2011

There are no known hazardous components above regulatory thresholds in this product.

Persistence and degradability : Not readily biodegradable. Environmental Toxicity : Chemicals are not readily available as they are bound with polymer matrix. Bioaccumulation Potential : Chemicals are not readily available as they are bound with polymer matrix. Additional advice : No data available 13. DISPOSAL CONSIDERATIONS Product : Like most thermoplastic plastics the product can be recycling is preferred to disposal or incineration generator of waste material has the responsibility for projeclassification, transportation and disposal in accordance wapplicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of wast the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. U.S. DOT Classification : Not regulated for transportation. ICAO/IATA (air) : Refer to specific regulation.	thin the cled. Where . The per waste
polymer matrix. Bioaccumulation Potential : Chemicals are not readily available as they are bound with polymer matrix. Additional advice : No data available 13. DISPOSAL CONSIDERATIONS Product : Like most thermoplastic plastics the product can be recycling is preferred to disposal or incineration. generator of waste material has the responsibility for progration and disposal in accordance or applicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of whas the responsibility for proper waste classification, transand disposal in accordance or applicable federal, state/provincial and local regulations. U.S. DOT Classification : Not regulated for transportation.	thin the cled. Where . The per waste
polymer matrix. Additional advice : No data available 13. DISPOSAL CONSIDERATIONS Product : Like most thermoplastic plastics the product can be recycling is preferred to disposal or incineration. generator of waste material has the responsibility for proproclassification, transportation and disposal in accordance wapplicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of whas the responsibility for proper waste classification, tran and disposal in accordance with applicable federal, state/and local regulations. U.S. DOT Classification : Not regulated for transportation.	cled. Where . The per waste
13. DISPOSAL CONSIDERATIONS Product : Like most thermoplastic plastics the product can be recycling is preferred to disposal or incineration. generator of waste material has the responsibility for proping classification, transportation and disposal in accordance of applicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of whas the responsibility for proper waste classification, transportation and disposal in accordance of the maximum of the disposal in accordance with applicable federal, state/provincial and local regulations. 14. TRANSPORT INFORMATION U.S. DOT Classification : Not regulated for transportation.	. The per waste
Product : Like most thermoplastic plastics the product can be recyclossible recycling is preferred to disposal or incineration. generator of waste material has the responsibility for projeclassification, transportation and disposal in accordance wapplicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of whas the responsibility for proper waste classification, transand disposal in accordance with applicable federal, state/and local regulations. U.S. DOT Classification : Not regulated for transportation.	. The per waste
u.s. DOT Classification : Not regulated for transportation. u.s. DOT Classification : Not regulated for transportation.	. The per waste
has the responsibility for proper waste classification, tran and disposal in accordance with applicable federal, state/ and local regulations. 14. TRANSPORT INFORMATION U.S. DOT Classification : Not regulated for transportation.	
U.S. DOT Classification : Not regulated for transportation.	sportation
ICAO/IATA (air) · Refer to specific regulation	
IMO / IMDG (maritime):Refer to specific regulation.	
15. REGULATORY INFORMATION	
US Regulations:	
OSHA Status : There are no known hazardous components above regula thresholds in this product.	tory
TSCA Status : All components of this product are listed on or exempt fro Inventory.	om the TSCA
US. EPA CERCLA Hazardous Substances (40 CFR 302)	
Not applicable	

4/5

PolyOne

MATERIAL SAFETY DATA SHEET BIOLAGE PURPLE 667

Version Number 1.1 Revision Date 04/25/2007

_

Page 5 of 5 Print Date 11/27/2011

California Proposition 65	:	Not applicable				
SARA Title III Section 302 Ext	SARA Title III Section 302 Extremely Hazardous Substance					
Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation						
SARA Title III Section 313 Tox	SARA Title III Section 313 Toxic Chemicals:					
Unless specific chemicals are id	Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation					
Canadian Regulations:						
National Pollutant Release	National Pollutant Release Inventory (NPRI)					
Not applicable						
WHMIS Classification	:	Not controlled.				
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.				
National Inventories:						
Australia AICS	:	Listed				
China IECS	:	Listed				
Europe EINECS	:	Listed				
Japan ENCS	:	Listed				
Korea KECI	:	Listed				
Philippines PICCS	:	Listed				

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.