MATERIAL SAFETY DATA SHEET

FRAC BRN STREAKER 438C

Version Number 1.1 Revision Date 02/05/2004 Page 1 of 6 Print Date 11/13/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	FRAC BRN STREAKER 438C
Product code	:	CC10046380
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Iron oxide	1309-37-1	5 - 10
Titanium dioxide	13463-67-7	5 - 10

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	re: : Inhalation, Ingestion, Skin contact		
Acute exposure			
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eves. 		
Skin	: Experience shows no unusual dermatitis hazard from routine handling.		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		

PolyOne.

MATERIAL SAFETY DATA SHEET

FRAC BRN STREAKER 438C

Version Number 1.1 Revision Date 02/05/2004 Page 2 of 6 Print Date 11/13/2011

Aggravated by Exposure:	
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not applicable Carbon dioxide blanket, water spray, dry powder, foamnone.
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 12 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge Heat only in areas with appropriate exhaust ventilation.

MATERIAL SAFETY DATA SHEET FRAC BRN STREAKER 438C

Version Number 1.1 Revision Date 02/05/2004 Page 3 of 6 Print Date *11/13/2011*

Storage Keep containers dry and tightly closed to avoid moisture absorption : and contamination. Keep in a dry, cool place. 8. EXPOSURE CONTROLS / PERSONAL PROTECTION Respiratory protection : No personal respiratory protective equipment normally required. Eye/Face Protection Safety glasses with side-shields. : Hand protection Protective gloves. : Skin and body protection Long sleeved clothing. : Additional Protective Safety shoes. : Measures General Hygiene Handle in accordance with good industrial hygiene and safety practice. : Considerations Wash hands before breaks and at the end of workday. Engineering measures : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Iron oxide	5 mg/m3	Time Weighted Average (TWA):	Dust and fume. as Fe	ACGIH
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH
	15 mg/m3	PEL:	Total dust.	OSHA Z1

9. PHYSICAL AND CHEMICAL PROPERTIES

Solid Pellets BROWN Very faint Not determined Not applicable Insoluble

Evaporation rate Specific Gravity: Bulk density Vapor pressure Vapour density pH

Keep away from oxidizing agents and open flame. To avoid thermal

Not applicableNot determined

- Not determinedNot established
- : Not applicable
- : Not applicable
- : Not applicable

10. STABILITY AND REACTIVITY

Stability : Stable.

Hazardous Polymerization : Will not occur.

:

Conditions to avoid

3/6

<u>PolyOne</u>

MATERIAL SAFETY DATA SHEET FRAC BRN STREAKER 438C

Version Number 1.1 Revision Date 02/05/2004 Page 4 of 6 Print Date 11/13/2011

		decomposition	, do not overheat.		
Hazardous decomposition : Carbon		: Incompatible v	compatible with strong acids and oxidizing agents.		
			Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.		
	1	1. TOXICOLOGI	CAL INFORMATIO	DN	
This mixture has not health data for the in				re effects listed are based on exi	
<u>Toxicity Overview</u> This product contain	s the follow	ing components wh	ich in their pure form	have the following characteristic	
CAS-No.		hemical Name	Effect	Target Organ	
1309-37-1	Iron ox		Systemic effects	Respiratory system.	
13463-67-7	Titaniu	m dioxide	Systemic effects	Respiratory system.	
		12. ECOLOGIC	AL INFORMATION		
Environmental Toxicity Bioaccumulation Potential Additional advice		 Chemicals are not readily available as they are bound within the matrix of the polymer. Chemicals are not readily available as they are bound within the matrix of the polymer. No data available 			
		13. DISPOSAL O	CONSIDERATIONS		
Product		: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.			
			1 1		
Contaminated packa	ging	applicable fedeRecycling is provide the response	eral, state/provincial ar referred when possible sibility for proper was accordance with appl	nd local regulations.	
Contaminated packa	ging	 applicable fede Recycling is print has the responsional disposal in and disposal regul 	eral, state/provincial ar referred when possible sibility for proper was accordance with appl	nd local regulations. . The generator of waste materia te classification, transportation	
Contaminated packa		applicable fede : Recycling is printed has the response and disposal in and local regule 14. TRANSPOR	eral, state/provincial ar referred when possible sibility for proper was accordance with appl ations.	nd local regulations. . The generator of waste materia te classification, transportation	

PolyOne.

MATERIAL SAFETY DATA SHEET FRAC BRN STREAKER 438C

Version Number 1.1 Revision Date 02/05/2004 Page 5 of 6 Print Date 11/13/2011

IMO / IMDG (maritime)	:	Refer to specific reg	gulation.	
	15.	REGULATORY I	NFORMATION	
US Regulations:				
OSHA Status	:	Classified as hazard	ous based on compor	nents.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.			
US. EPA CERCLA Hazardou	ıs Subst	ances (40 CFR 302)	1	
Not applicable				
California Proposition 65	ı : '	This product does no	ot contain a substance	e listed by California Prop 65
SARA Title III Section 302 E	Extremel	ly Hazardous Substa	ince	
Not applicable				
SARA Title III Section 313 T	oxic Ch	nemicals.		
Sindi inde in beenon 515 i	onic on	ienneurs.		
Chaminal Name			CAS No	Weiste 0/
Chemical Name ZINC COMPOUNDS	5		CAS-No. 68187-51-9	Weight % 6.61
ZINC COMPOUNDS	5			
	5			
ZINC COMPOUNDS		ventory (NPRI)		
ZINC COMPOUNDS		ventory (NPRI)		
ZINC COMPOUNDS Canadian Regulations: National Pollutant Rele	ease Inv			
ZINC COMPOUNDS Canadian Regulations: National Pollutant Rele WHMIS Classification	ease Inv	D2B		
ZINC COMPOUNDS Canadian Regulations: National Pollutant Rel WHMIS Classification WHMIS Ingredient Di	ease Inv	D2B		
ZINC COMPOUNDS Canadian Regulations: National Pollutant Rel WHMIS Classification WHMIS Ingredient Di CAS-No.	ease Inv	D2B		
ZINC COMPOUNDS Canadian Regulations: National Pollutant Rel WHMIS Classification WHMIS Ingredient Di CAS-No. 1309-37-1	ease Inv n :	D2B e List	68187-51-9	6.61
ZINC COMPOUNDS Canadian Regulations: National Pollutant Rel WHMIS Classification WHMIS Ingredient Di CAS-No.	ease Inv n : sclosure	D2B e List	68187-51-9	
ZINC COMPOUNDS Canadian Regulations: National Pollutant Rel WHMIS Classification WHMIS Ingredient Di CAS-No. 1309-37-1	ease Inv n : sclosure	D2B e List All components of	68187-51-9	6.61
ZINC COMPOUNDS Canadian Regulations: National Pollutant Rel WHMIS Classification WHMIS Ingredient Di CAS-No. 1309-37-1 DSL	ease Inv	D2B e List All components of	68187-51-9	6.61



MATERIAL SAFETY DATA SHEET FRAC BRN STREAKER 438C

Version Number 1.1 Revision Date 02/05/2004

Page 6 of 6 Print Date *11/13/2011*

China IECS	: Listed	
Europe EINECS	: Listed	
Japan ENCS	: Not determined	ł
Korea KECI	: Listed	
Philippines PICCS	: Listed	

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.