PolvOne

### MATERIAL SAFETY DATA SHEET PEARL METAL V2

Version Number 1.1 Revision Date 04/25/2007

Product Use

Page 1 of 7 Print Date 11/27/2011

### 1. PRODUCT AND COMPANY IDENTIFICATION

### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	PEARL METAL V2
Product code	:	CC10046971
Chemical Name	:	Mixture
CAS-No.	:	Mixture

: Industrial Applications

### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
1,6-Hexanediamine, N,N'-bis(2,2,6,6-tetramethyl-4-piperidinyl)-, polymer with 2,4,6-trichloro-1,3,5-triazine, reaction products	70624-18-9	1 - 5
Mica	12001-26-2	10 - 30
Titanium dioxide	13463-67-7	10 - 30

### **3. HAZARDS IDENTIFICATION**

### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

icles, like other inert materials, can be mechanically irritating. Irmful if swallowed. icles, like other inert materials, are mechanically irritating to e shows no unusual dermatitis hazard from routine handling.
t

PolyOne.

## MATERIAL SAFETY DATA SHEET **PEARL METAL V2**

Version Number 1.1 Revision Date 04/25/2007 Page 2 of 7 Print Date 11/27/2011

Medical Conditions : None known.				
Aggravated by Exposure:				
	4. FIRST AID MEASURES			
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.			
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.			
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.			
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.			
	5. FIRE-FIGHTING MEASURES			
Flash point	: Not applicable			
Flammable Limits				
Upper explosion limit	: Not applicable			
Lower explosion limit	: Not applicable			
Autoignition temperature	: Not applicable			
Suitable extinguishing media	: Carbon dioxide blanket, Water spray, Dry powder, Foam.			
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne			
Unuqual Fire/Explasion	contaminants. Carbon dioxida (CO2) carbon monoxida (CO), oxidas of nitrogen			
Hazards	nusual Fire/Explosion:Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.			
	6. ACCIDENTAL RELEASE MEASURES			
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.			
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.			
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1: of this MSDS for proper disposal methods.			
	7. HANDLING AND STORAGE			



## MATERIAL SAFETY DATA SHEET **PEARL METAL V2**

Version Number 1.1 Revision Date 04/25/2007	Page 3 of 7 Print Date 11/27/2011
Handling :	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage :	Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.
8. EXPOSU	RE CONTROLS / PERSONAL PROTECTION
Respiratory protection :	No personal respiratory protective equipment normally required.
Eye/Face Protection :	Safety glasses with side-shields
Hand protection :	Protective gloves
Skin and body protection :	Long sleeved clothing
Additional Protective : Measures	Safety shoes
General Hygiene : Considerations	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Engineering measures :	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Mica	20 mppcf	PEL:	Total dust.	OSHA
	3 mg/m3	Time Weighted Average	Respirable fraction.	ACGIH
		(TWA):		
	3 mg/m3	Time Weighted Average		MX OEL
		(TWA):		
Titanium dioxide	10 mg/m3	Time Weighted Average		ACGIH
		(TWA):		
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	10 mg/m3	Time Weighted Average	as Ti	MX OEL
		(TWA):		
	20 mg/m3	Short Term Exposure Limit	as Ti	MX OEL
		(STEL):		

### 9. PHYSICAL AND CHEMICAL PROPERTIES

- Form Appearance Color Odour Melting point/range
- Solid
  pellets
  GREY
  Very faint
  Not determined
- Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density
- Not applicableNot determinedNot establishedNot applicableNot applicable



## MATERIAL SAFETY DATA SHEET **PEARL METAL V2**

Version Number 1.1 Revision Date 04/25/2007

\_

\_

Page 4 of 7 Print Date 11/27/2011

Boiling Point: Water solubility	: Not applicable : Insoluble	pН	: Not applicable
	10. STABILITY A	ND REACTIVITY	
Stability	: Stable.		
Hazardous Polymerization	: Will not occur.		
Conditions to avoid	: Keep away from decomposition, o	00	open flame. To avoid thermal
Incompatible Materials	: Incompatible wi	th strong acids and oxi	dizing agents.
Hazardous decomposition products			de (CO), oxides of nitrogen smoke are all possible.

### 11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

### Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
70624-18-9	1,6-Hexanediamine, N,N'-bis(2,2,6,6-tetrameth yl-4-piperidinyl)-,polymer with 2,4,6-trichloro-1,3,5-triazi ne, reaction products	Irritant	Eyes, Skin, Respiratory system.
12001-26-2	Mica	Systemic effects	Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

#### LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
70624-18-9	1,6-Hexanediamine,	Oral LD50	> 2,000 mg/kg	rat
	N,N'-bis(2,2,6,6-tetrameth	Dermal LD50	> 3,000 mg/kg	rat
	yl-4-piperidinyl)-,polymer with			
	2,4,6-trichloro-1,3,5-triazi			
	ne, reaction products			

#### Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

PolyOne.

# MATERIAL SAFETY DATA SHEET **PEARL METAL V2**

Version Number 1.1 Revision Date 04/25/2007

Page 5 of 7 Print Date 11/27/2011

CAS-No. 13463-67-7	Titanium d	emical Name	OSHA	IARC 2B	NTP
13403-07-7	Titanium d	loxide	no	28	no
IARC Carcinogen Cl 1 - The component is 2A - The component 2B - The component NTP Carcinogen Class 1 - The component is 2 - The component is	carcinogenic is probably ca is possibly car ssifications: known to be a	rcinogenic to human cinogenic to human human carcinogen.	S.		
	12	2. ECOLOGICAL	INFORMATION		
Persistence and degra	idability :	Not readily biodeg	radable.		
Environmental Toxic	ity :	Chemicals are not polymer matrix.	readily available as	s they are bound w	vithin the
Bioaccumulation Pot	ation Potential : Chemicals are not readily available as they are bound within the polymer matrix.				
Additional advice	:	No data available			
	1	3. DISPOSAL CON	SIDERATIONS		
Product	:	classification, tran		osal or incineratio sponsibility for prosal in accordance	n. The oper waste with
Contaminated packag	jing :	Recycling is prefer has the responsibil and disposal in acc and local regulatio	ity for proper wast cordance with appli	e classification, tra	insportation
	1	4. TRANSPORT I	NFORMATION		
U.S. DOT Classificat	ion ·	Not regulated for t	ransportation		
ICAO/IATA (air)	· · ·	Refer to specific re	-		
IMO / IMDG (maritin	me) :	Refer to specific re	-		
	15	5. REGULATORY	INFORMATION		
US Regulations:					

PolyOne.

# MATERIAL SAFETY DATA SHEET **PEARL METAL V2**

Version Number 1.1 Revision Date 04/25/2007	Page 6 of 7 Print Date 11/27/2011
OSHA Status :	Classified as hazardous based on components.
TSCA Status :	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous Subs	stances (40 CFR 302)
Not applicable	
California Proposition : 65	Not applicable
SARA Title III Section 302 Extreme	ely Hazardous Substance
Unless specific chemicals are identit	fied under this section, this product is Not Applicable under this regulation
SARA Title III Section 313 Toxic C	Themicals:
Unless specific chemicals are identit	fied under this section, this product is Not Applicable under this regulation
Canadian Regulations:	
National Pollutant Release In	aventory (NPRI)
Not applicable	
WHMIS Classification :	D2A
WHMIS Ingredient Disclosur	re List
CAS-No. 12001-26-2	
DSL :	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:	
Australia AICS :	Listed
China IECS :	Listed
Europe EINECS :	Listed
Japan ENCS :	Not determined



## MATERIAL SAFETY DATA SHEET **PEARL METAL V2**

Version Number 1.1 Revision Date 04/25/2007

Page 7 of 7 Print Date 11/27/2011

Korea KECI

: Not determined

Philippines PICCS

: Not determined

### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.