

MATERIAL SAFETY DATA SHEET WHITE 3050A PE

Version Number 1.0 Revision Date 12/05/2003

Page 1 of 6 Print Date 11/12/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	WHITE 3050A PE
Product code	:	CC10047048
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Silica, amorphous	7631-86-9	5 - 10
Titanium dioxide	13463-67-7	30 - 60

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion	Resin particles, like other inert materials, can be mechanically irritating.May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.



MATERIAL SAFETY DATA SHEET WHITE 3050A PE

Version Number 1.0 Revision Date 12/05/2003 Page 2 of 6 Print Date 11/12/2011

Aggravated by Exposure:	
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not applicable Carbon dioxide blanket, water spray, dry powder, foamnone.
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge Heat only in areas with appropriate exhaust ventilation.



MATERIAL SAFETY DATA SHEET WHITE 3050A PE

Version Number 1.0 Revision Date 12/05/2003

Storage

Page 3 of 6 Print Date 11/12/2011

: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Respiratory protection	No personal respiratory protective equi	pment normally required.
Eye/Face Protection	Safety glasses with side-shields.	
Hand protection	Protective gloves.	
Skin and body protection	Long sleeved clothing.	
Additional Protective Measures	Safety shoes.	
General Hygiene Considerations	Handle in accordance with good industr Wash hands before breaks and at the en	
Engineering measures	Heat only in areas with appropriate exh appropriate exhaust ventilation at mach	

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Silica, amorphous	20 mppcf	PEL:	Total dust.	OSHA
	20 mppcf	PEL:	Total dust.	Z3
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH
	15 mg/m3	PEL:	Total dust.	OSHA Z1

Form	: Solid	Evaporation rate	: Not applicable
Appearance	: Pellets	Specific Gravity:	: Not determined
Color	: WHITE	Bulk density	: Not established
Odor	: Very faint	Vapor pressure	: Not applicable
Melting point/range	: Not determined	Vapour density	: Not applicable
Boiling Point:	: Not applicable	pH	: Not applicable
Water solubility	: Insoluble		
	10. STABILITY AN	D REACTIVITY	
Stability	: Stable.		
Stability			
·	XX 7°11		
Hazardous Polymerization	: Will not occur.		



MATERIAL SAFETY DATA SHEET WHITE 3050A PE


vision Date 12/05/20	03			Page 4 c Print Date 11/12/20
		decomposition,	do not overheat.	
Incompatible Materia	ils :	Incompatible w	vith strong acids and c	oxidizing agents.
Hazardous decompos	sition ·	Carbon dioxide	(CO2) carbon mono	oxide (CO), oxides of nitrogen
products				nd smoke are all possible.
	11.	TOXICOLOGI	CAL INFORMATIO	DN
This mixture has not health data for the inc				are effects listed are based on exist
<u>Toxicity Overview</u> This product contains	s the following	components whi	ich in their pure form	have the following characteristics
CAS-No.		nical Name	Effect	Target Organ
7631-86-9	Silica, amo		Irritant	Eyes, Respiratory system.
13463-67-7	Titanium d	lioxide	Systemic effects	Respiratory system.
Persistence and degradability : Not readily biodegradable. Environmental Toxicity : Chemicals are not readily available as they are bound w of the polymer. Bioaccumulation Potential : Chemicals are not readily available as they are bound w of the polymer. Additional advice : No data available			s they are bound within the matrix	
	:	Chemicals are n of the polymer. No data availab	not readily available a ble	-
	:	Chemicals are n of the polymer. No data availab	not readily available a	
	: 1 :	Chemicals are n of the polymer. No data availab 3. DISPOSAL C Like most them possible recycli generator of wa classification, t applicable fede Recycling is pro- has the respons	not readily available a ole CONSIDERATIONS noplastic plastics the ing is preferred to dis- iste material has the r ransportation and disp ral, state/provincial ar eferred when possible ibility for proper was	product can be recycled. Where posal or incineration. The esponsibility for proper waste posal in accordance with nd local regulations. e. The generator of waste material te classification, transportation
Additional advice	: <u>1</u> ; ging :	Chemicals are n of the polymer. No data availab 3. DISPOSAL C Like most thern possible recycli generator of wa classification, t applicable fede Recycling is pro- has the respons and disposal in and local regula	not readily available a ole CONSIDERATIONS noplastic plastics the ing is preferred to dis- iste material has the r ransportation and disp ral, state/provincial ar eferred when possible ibility for proper was accordance with appla- ations.	product can be recycled. Where posal or incineration. The esponsibility for proper waste posal in accordance with nd local regulations.
Additional advice	: <u>1</u> ; ging :	Chemicals are n of the polymer. No data availab 3. DISPOSAL C Like most thern possible recycli generator of wa classification, t applicable fede Recycling is pro- has the respons and disposal in and local regula	not readily available a ole CONSIDERATIONS noplastic plastics the ing is preferred to dis- iste material has the r ransportation and disp ral, state/provincial a eferred when possible ibility for proper was accordance with appl	product can be recycled. Where posal or incineration. The esponsibility for proper waste posal in accordance with nd local regulations. e. The generator of waste material te classification, transportation
Additional advice	: 1 : ging :	Chemicals are n of the polymer. No data availab 3. DISPOSAL C Like most thern possible recycli generator of wa classification, t applicable fede Recycling is pro- has the respons and disposal in and local regula	not readily available a ole CONSIDERATIONS noplastic plastics the ing is preferred to dis- iste material has the r ransportation and disp ral, state/provincial ar eferred when possible ibility for proper was accordance with appla- ations.	product can be recycled. Where posal or incineration. The esponsibility for proper waste posal in accordance with nd local regulations. e. The generator of waste material te classification, transportation



MATERIAL SAFETY DATA SHEET WHITE 3050A PE

Version Number 1.0 Revision Date 12/05/2003 Page 5 of 6 Print Date 11/12/2011

IMO / IMDG (maritime)	: Refer to specific regulation.				
	15. REGULATORY INFORMATION				
US Regulations:					
OSHA Status	: Classified as hazardous based on components.				
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.				
US. EPA CERCLA Hazardous S	US. EPA CERCLA Hazardous Substances (40 CFR 302)				
Not applicable					
California Proposition 65	: This product does not contain a substance listed by California Prop 65.				
SARA Title III Section 302 Extre	mely Hazardous Substance				
Not applicable					
SARA Title III Section 313 Toxi	c Chemicals:				
Not applicable Canadian Regulations:					
National Pollutant Release	Inventory (NPRI)				
Not applicable					
WHMIS Classification	: D2B				
WHMIS Ingredient Disclo	sure List				
CAS-No. 7631-86-9]				
DSL	: All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.				
National Inventories:					
Australia AICS	: Listed				
China IECS	: Listed				



The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.