

MATERIAL SAFETY DATA SHEET

PG 47172 BU PP

Version Number 1.0 Revision Date 12/10/2003 Page 1 of 6 Print Date 11/12/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	PG 47172 BU PP
Product code	:	CC10047172
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	Inhalation, Ingestion, Skin contact			
Acute exposure				
Inhalation Ingestion Eyes Skin	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes. 			
Chronic exposure	Experience shows no unusual dermatitis hazard from routine handling.Refer to Section 11 for Toxicological Information.			
Medical Conditions Aggravated by Exposure:	: None known.			



MATERIAL SAFETY DATA SHEET **PG 47172 BU PP**

Version Number 1.0 Revision Date 12/10/2003 Page 2 of 6 Print Date 11/12/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits	
Upper explosion limit	: Not applicable
Lower explosion limit	: Not applicable
Autoignition temperature	: Not applicable
Suitable extinguishing media	: Carbon dioxide blanket, water spray, dry powder, foamnone.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	5. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 12 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET **PG 47172 BU PP**

Version Number 1.0 Revision Date 12/10/2003 Page 3 of 6 Print Date 11/12/2011

8. EXPO Respiratory protection Eye/Face Protection Hand protection Skin and body protection Additional Protective Measures General Hygiene Considerations Engineering measures <u>Exposure limit(s)</u>	: N : S : H : I : S : H V : H	Safety glasses with s Protective gloves. Long sleeved clothin Safety shoes. Handle in accordance Wash hands before b	ory protectivide-shields. g. e with good preaks and a ith appropri	ve equipment normally r industrial hygiene and sa t the end of workday. ate exhaust ventilation.	afety practice.	
Eye/Face Protection Hand protection Skin and body protection Additional Protective Measures General Hygiene Considerations Engineering measures	: S : F : I : S : H V : H	Safety glasses with s Protective gloves. Long sleeved clothin Safety shoes. Handle in accordance Wash hands before b Heat only in areas wi	ide-shields. g. e with good preaks and a ith appropri	industrial hygiene and sa t the end of workday. ate exhaust ventilation.	afety practice.	
Hand protection Skin and body protection Additional Protective Measures General Hygiene Considerations Engineering measures	: H : I : S : H V : H	Protective gloves. Long sleeved clothin Safety shoes. Handle in accordance Wash hands before b Heat only in areas wi	g. e with good oreaks and a ith appropri	industrial hygiene and sa t the end of workday. ate exhaust ventilation.		
Skin and body protection Additional Protective Measures General Hygiene Considerations Engineering measures	: I : S : H . H : H	Long sleeved clothin Safety shoes. Handle in accordance Wash hands before b Heat only in areas wi	e with good breaks and a ith appropri	t the end of workday. ate exhaust ventilation.		
Additional Protective Measures General Hygiene Considerations Engineering measures	: S : H V : H	Safety shoes. Handle in accordance Wash hands before b Heat only in areas wi	e with good breaks and a ith appropri	t the end of workday. ate exhaust ventilation.		
Measures General Hygiene Considerations Engineering measures	: H V : H	Handle in accordance Wash hands before b Heat only in areas wi	oreaks and a a the appropri	t the end of workday. ate exhaust ventilation.		
Considerations Engineering measures	\ : Н	Wash hands before b Heat only in areas wi	oreaks and a a the appropri	t the end of workday. ate exhaust ventilation.		
					Provide	
Exposure limit(s)						
Components V	alue	Exposure ti	me	Exposure type	List:	
1	10 mg/m3 Time We		Average		ACGIH	
15	mg/m3	(TWA): PEL:		Total dust.	OSHA Z1	
9.]	PHYSI	CAL AND CHEMI	ICAL PRO	PERTIES		
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	IlletsSpecifiLUEBulk deery faintVapor		ration rate : Not applicable ic Gravity: : Not determined ensity : Not established pressure : Not applicable r density : Not applicable : Not applicable			
	10.	STABILITY AND	REACTIV	ITY		
Stability	: \$	Stable.				
Hazardous Polymerization	: \	Will not occur.				
Conditions to avoid	Conditions to avoid : Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.					
Incompatible Materials	: I	ncompatible with str	rong acids a	and oxidizing agents.		



MATERIAL SAFETY DATA SHEET **PG 47172 BU PP**

Version Number 1.0

Revision Date 12/10/2003

Page 4 of 6 Print Date 11/12/2011

Hazardous decomposition : Ca products (N

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No. 13463-67-7	Chemical Name	Effect	Target Organ				
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.				
	12. ECOLOGIO	CAL INFORMATION	1				
Persistence and degrad	ability : Not readily bi	iodegradable.					
Environmental Toxicit		: Chemicals are not readily available as they are bound within the matrix of the polymer.					
Bioaccumulation Poten		: Chemicals are not readily available as they are bound within the matrix of the polymer.					
Additional advice : No data available							
	13. DISPOSAL	CONSIDERATIONS	5				
Product Contaminated packagir	g : Recycling is phase the response	cling is preferred to dis waste material has the r transportation and dis leral, state/provincial a preferred when possible nsibility for proper was n accordance with app	ics the product can be recycled. Where d to disposal or incineration. The as the responsibility for proper waste and disposal in accordance with ncial and local regulations. possible. The generator of waste materia per waste classification, transportation ith applicable federal, state/provincial				
	14. TRANSPO	RT INFORMATION					
U.S. DOT Classificatio	n : Not regulated	for transportation.					
ICAO/IATA (air)	: Refer to speci	: Refer to specific regulation.					
IMO / IMDG (maritime	e) : Refer to speci	ific regulation.					
	15. REGULATO	DRY INFORMATION	N				



MATERIAL SAFETY DATA SHEET **PG 47172 BU PP**

Version Number 1.0 Revision Date 12/10/2003		Prin	nt Date	Page 5 of 6 11/12/2011
US Regulations:				
OSHA Status	:	Classified as hazardous based on components.		
TSCA Status	:	All components of this product are listed on or exem Inventory.	pt from (he TSCA
US. EPA CERCLA Hazardous S	ub	stances (40 CFR 302)		
Not applicable				
California Proposition 65	:	This product does not contain a substance listed by C	California	a Prop 65.
SARA Title III Section 302 Extra	em	ely Hazardous Substance		
Not applicable				
SARA Title III Section 313 Toxi	ic (Chemicals:		
Not applicable Canadian Regulations:				
National Pollutant Releas	e Iı	nventory (NPRI)		
Not applicable		Dab		
WHMIS Classification	:	D2B		
DSL	:	All components of this product are on the Canadian Substances List (DSL) or are exempt.	Domest	ic
National Inventories:				
Australia AICS	:	Listed		
China IECS	:	Listed		
Europe EINECS	:	Listed		
Japan ENCS	:	Listed		
Korea KECI	:	Listed		
Philippines PICCS	:	Listed		
		16. OTHER INFORMATION		



MATERIAL SAFETY DATA SHEET **PG 47172 BU PP**

Version Number 1.0 Revision Date 12/10/2003

Page 6 of 6 Print Date 11/12/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.