MATERIAL SAFETY DATA SHEET TRANSLUCENT PINK 218C

Version Number 1.0 Revision Date 01/13/2004 Page 1 of 5 Print Date *11/13/2011*

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	TRANSLUCENT PINK 218C
Product code	:	CC10048018
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to even
Skin	eyes. : Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET TRANSLUCENT PINK 218C

Version Number 1.0 Revision Date 01/13/2004 Page 2 of 5 Print Date 11/13/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits	
Upper explosion limit	: Not applicable
Lower explosion limit	: Not applicable
Autoignition temperature	: Not applicable
Suitable extinguishing media	: Carbon dioxide blanket, water spray, dry powder, foamnone.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	5. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 12 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption

PolyOne.

MATERIAL SAFETY DATA SHEET TRANSLUCENT PINK 218C

Version Number 1.0 Revision Date 01/13/2004 Page 3 of 5 Print Date 11/13/2011

0. 17.1	8. EXPOSURE CONTROLS / PERSONAL PROTECTION			
Respiratory protection	: No personal respiratory protective equipment normally require		1.	
Eye/Face Protection	:	Safety glasses with side-shields.		
Hand protection	:	: Protective gloves.		
Skin and body protection	:	: Long sleeved clothing.		
Additional Protective Measures	:	Safety shoes.		
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety pr Wash hands before breaks and at the end of workday.	ractice.	
Engineering measures		Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.		
Exposure limit(s)				
		onents above regulatory thresholds in this product.		
F erma	. 6 . 1	id Example Network	. 1. 1.	
Form	: Sol			
Appearance	: Pel	lets Specific Gravity: : Not determ	ined	
Appearance Color	: Pel : PIN	lets Specific Gravity: : Not determ IK Bulk density : Not establi	ined shed	
Appearance Color Odor	: Pel : PIN : Ve	letsSpecific Gravity:: Not determIKBulk density: Not establiry faintVapor pressure: Not applica	iined shed able	
Appearance Color Odor Melting point/range	: Pel : PIN : Ve : No	letsSpecific Gravity:: Not determIKBulk density: Not establiry faintVapor pressure: Not applicadeterminedVapour density: Not applica	iined shed able able	
Appearance Color Odor Melting point/range Boiling Point:	: Pel : PIN : Ve : No : No	letsSpecific Gravity:: Not determIKBulk density: Not establiry faintVapor pressure: Not applicat determinedVapour density: Not applicaapplicablepH: Not applica	iined shed able able	
Appearance Color Odor Melting point/range	: Pel : PIN : Ve : No : No	letsSpecific Gravity:: Not determIKBulk density: Not establiry faintVapor pressure: Not applicadeterminedVapour density: Not applica	iined shed able able	
Appearance Color Odor Melting point/range Boiling Point:	: Pel : PIN : Ve : No : No : Ins	letsSpecific Gravity:: Not determIKBulk density: Not establiry faintVapor pressure: Not applicat determinedVapour density: Not applicaapplicablepH: Not applica	iined shed able able	
Appearance Color Odor Melting point/range Boiling Point:	: Pel : PIN : Ve: : No : No : Ins 10.	letsSpecific Gravity:: Not determIKBulk density: Not establiIy faintVapor pressure: Not applicai determinedVapour density: Not applicai applicablepH: Not applica	iined shed able able	
Appearance Color Odor Melting point/range Boiling Point: Water solubility	: Pel : PIN : Ve : No : No : Ins 10.	lets Specific Gravity: : Not determ IK Bulk density : Not establi IX Vapor pressure : Not applicate is determined Vapour density : Not applicate is determined pH : Not applicate is applicable pH : Not applicate STABILITY AND REACTIVITY : Not applicate	iined shed able able	
Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	: Pel : PIN : Ve : No : Ins 10. : :	lets Specific Gravity: : Not determ IK Bulk density : Not establi ry faint Vapor pressure : Not applicate redetermined Vapour density : Not applicate redetermined pH : Not applicate redetermined pH : Not applicate poluble Stable. Stable.	iined shed able able able	
Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	: Pel : PIN : Ve : No : No : Ins 10 . : :	lets Specific Gravity: : Not determ IK Bulk density : Not establi Ty faint Vapor pressure : Not applicate te determined Vapour density : Not applicate te determined pH : Not applicate te applicable pH : Not applicate bluble STABILITY AND REACTIVITY Stable. Will not occur. Keep away from oxidizing agents and open flame. To avoid th	iined shed able able able	

<u>PolyOne</u>

MATERIAL SAFETY DATA SHEET TRANSLUCENT PINK 218C

Version Number 1.0 Revision Date 01/13/2004 Page 4 of 5 Print Date 11/13/2011

There are no known hazardous components above regulatory thresholds in this product.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Additional advice	: No data available
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA (air)	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: There are no known hazardous components above regulatory thresholds in this product.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Substances (40 CFR 302)
Not applicable	

PolyOne

MATERIAL SAFETY DATA SHEET TRANSLUCENT PINK 218C

Version Numbe	er 1.0
Version Numbe Revision Date	01/13/2004

Page 5 of 5 Print Date 11/13/2011

California Proposi 65	tion :	This product does not contain a substance listed by California Prop 65.
SARA Title III Section 30	2 Extrem	ely Hazardous Substance
Not applicable		
SARA Title III Section 31	3 Toxic C	Chemicals:
Not applicable Canadian Regulations:		
National Pollutant	Release I	nventory (NPRI)
Not applicable		
WHMIS Classifica	ation :	Not controlled.
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:		
Australia AICS	:	Listed
China IECS	:	Listed
Europe EINECS	:	Listed
Japan ENCS	:	Listed
Korea KECI	:	Listed
Philippines PICCS	:	Listed
		16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.