### MATERIAL SAFETY DATA SHEET

### CURL TALK TRANSL. GREEN V2

Version Number 1.0 Revision Date 01/14/2004 Page 1 of 5 Print Date 11/13/2011

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

:	Product Stewardship (770) 271-5902
:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
:	CURL TALK TRANSL. GREEN V2
:	CC10048167
:	Mixture
:	Mixture
:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to eyes.</li> </ul>
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET CURL TALK TRANSL. GREEN V2

Version Number 1.0 Revision Date 01/14/2004 Page 2 of 5 Print Date 11/13/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Eyes	
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit	<ul><li>Not applicable</li><li>Not applicable</li></ul>
Autoignition temperature Suitable extinguishing media	<ul><li>Not applicable</li><li>Carbon dioxide blanket, water spray, dry powder, foamnone.</li></ul>
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption

2/5

PolyOne.

# MATERIAL SAFETY DATA SHEET CURL TALK TRANSL. GREEN V2

Version Number 1.0 Revision Date 01/14/2004 Page 3 of 5 Print Date 11/13/2011

07 2012	OSURE CONTROL	S / PERSONAL PROTECTION			
Respiratory protection	: No personal re	espiratory protective equipment normally required.			
Eye/Face Protection	: Safety glasses	with side-shields.			
Hand protection	: Protective glo	ves.			
Skin and body protection	: Long sleeved	clothing.			
Additional Protective Measures	: Safety shoes.				
General Hygiene Considerations		ordance with good industrial hygiene and safety practice. efore breaks and at the end of workday.			
Engineering measures		reas with appropriate exhaust ventilation. Provide haust ventilation at machinery.			
Exposure limit(s)					
There are no known hazardous components above regulatory thresholds in this product. 9. PHYSICAL AND CHEMICAL PROPERTIES					
Form Appearance Color Odor Melting point/range	<ul> <li>Solid</li> <li>Pellets</li> <li>GREEN</li> <li>Very faint</li> <li>Not determined</li> </ul>	Evaporation rate: Not applicableSpecific Gravity:: Not determinedBulk density: Not establishedVapor pressure: Not applicableVapour density: Not applicable			
Appearance Color	: Pellets : GREEN : Very faint	Specific Gravity::Not determinedBulk density:Not established			
Appearance Color Odor Melting point/range Boiling Point:	<ul> <li>Pellets</li> <li>GREEN</li> <li>Very faint</li> <li>Not determined</li> <li>Not applicable</li> <li>Insoluble</li> </ul>	Specific Gravity::Not determinedBulk density:Not establishedVapor pressure:Not applicableVapour density:Not applicable			
Appearance Color Odor Melting point/range Boiling Point:	<ul> <li>Pellets</li> <li>GREEN</li> <li>Very faint</li> <li>Not determined</li> <li>Not applicable</li> <li>Insoluble</li> </ul>	Specific Gravity::Not determinedBulk density:Not establishedVapor pressure:Not applicableVapour density:Not applicablepH:Not applicable			
Appearance Color Odor Melting point/range Boiling Point: Water solubility	<ul> <li>Pellets</li> <li>GREEN</li> <li>Very faint</li> <li>Not determined</li> <li>Not applicable</li> <li>Insoluble</li> </ul> 10. STABILITY	Specific Gravity:       : Not determined         Bulk density       : Not established         Vapor pressure       : Not applicable         Vapour density       : Not applicable         pH       : Not applicable         AND REACTIVITY       : Not applicable			
Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	<ul> <li>Pellets</li> <li>GREEN</li> <li>Very faint</li> <li>Not determined</li> <li>Not applicable</li> <li>Insoluble</li> </ul> <b>10. STABILITY</b> <ul> <li>Stable.</li> <li>Will not occurs</li> <li>Keep away from</li> </ul>	Specific Gravity:       : Not determined         Bulk density       : Not established         Vapor pressure       : Not applicable         Vapour density       : Not applicable         pH       : Not applicable         AND REACTIVITY       : Not applicable			
Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	<ul> <li>Pellets</li> <li>GREEN</li> <li>Very faint</li> <li>Not determined</li> <li>Not applicable</li> <li>Insoluble</li> </ul> <b>10. STABILITY</b> <ul> <li>Stable.</li> <li>Will not occur</li> <li>Keep away from decomposition</li> </ul>	Specific Gravity: : Not determined Bulk density : Not established Vapor pressure : Not applicable Vapour density : Not applicable pH : Not applicable <b>AND REACTIVITY</b>			

<u>PolyOne</u>

# MATERIAL SAFETY DATA SHEET CURL TALK TRANSL. GREEN V2

Version Number 1.0 Revision Date 01/14/2004 Page 4 of 5 Print Date 11/13/2011

There are no known hazardous components above regulatory thresholds in this product.

Persistence and degradability	
	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Additional advice	: No data available
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA (air)	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: There are no known hazardous components above regulatory thresholds in this product.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Substances (40 CFR 302)
Not applicable	

PolvOne.

# MATERIAL SAFETY DATA SHEET CURL TALK TRANSL. GREEN V2

Version Number 1.0 Revision Date 01/14/2004 Page 5 of 5 Print Date 11/13/2011

California Proposition 65	:	WARNING! This product contains a chemical known to the State of California to cause cancer.			
SARA Title III Section 302 Extremely Hazardous Substance					
Not applicable					
SARA Title III Section 313 Tox	ic C	hemicals:			
Not applicable Canadian Regulations:					
National Pollutant Release Inventory (NPRI)					
Not applicable					
WHMIS Classification	:	Not controlled.			
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.			
National Inventories:					
Australia AICS	:	Listed			
China IECS	:	Listed			
Europe EINECS	:	Listed			
Japan ENCS	:	Listed			
Korea KECI	:	Listed			
Philippines PICCS	:	Listed			
		16. OTHER INFORMATION			

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.