

### MATERIAL SAFETY DATA SHEET BROWN PG 48353 BN PP

Version Number 1.1 Revision Date 02/04/2004 Page 1 of 6 Print Date 11/13/2011

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	BROWN PG 48353 BN PP
Product code	:	CC10048353
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Iron oxide	1309-37-1	1 - 5

### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to eyes.</li> </ul>
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



# MATERIAL SAFETY DATA SHEET BROWN PG 48353 BN PP

Version Number 1.1 Revision Date 02/04/2004 Page 2 of 6 Print Date 11/13/2011

	4. FIRST AID MEASURES	
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cas doubt seek medical advice.	ses of
Ingestion	: Do not induce vomiting without medical advice. When symptor persist or in all cases of doubt seek medical advice.	ns
Eyes	: Rinse immediately with plenty of water, also under the eyelids, f least 15 minutes. If eye irritation persists, seek medical attention	
Skin	: Wash off with soap and plenty of water. If skin irritation persists medical attention.	s seel
	5. FIRE-FIGHTING MEASURES	
Flash point	: Not applicable	
Flammable Limits		
Upper explosion limit	: Not applicable	
Lower explosion limit	: Not applicable	
Autoignition temperature	: Not applicable	
Suitable extinguishing media	: Carbon dioxide blanket, water spray, dry powder, foamnone.	
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in posi pressure mode should be worn to prevent inhalation of airborne contaminants.	tive
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitroge (NOx), other hazardous materials, and smoke are all possible.	en
	ACCIDENTAL RELEASE MEASURES	
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.	
Environmental precautions	: Should not be released into the environment. The product should be allowed to enter drains, water courses or the soil.	d not
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all materia plastic, cardboard or metal containers for disposal. Refer to Secti of this MSDS for proper disposal methods.	
	7. HANDLING AND STORAGE	·
Handling	: Take measures to prevent the build up of electrostatic charge He only in areas with appropriate exhaust ventilation.	eat
Storage	: Keep containers dry and tightly closed to avoid moisture absorpt	ion

PolyOne.

# MATERIAL SAFETY DATA SHEET BROWN PG 48353 BN PP

Version Number 1.1 Revision Date 02/04/2004 Page 3 of 6 Print Date 11/13/2011

			in a d	• •	
8. E	XPOSURE	CONTROLS / PERSON	NAL	PROTECTION	
Respiratory protection	: N	o personal respiratory pr	otecti	ve equipment normally	required.
Eye/Face Protection	: S	afety glasses with side-sh	nields.		
Hand protection	: P	rotective gloves.			
Skin and body protection	: L	ong sleeved clothing.			
Additional Protective Measures	: S	afety shoes.			
General Hygiene Considerations		andle in accordance with Vash hands before breaks			afety practice.
Engineering measures		leat only in areas with app ppropriate exhaust ventila			Provide
Exposure limit(s)					
Components	Value	Exposure time		Exposure type	List:
Iron oxide	5 mg/m3	Time Weighted Avera			
	e ing ine	(TWA):	age	Dust and fume. as Fe	ACGIH
		(TWA):			ACGIH
		-			ACGIH
Form		(TWA): CAL AND CHEMICAL	2 PRO	PERTIES	applicable
Form Appearance	9. PHYSIC	(TWA): CAL AND CHEMICAL	2 PRO	PERTIES	
	9. PHYSIC : Solic	(TWA): CAL AND CHEMICAL E E ets S WN B	<b>PRO</b> Evapor Specifi Bulk de	PERTIES ration rate : Not c Gravity: : Not ensity : Not	applicable
Appearance Color Odor	9. PHYSIC : Solic : Pelle : BRC : Very	(TWA): CAL AND CHEMICAL I E ots S WN B faint V	Evapor Evapor Specifi Bulk de Japor	PERTIES ration rate : Not c Gravity: : Not ensity : Not pressure : Not	applicable determined established applicable
Appearance Color Odor Melting point/range	9. PHYSIC : Solic : Pelle : BRC : Very : Not of	(TWA): CAL AND CHEMICAL I E its S WN B ifaint V determined V	2 PRO Evapor Specifi Bulk do Japor Japou	PERTIES ration rate : Not c Gravity: : Not ensity : Not pressure : Not r density : Not	applicable determined established applicable applicable
Appearance Color Odor Melting point/range Boiling Point:	9. PHYSIC : Solic : Pelle : BRC : Very : Not c : Not a	(TWA): CAL AND CHEMICAL I E Sts S WN B faint V determined V applicable p	Evapor Evapor Specifi Bulk de Japor	PERTIES ration rate : Not c Gravity: : Not ensity : Not pressure : Not r density : Not	applicable determined established applicable
Appearance Color Odor Melting point/range	9. PHYSIC : Solic : Pelle : BRC : Very : Not of	(TWA): CAL AND CHEMICAL I E Sts S WN B faint V determined V applicable p	2 PRO Evapor Specifi Bulk do Japor Japou	PERTIES ration rate : Not c Gravity: : Not ensity : Not pressure : Not r density : Not	applicable determined established applicable applicable
Appearance Color Odor Melting point/range Boiling Point:	9. PHYSIC Solid Pelle BRC Very Not a Insol	(TWA): CAL AND CHEMICAL I E Sts S WN B faint V determined V applicable p	2 PRO Evapor Specifi Bulk de Japor Japour H	PERTIES ration rate : Not c Gravity: : Not ensity : Not pressure : Not r density : Not : Not	applicable determined established applicable applicable
Appearance Color Odor Melting point/range Boiling Point:	9. PHYSIC : Solic : Pelle : BRC : Very : Not c : Not a : Insol 10. S	(TWA): CAL AND CHEMICAL E E ts S WN B faint V determined V applicable p uble	2 PRO Evapor Specifi Bulk de Japor Japour H	PERTIES ration rate : Not c Gravity: : Not ensity : Not pressure : Not r density : Not : Not	applicable determined established applicable applicable
Appearance Color Odor Melting point/range Boiling Point: Water solubility	9. PHYSIC : Solic : Pelle : BRC : Very : Not c : Not c : Insol 10. S : S	(TWA): CAL AND CHEMICAL I E its S WN B ifaint V determined V applicable p uble CTABILITY AND REAC	2 PRO Evapor Specifi Bulk de Japor Japour H	PERTIES ration rate : Not c Gravity: : Not ensity : Not pressure : Not r density : Not : Not	applicable determined established applicable applicable
Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	9. PHYSIC : Solic : Pelle : BRC : Very : Not a : Not a : Insol 10. S : S 1 : W : K	(TWA): CAL AND CHEMICAL CAL AND CHEMICAL E E Sts S WN B Faint V determined V applicable p uble STABILITY AND REAC table.	2 PRO Evapor Specifi Bulk de Japor Japour H CTIV	PERTIES Tration rate : Not c Gravity: : Not ensity : Not pressure : Not c density : Not i Not TTY ts and open flame. To a	applicable determined established applicable applicable
Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerizatior	9. PHYSIC : Solid : Pelle : BRC : Very : Not a : Not a : Insol 10. S i S i S i K d	(TWA): CAL AND CHEMICAL CAL AND CHEMICAL CAL AND CHEMICAL EXAMPLE AND CHEMICAL EXAMPLE AND REAC TABILITY AND REAC Table. Will not occur. Teep away from oxidizing	2 PRO Evapor Specifi Bulk de /apor /apour H CTIV	PERTIES Tration rate : Not c Gravity: : Not ensity : Not pressure : Not c density : Not c Not ts and open flame. To a	applicable determined established applicable applicable



### MATERIAL SAFETY DATA SHEET BROWN PG 48353 BN PP

### Version Number 1.1

Revision Date 02/04/2004

Page 4 of 6 Print Date 11/13/2011

products

(NOx), other hazardous materials, and smoke are all possible.

#### **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemi	cal Name	Effect	Target Organ
1309-37-1	Iron oxide		Systemic effects	Respiratory system.
	12.	ECOLOGIC	CAL INFORMATION	
Persistence and degra	adability :	Not readily bi	odegradable.	
Environmental Toxic	•	Chemicals are of the polyme	•	s they are bound within the matrix
Bioaccumulation Pot		Chemicals are of the polyme	•	s they are bound within the matrix
Additional advice	:	No data availa	able	
	13	. DISPOSAL	CONSIDERATIONS	
Product		possible recyc generator of v classification,	cling is preferred to dis vaste material has the r	product can be recycled. Where posal or incineration. The esponsibility for proper waste posal in accordance with nd local regulations.
Contaminated packa	~ <b>.</b>	Desustingian	uniformed when possible	The generator of wester material

Contaminated packaging : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.

#### **14. TRANSPORT INFORMATION**

U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA (air)	: Refer to specific regulation.

IMO / IMDG (maritime) : Refer to specific regulation.

### **15. REGULATORY INFORMATION**

US Regulations:

PolyOne.

## MATERIAL SAFETY DATA SHEET BROWN PG 48353 BN PP

Version Number 1.1 Revision Date 02/04/2004 Page 5 of 6 Print Date 11/13/2011

		1 1 1	
OSHA Status	: Classified as haz	zardous based on compon	ents.
TSCA Status	: All components Inventory.	s of this product are listed	on or exempt from the
S. EPA CERCLA Hazardous	Substances (40 CFR 3	302)	
Not applicable			
California Proposition 65	: This product doe	es not contain a substance	listed by California I
SARA Title III Section 302 Ex	tremely Hazardous Su	bstance	
Not applicable	2		
ARA Title III Section 313 To	xic Chemicals:		
Chemical Name		CAS-No.	Weight %
ZINC COMPOUNDS	ase Inventory (NPRI)	CAS-No. 68187-51-9	Weight % 9.36
ZINC COMPOUNDS	ase Inventory (NPRI)		
ZINC COMPOUNDS			
ZINC COMPOUNDS Canadian Regulations: National Pollutant Relea	<ul><li>Not controlled.</li><li>All components</li></ul>		9.36
ZINC COMPOUNDS Canadian Regulations: National Pollutant Relea WHMIS Classification	<ul><li>Not controlled.</li><li>All components</li></ul>	68187-51-9	9.36
ZINC COMPOUNDS Canadian Regulations: National Pollutant Relea WHMIS Classification DSL	<ul><li>Not controlled.</li><li>All components</li></ul>	68187-51-9	9.36
ZINC COMPOUNDS Canadian Regulations: National Pollutant Relea WHMIS Classification DSL Vational Inventories:	<ul> <li>Not controlled.</li> <li>All components Substances List</li> </ul>	68187-51-9	9.36
ZINC COMPOUNDS Canadian Regulations: National Pollutant Relea WHMIS Classification DSL Jational Inventories: Australia AICS	<ul> <li>Not controlled.</li> <li>All components Substances List</li> <li>Listed</li> </ul>	68187-51-9	9.36
ZINC COMPOUNDS Canadian Regulations: National Pollutant Relea WHMIS Classification DSL National Inventories: Australia AICS China IECS	<ul> <li>Not controlled.</li> <li>All components Substances List</li> <li>Listed</li> <li>Listed</li> </ul>	68187-51-9	9.36
ZINC COMPOUNDS Canadian Regulations: National Pollutant Relea WHMIS Classification DSL Vational Inventories: Australia AICS China IECS Europe EINECS	<ul> <li>Not controlled.</li> <li>All components Substances List</li> <li>Listed</li> <li>Listed</li> <li>Listed</li> <li>Listed</li> </ul>	68187-51-9	9.36



# MATERIAL SAFETY DATA SHEET BROWN PG 48353 BN PP

Version Number 1.1 Revision Date 02/04/2004 Page 6 of 6 Print Date 11/13/2011

#### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.