

MATERIAL SAFETY DATA SHEET

PG 48491 BU PE

Version Number 1.0 Revision Date 01/21/2004

Page 1 of 6 Print Date 11/13/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	PG 48491 BU PE
Product code	:	CC10048491
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	1 - 5
Calcium carbonate	1317-65-3	5 - 10

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eves.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.



MATERIAL SAFETY DATA SHEET **PG 48491 BU PE**

Version Number 1.0 Revision Date 01/21/2004 Page 2 of 6 Print Date 11/13/2011

Aggravated by Exposure:			
4. FIRST AID MEASURES			
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.		
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.		
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.		
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.		
	5. FIRE-FIGHTING MEASURES		
Flash point	: Not applicable		
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not applicable Carbon dioxide blanket, water spray, dry powder, foamnone. 		
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.		
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.		
	6. ACCIDENTAL RELEASE MEASURES		
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.		
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.		
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 12 of this MSDS for proper disposal methods.		
	7. HANDLING AND STORAGE		
Handling	: Take measures to prevent the build up of electrostatic charge Heat only in areas with appropriate exhaust ventilation.		



MATERIAL SAFETY DATA SHEET **PG 48491 BU PE**

Version Number 1.0 Revision Date 01/21/2004 Page 3 of 6 Print Date 11/13/2011

Storage : Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place. 8. EXPOSURE CONTROLS / PERSONAL PROTECTION Respiratory protection : No personal respiratory protective equipment normally required. Eye/Face Protection Safety glasses with side-shields. : Hand protection Protective gloves. : Skin and body protection : Long sleeved clothing. Additional Protective Safety shoes. :

General Hygiene
Considerations: Handle in accordance with good industrial hygiene and safety practice.
Wash hands before breaks and at the end of workday.Engineering measures: Heat only in areas with appropriate exhaust ventilation. Provide
appropriate exhaust ventilation at machinery.

Exposure limit(s)

Measures

Components	Value	Exposure time	Exposure type	List:
Calcium carbonate	5 mg/m3	PEL:	Respirable fraction.	OSHA Z1
	15 mg/m3	PEL:	Total dust.	OSHA Z1
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH
	15 mg/m3	PEL:	Total dust.	OSHA Z1

Form	: Solid	Evaporation rate	: Not applicable
Appearance	: Pellets	Specific Gravity:	: Not determined
Color	: BLUE	Bulk density	: Not established
Odor	: Very faint	Vapor pressure	: Not applicable
Melting point/range	: Not determined	Vapour density	: Not applicable
Boiling Point:	: Not applicable	pН	: Not applicable
Water solubility	: Insoluble		
	10. STABILITY AN	D REACTIVITY	
Stability	: Stable.		
Hazardous Polymerization	: Will not occur.		
Conditions to avoid	: Keep away from o	oxidizing agents and open fl	ame. To avoid thermal



MATERIAL SAFETY DATA SHEET **PG 48491 BU PE**

Incompatible Materials	decompositio			
Incompatible Materials	decompositio			
Incompatible Materials	_	n, do not overheat.		
P	s : Incompatible	with strong acids and o	oxidizing agents.	
Hazardous decomposit products			oxide (CO), oxides of nitrogen nd smoke are all possible.	
	11. TOXICOLOG	ICAL INFORMATIO	ON	
	een evaluated as a whole for vidual components which co		ure effects listed are based on exi	
	the following components w	hich in their pure form	have the following characteristic	
CAS-No.	Chemical Name	Effect	Target Organ	
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.	
1317-65-3	Calcium carbonate	Irritant	Eyes, Skin.	
		Systemic effects	Eyes, Skin, Respiratory system	
		CAL INFORMATION	-	
Bioaccumulation Poter Additional advice	of the polyme ntial : Chemicals are of the polyme : No data avail	e not readily available a er.	s they are bound within the matri	
Additional advice				
	13. DISPOSAL	CONSIDERATIONS		
Product	possible recyc generator of v classification,	cling is preferred to dis waste material has the r	product can be recycled. Where posal or incineration. The esponsibility for proper waste posal in accordance with nd local regulations.	
Contaminated packagi	has the respon- and disposal i	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.		
	14. TRANSPO	RT INFORMATION		
U.S. DOT Classificatio	on . Not regulated	for transportation.		



2 49401 DII DE		
5 48491 BU PE sion Number 1.0		Page 5
rision Date 01/21/2004		Print Date 11/13/2
ICAO/IATA (air)	:	Refer to specific regulation.
IMO / IMDG (maritime)	:	Refer to specific regulation.
	15	5. REGULATORY INFORMATION
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Sub	stances (40 CFR 302)
Not applicable		
California Proposition 65	:	WARNING! This product contains a chemical known to the State of California to cause cancer.
SARA Title III Section 302 Ext	rem	ely Hazardous Substance
SARA Title III Section 302 Ext Not applicable	rem	ely Hazardous Substance
Not applicable SARA Title III Section 313 Toy Not applicable		
Not applicable SARA Title III Section 313 Toy		
Not applicable SARA Title III Section 313 Toy Not applicable	kic (Chemicals:
Not applicable SARA Title III Section 313 Tox Not applicable Canadian Regulations:	kic (Chemicals:
Not applicable SARA Title III Section 313 Too Not applicable Canadian Regulations: National Pollutant Relea	kic (Chemicals:
Not applicable SARA Title III Section 313 Too Not applicable Canadian Regulations: National Pollutant Relea Not applicable	xic (se Ii	Chemicals: nventory (NPRI)
Not applicable SARA Title III Section 313 Tox Not applicable Canadian Regulations: National Pollutant Relea Not applicable WHMIS Classification	xic (se Ii	Chemicals: nventory (NPRI) D2B All components of this product are on the Canadian Domestic
Not applicable SARA Title III Section 313 Tox Not applicable Canadian Regulations: National Pollutant Relea Not applicable WHMIS Classification DSL	xic (se Ii	Chemicals: nventory (NPRI) D2B All components of this product are on the Canadian Domestic
Not applicable SARA Title III Section 313 Tox Not applicable Canadian Regulations: National Pollutant Relea Not applicable WHMIS Classification DSL National Inventories:	xic (se Ii :	Chemicals: nventory (NPRI) D2B All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
Not applicable SARA Title III Section 313 Tox Not applicable Canadian Regulations: National Pollutant Relea Not applicable WHMIS Classification DSL National Inventories: Australia AICS	xic (se Ii :	Chemicals: nventory (NPRI) D2B All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt. Listed

	PolyOne.
POLYONE CORPORATIO	ON
MATERIAL SAFETY DATA SHEET	
PG 48491 BU PE	
Version Number 1.0 Revision Date 01/21/2004	Page 6 of 6 Print Date 11/13/2011
Korea KECI :	Listed
Philippines PICCS :	Listed
	16. OTHER INFORMATION
at the date of its publication. The in processing, storage, transportation, specification. The information relate	fety Data Sheet is correct to the best of our knowledge, information and belief formation given is designed only as a guidance for safe handling, use, disposal and release and is not to be considered a warranty or quality es only to the specific material designated and may not be valid for such with any other materials and/or in any particular process or processing